

DORAL FLORIDA FACILITY FIRE

PRELIMINARY AIR MONITORING

SUMMARY

Doral, Florida 07:00 March 18 - 07:00 March 19, 2023 Project #025114

1.0 INTRODUCTION

On February 16, 2023, Covanta Energy requested that CTEH[®], LLC provide air monitoring and air sampling support in response to a fire at a Covanta Energy facility in Doral, Florida. CTEH[®] personnel mobilized to the incident site and began real-time air monitoring in the surrounding community at approximately 0800 Eastern Standard Time (EST) February 17, 2023. This report summarizes the real-time air monitoring data collected from 0700 EST March 18 to 0700 EST March 19, 2023.

2.0 AIR MONITORING AND SAMPLING METHODS

Real-time air monitoring refers to the use of direct-reading instruments to provide a near-instantaneous readout of a chemical concentration in air. CTEH[®] personnel developed and implemented an Air Sampling and Analysis Plan (SAP), which was reviewed by the U.S. EPA Region 4 On-Scene Coordinator (EPA Region 4 OSC) and other members of Incident Command, to characterize the nature and extent of emissions from the fire. During this reporting period, CTEH personnel conducted real-time air monitoring in accordance with the Community Monitoring plan outlined in the SAP. Community Monitoring was conducted in the residential and commercial locations surrounding the incident site, not necessarily occupied by members of the community. All Community Monitoring was conducted at a height representative of the breathing zone.

During this reporting period, CTEH[®] personnel conducted handheld real-time air monitoring for carbon monoxide (CO), hydrogen sulfide (H₂S), hydrogen cyanide (HCN), atmospheric flammability measured as a percentage of the lower explosive limit (%LEL), particulate matter less than 2.5 microns (PM_{2.5}), and volatile organic compounds (VOCs). Real-time air monitoring was conducted using RAE Systems by Honeywell MultiRAE, TSI DustTrak, and TSI SidePak AM520 handheld instruments.

CTEH personnel also deployed stationary radio-telemetering real-time air monitoring instruments (RAE Systems by Honeywell AreaRAE instruments) at four fixed locations. AreaRAE instruments were used to monitor for CO, H₂S, %LEL, HCN, and VOCs every 15 seconds. In addition, four TSI SidePak AM520 instruments were deployed, co-located with AreaRAE instruments, to log PM_{2.5} data.

Please note that, in addition to fire smoke, automobile exhaust is another source of particulate matter that is detectable on PM_{2.5} instrumentation. PM_{2.5} in exhaust from cars and trucks onsite during response activities and on nearby roads may be associated with momentary elevated PM_{2.5} readings. PM_{2.5} instruments can also overstate PM_{2.5} levels during humid weather conditions.

To supplement real-time air monitoring, analytical air samples were collected at discrete locations around the incident site, co-located with AreaRAE instruments. Samples were collected for asbestos, polynuclear



aromatic hydrocarbons, and metals. All samples will be shipped under chain-of-custody to Pace Analytical, an American Industrial Hygiene Association-accredited laboratory for analysis.

3.0 AIR MONITORING RESULTS

A summary of handheld real-time readings by location is provided in **Table 1**. Radio-telemetering AreaRAE data is provided in **Table 2**. Data-logged PM_{2.5} readings are provided in **Table 3**. Real-time air monitoring action level references, selected in coordination with the EPA Region 4 OSC, are provided in **Table 4**. A PM_{2.5} action level sheet provided by the EPA Region 4 OSC is included as **Attachment A**. Maps of the incident location and air monitoring/sampling locations are provided in **Attachment B**. Graphical representations of radio-telemetering AreaRAE data are provided in **Attachment C**. Graphical representations of data-logged PM_{2.5} readings are provided in **Attachment D**.

Location Code	Location Description	Analyte	Instrument(s)	Number of Readings	Number of Detections	Range of Detections*	Period Average*	Action Level	
		H₂S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm	
FRT-001	107 and 66th	PM2.5	AM520/DustTrak	12	12	10 - 30 μg/m³	20 µg/m³	See PM2.5 Action Level Sheet	
		%LEL	MultiRAE	1	0	<1%	<1%	10 %	
FRT-002	CVS at 107 and 74	H₂S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm	
1111 002		PM2.5	AM520/DustTrak	12	12	15 - 25 μg/m³	20 µg/m³	See PM2.5 Action Level Sheet	
	Danald Daaraa	СО	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm	
FRT-003	Ronald Reagan High School	PM2.5	AM520/DustTrak	12	12	12 - 25 μg/m³	19 µg/m³	See PM2.5 Action Level Sheet	
	8400 102nd Ave, Southeast Corner		%LEL	MultiRAE	1	0	< 1 %	<1%	10 %
		H₂S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm	
ER[-(1)/(1)/(1)]		PM2.5	AM520/DustTrak	12	12	16 - 32 μg/m³	22 µg/m³	See PM2.5 Action Level Sheet	
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm	
	Andrea Castillo Preparatory Academy	HCN	MultiRAE	1	0	< 0.5 ppm	< 0.5 ppm	2 ppm	
FRT-005		PM2.5	AM520/DustTrak	12	12	13 - 30 μg/m³	21 µg/m³	See PM2.5 Action Level Sheet	
	Academy	VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm	
	Deptist Llegith	%LEL	MultiRAE	1	0	< 1 %	<1%	10 %	
	Baptist Health Hospital ER	PM2.5	AM520/DustTrak	12	12	14 - 24 μg/m³	19 µg/m³	See PM2.5 Action Level Sheet	
FRT-007	Impact Centre at	PM2.5	AM520/DustTrak	12	12	14 - 26 μg/m³	20 µg/m³	See PM2.5 Action Level Sheet	
	Doral Entrance	VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm	

Table 1: Community Handheld Real-Time Air Monitoring Results by Location[†]



Location Code	Location Description	Analyte	Instrument(s)	Number of Readings	Number of Detections	Range of Detections*	Period Average*	Action Level
		%LEL	MultiRAE	1	0	< 1 %	<1%	10 %
		HCN	MultiRAE	1	0	< 0.5 ppm	< 0.5 ppm	2 ppm
FRT-008	Aldi Parking lot	PM2.5	AM520/DustTrak	12	12	12 - 25 μg/m³	20 µg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
		CO	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
FRT-009	Side of 58th, Next to Golf Course.	PM2.5	AM520/DustTrak	12	12	16 - 24 μg/m³	20 µg/m³	See PM2.5 Action Level Sheet
Station 1	South Fenceline	PM2.5	AM520/DustTrak	2	2	25 - 77 μg/m³	51 µg/m³	See PM2.5 Action Level Sheet
Station 2	Southeast Corner of Stack	PM2.5	AM520/DustTrak	1	1	25 μg/m³	25 μg/m³	See PM2.5 Action Level Sheet
Station 3	West Fenceline	PM2.5	AM520/DustTrak	2	2	30 - 56 μg/m³	43 μg/m³	See PM2.5 Action Level Sheet
Station 4	North Fenceline	PM2.5	AM520/DustTrak	2	2	30 - 70 μg/m³	50 µg/m³	See PM2.5 Action Level Sheet

* Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.

* If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed.

ppm = parts per million; $\mu g/m^3$ = micrograms per cubic meter

Table 2: Radio-Telemetering Air Monitoring Results[†]

Location Code	Location	Analyte	Number of Readings	Number of Detections	Concentration Range*	Period Average*	Action Level
	South Fenceline	%LEL	4,633	0	< 1 %	< 1 %	10 %
		СО	4,633	0	< 1 ppm	< 1 ppm	83 ppm
Station 01		H_2S	4,633	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	4,633	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	3,278	500	0.1 - 0.7 ppm	0.07 ppm	1 ppm
	Southeast Corner of	%LEL	4,470	0	< 1 %	< 1 %	10 %
		CO	4,470	0	< 1 ppm	< 1 ppm	83 ppm
Station 02		H ₂ S	4,470	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
	Stack	HCN	4,470	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	4,470	0	< 0.1 ppm	< 0.1 ppm	1 ppm



Location Code	Location	Analyte	Number of Readings	Number of Detections	Concentration Range*	Period Average*	Action Level
		%LEL	2,061	0	< 1 %	< 1 %	10 %
		CO	2,061	0	< 1 ppm	< 1 ppm	83 ppm
Station 03	West Fenceline	H_2S	2,061	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	2,061	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	2,061	119	0.1 - 0.4 ppm	0.021 ppm	1 ppm
		%LEL	4,928	0	< 1 %	< 1 %	10 %
		CO	4,928 70	2 - 4 ppm	0.041 ppm	83 ppm	
Station 04	North Fenceline	H_2S	4,928	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	4,928	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	4,928	0	< 0.1 ppm	< 0.1 ppm	1 ppm

⁺ Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.

* If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed ppm = parts per million

Table 3: Data-Logged PM_{2.5} Real-Time Air Monitoring Results⁺

Location Code	Location Description	Number of Readings	Concentration Range*	Period Average*	Action Level
Station 1	South Fenceline	37,514	6 - 374 μg/m³	55 μg/m³	See PM2.5 Action Level Sheet
Station 2	Southeast Corner of Stack	38,328	8 - 257 μg/m³	57 μg/m³	See PM2.5 Action Level Sheet
Station 3	West Fenceline	35,295	8 – 2,360 μg/m³	55 μg/m³	See PM2.5 Action Level Sheet
Station 4	North Fenceline	39,563	6 - 464 μg/m³	64 μg/m³	See PM2.5 Action Level Sheet

[†] Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time. $PM_{2.5}$ in exhaust from cars and trucks onsite during response activities and on nearby roads may be associated with momentary elevated $PM_{2.5}$ readings. $PM_{2.5}$ instruments can also overstate $PM_{2.5}$ levels during humid weather conditions. $\mu g/m^3 = micrograms$ per cubic meter



Table 4: Action Level References⁺

Definition	Action Level Reference
Volatile Organic Compounds	Temporary Emergency Exposure Limit (TEEL-0) for Benzene
Carbon Monoxide	Acute Exposure Guideline Level (AEGL-2) 1-hr
Hydrogen Sulfide	AEGL-1, 1 hr
Lower Explosive Limit	29 CFR 1910.146, Confined Spaces
Hydrogen Cyanide	AEGL-1, 1 hr
Particulate Matter < 2.5 Microns	See PM2.5 Action Level Sheet
-	Volatile Organic Compounds Carbon Monoxide Hydrogen Sulfide Lower Explosive Limit Hydrogen Cyanide

⁺ Action levels selected in coordination with EPA Region 4 OSC

4.0 METEOROLOGICAL CONDITIONS

Attachment E contains a wind rose depicting wind speed and direction for this reporting period. Wind data is obtained from publicly available information collected at the Miami International Airport.



Attachment A

PM_{2.5} Action Level Sheet

Provided by EPA Region 4 OSC




PM _{2.5} (Particulate Matter ≤ 2.5 microns) Community Action Threshold Levels							
1-Hour Average (μg/m³)	24-Hour Average (μg/m ³)	Level of Health Concern	Meaning	Action			
0.0 - 40.0	0.0-12.0	Good	Air Quality is considered satisfactory, and air pollution poses little or no risk.	Implement communication plan.			
40.1 - 80.0	12.1 - 35.4	Moderate	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually senstive to air pollution.	Issue public announcement about health effects. Stay out of areas with visible smoke.			
80.1 - 175.0	35.5 - 55.4	Unhealthy for Sensitive Groups	Members of sensitive groups may experience health effects. The general public is not likely to be affected.	Recommend evacuation or shelter-in- place for sensitive populations.			
175.1 - 300.0	55.5 - 150.4	Unhealthy	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.	Consider closing schools and cancelling outdoor events. Recommend shelter-in- place for affected neighborhoods.			
300.1 - 500.0	150.5 - 250.4	Very Unhealthy	Health warnings of emergency conditions. The entire population is more likely to be affected.	Consider closing schools and cancel all outdoor events. Recommend shelter-in- place and/or evacuation for affected neighborhoods.			
> 500.0	> 250.5	Hazardous	Health alert: everyone may experience more serious health effects.	Recommend closing schools & cancel outdoor events. Recommend closing workplaces and evacuating affected neighborhoods.			

Attachment B

Maps










Bandheld Real-Time Air Monitoring Locations | Community Monitoring

Doral Florida Facility Fire



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade






[®] Handheld Real-Time Air Monitoring Locations | Community Monitoring | PM_{2.5}

Doral Florida Facility Fire



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade






Fixed Real-Time Air Monitoring and Analytical Sampling Locations



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade

Doral Florida Facility Fire



Projection: WGS 1984 UTM Zone 17N

Datum: WGS 1984


Updated at 2023-02-09 09:12

Attachment C


AreaRAE Graphs



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 03/18/2023 07:00 to 03/19/2023 07:00 | Analyte: %LEL




Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 03/18/2023 07:00 to 03/19/2023 07:00 | Analyte: CO (ppm)




03/18/2023 11:00 03/18/2023 15:00 03/18/2023 19:00 03/18/2023 23:00 03/19/2023 03:00


Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 03/18/2023 07:00 to 03/19/2023 07:00 | **Analyte: H2S (ppm)**



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 03/18/2023 07:00 to 03/19/2023 07:00 | Analyte: HCN (ppm)



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 03/18/2023 07:00 to 03/19/2023 07:00 | **Analyte: VOCs (ppm)**




03/18/2023 11:00 03/18/2023 15:00 03/18/2023 19:00 03/18/2023 23:00 03/19/2023 03:00

Attachment D

AM520 Graphs



Datalogged PM2.5 Air Monitoring Results PROJ-025114 | Doral Florida Facility Fire | Doral, FL 3/18/2023 07:00:01 to 3/19/2023 05:02:37



Attachment E

Meteorological Conditions



