

DORAL FLORIDA FACILITY FIRE PRELIMINARY AIR MONITORING SUMMARY

Doral, Florida

08:00 February 17 - 07:00 February 18, 2023

Project #025114

1.0 INTRODUCTION

On February 16, 2023, Covanta Energy requested that CTEH®, LLC provide air monitoring and air sampling support in response to a fire at a Covanta Energy facility in Doral, Florida. CTEH® personnel mobilized to the incident site and began real-time air monitoring in the surrounding community at approximately 0800 Eastern Standard Time (EST) February 17, 2023. This report summarizes the real-time air monitoring data collected from 0800 EST February 17 to 0700 EST February 18, 2023.

2.0 AIR MONITORING AND SAMPLING METHODS

Real-time air monitoring refers to the use of direct-reading instruments to provide a near-instantaneous readout of a chemical concentration in air. CTEH® personnel developed and implemented an Air Sampling and Analysis Plan (SAP), which was reviewed by the U.S. EPA Region 4 On-Scene Coordinator (EPA Region 4 OSC) and other members of Incident Command, to characterize the nature and extent of emissions from the fire. During this reporting period, CTEH personnel conducted real-time air monitoring in accordance with the Community Monitoring plan outlined in the SAP. Community Monitoring was conducted in the residential and commercial locations surrounding the incident site, not necessarily occupied by members of the community. All Community Monitoring was conducted at a height representative of the breathing zone.

During this reporting period, CTEH® personnel conducted handheld real-time air monitoring for carbon monoxide (CO), hydrogen sulfide (H₂S), hydrogen cyanide (HCN), atmospheric flammability measured as a percentage of the lower explosive limit (%LEL), particulate matter less than 2.5 microns (PM_{2.5}), and volatile organic compounds (VOCs). Real-time air monitoring was conducted using RAE Systems by Honeywell MultiRAE and TSI SidePak AM520 handheld instruments.

CTEH personnel also deployed stationary radio-telemetering real-time air monitoring instruments (RAE Systems by Honeywell AreaRAE instruments) at four fixed locations. AreaRAE instruments were used to monitor for CO, H₂S, %LEL, HCN, and VOCs every 15 seconds. In addition, one TSI SidePak AM520 was deployed to log PM_{2.5} data.

To supplement real-time air monitoring, analytical air samples were collected at discrete locations around the incident site co-located with AreaRAE instruments. Samples were collected for asbestos, polynuclear aromatic hydrocarbons, and metals. All samples will be shipped under chain-of-custody to Pace Analytical, an American Industrial Hygiene Association-accredited laboratory for analysis.



3.0 AIR MONITORING RESULTS

A summary of handheld real-time readings by location is provided in **Table 1**. Radio-telemetering AreaRAE data is provided in **Table 2**. Data-logged PM_{2.5} readings are provided in **Table 3**. Real-time air monitoring action level references, selected in coordination with the EPA Region 4 OSC, are provided in **Table 4**. A PM_{2.5} action level sheet provided by the EPA Region 4 OSC is included as **Attachment A**. Maps of the incident location and air monitoring/sampling locations are provided in **Attachment B**. Graphical representations of radio-telemetering AreaRAE data are provided in **Attachment C**. Graphical representations of data-logged PM_{2.5} readings are provided in **Attachment D**.

Table 1: Community Handheld Real-Time Air Monitoring Results By Location[†]

Location Code	Location Description	Analyte	Instrument	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
FRT-001	107 and 66th	СО	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
		H₂S	MultiRAE	3	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		PM _{2.5}	AM520	12	12	8 - 54 μg/m³	34 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
		%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
	CVS at 107	HCN	MultiRAE	1	0	< 0.5 ppm	< 0.5 ppm	2 ppm
FRT-002	and 74	PM _{2.5}	AM520	13	13	7 - 150 μg/m³	52 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
	Ronald Regan High School	%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		СО	MultiRAE	3	0	< 1 ppm	< 1 ppm	83 ppm
		H₂S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
FRT-003		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM _{2.5}	AM520	10	10	8 - 101 μg/m³	36 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
	8400 102nd Ave, Southeast Corner	%LEL	MultiRAE	2	0	< 1 %	< 1 %	10 %
		СО	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
FRT-004		H₂S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	MultiRAE	3	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM _{2.5}	AM520	16	16	11 - 198 μg/m³	58 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm

Location Code	Location Description	Analyte	Instrument	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
FRT-005	Andrea Castillo Preparatory	%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		PM _{2.5}	AM520	10	10	15 - 52 μg/m³	34 μg/m³	See PM2.5 Action Level Sheet
	Academy	VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
		%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		СО	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
	Courth	H₂S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
Station 1	South Fenceline	HCN	MultiRAE	1	0	< 0.5 ppm	< 0.5 ppm	2 ppm
	rencemie	PM _{2.5}	AM520	4	4	11 - 74 μg/m³	37 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm
	Southeast Corner of Stack	СО	MultiRAE	1	0	< 1 ppm	< 1 ppm	83 ppm
		HCN	MultiRAE	1	0	< 0.5 ppm	< 0.5 ppm	2 ppm
Station 2		PM _{2.5}	AM520	10	10	8 - 61 μg/m³	39 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
	West Fenceline	%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		СО	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
		H₂S	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
Station 3		HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM _{2.5}	AM520	10	10	16 - 67 μg/m³	40 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	1	0	< 0.1 ppm	< 0.1 ppm	1 ppm
Station 4		%LEL	MultiRAE	1	0	< 1 %	< 1 %	10 %
		СО	MultiRAE	2	0	< 1 ppm	< 1 ppm	83 ppm
	N I o set lo	H₂S	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
	North Fenceline	HCN	MultiRAE	2	0	< 0.5 ppm	< 0.5 ppm	2 ppm
		PM _{2.5}	AM520	7	7	29 - 63 μg/m³	46 μg/m³	See PM2.5 Action Level Sheet
		VOCs	MultiRAE	2	0	< 0.1 ppm	< 0.1 ppm	1 ppm

[†] Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.



^{*}If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed. ppm = parts per million; $\mu g/m^3$ = micrograms per cubic meter

Table 2: Radio-Telemetering Air Monitoring Results[†]

Location Code	Location	Analyte	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
	South Fenceline	%LEL	3,833	0	< 1 %	< 1 %	10 %
		СО	3,833	15	2 - 28 ppm	0.030 ppm	83 ppm
Station 01		H ₂ S	3,833	2	0.4 - 0.7 ppm	0.0002 ppm	0.5 ppm
		HCN	3,833	7	1 - 4 ppm	0.01 ppm	2 ppm
		VOCs	3,834	380	0.1 - 0.3 ppm	0.02 ppm	1 ppm
		%LEL	3,627	0	< 1 %	< 1 %	10 %
	Southeast Corner of Stack	СО	3,618	166	2 - 11 ppm	0.23 ppm	83 ppm
Station 02		H ₂ S	3,627	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	3,627	41	1 - 2 ppm	0.06 ppm	2 ppm
		VOCs	3,627	37	0.1 - 3.2 ppm	0.01 ppm	1 ppm
	West Fenceline	%LEL	2,547	0	< 1 %	< 1 %	10 %
		СО	2,547	8	2 - 10 ppm	0.01 ppm	83 ppm
Station 03		H ₂ S	2,547	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
		HCN	2,547	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	2,547	10	0.1 - 5.1 ppm	0.01 ppm	1 ppm
		%LEL	4,410	0	< 1 %	< 1 %	10 %
	North Fenceline	СО	4,410	463	2 - 6 ppm	0.42 ppm	83 ppm
Station 04		H ₂ S	4,410	0	< 0.1 ppm	< 0.1 ppm	0.5 ppm
Thinks This is a superior		HCN	4,410	0	< 1 ppm	< 1 ppm	2 ppm
		VOCs	4,411	0	< 0.1 ppm	< 0.1 ppm	1 ppm

^{*} Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.

Table 3: Data-Logged PM_{2.5} Real-Time Air Monitoring Results[†]

Location	Location	Number of	Concentration	Period	Action
Code	Description	Readings	Range	Average*	Level
Station 3	West Fenceline	27,862	1 - 474 ug/m ³	13 ug/m³	See PM2.5 Action Level Sheet

[†] Note: This is a preliminary data summary, indicating that the data provided have not undergone the full quality assurance and quality control (QAQC) process and should be considered preliminary at this time.



^{*}If no detectable concentration was observed, the instrument detection limit preceded by a "<" is listed ppm = parts per million

^{*}Data collected from 07:22 to 15:07 EST on February 17, 2023 $\mu g/m^3$ = micrograms per cubic meter

Table 4: Action Level References[†]

Analyte	Definition	Action Level Reference		
VOCs	Volatile Organic Compounds	Temporary Emergency Exposure Limit (TEEL-0) for Benzene		
СО	Carbon Monoxide	Acute Exposure Guideline Level (AEGL-2) 1-hr		
H ₂ S	Hydrogen Sulfide	AEGL-1, 1 hr		
%LEL	Lower Explosive Limit	29 CFR 1910.146, Confined Spaces		
HCN	Hydrogen Cyanide	AEGL-1, 1 hr		
PM _{2.5}	Particulate Matter < 2.5 Microns	See PM2.5 Action Level Sheet		

[†] Action levels selected in coordination with EPA Region 4 OSC

4.0 METEOROLOGICAL CONDITIONS

Attachment E contains a wind rose depicting wind speed and direction for this reporting period. Wind data is obtained from publicly available information collected at the Miami International Airport.

Attachment A

PM_{2.5} Action Level Sheet

Provided by EPA Region 4 OSC



PM _{2.5} (Particulate Matter ≤ 2.5 microns) Community Action Threshold Levels							
1-Hour 24-Hour Average Average (μg/m³) (μg/m³)		Level of Health Concern	Meaning	Action			
0.0 - 40.0	0.0-12.0	Good	Air Quality is considered satisfactory, and air pollution poses little or no risk.	Implement communication plan.			
40.1 - 80.0	12.1 - 35.4	Moderate	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually senstive to air pollution.	Issue public announcement about health effects. Stay out of areas with visible smoke.			
80.1 - 175.0	35.5 - 55.4	Unhealthy for Sensitive Groups	Members of sensitive groups may experience health effects. The general public is not likely to be affected.	Recommend evacuation or shelter-in- place for sensitive populations.			
175.1 - 300.0	55.5 - 150.4	Unhealthy	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.	Consider closing schools and cancelling outdoor events. Recommend shelter-in-place for affected neighborhoods.			
300.1 - 500.0	150.5 - 250.4	Very Unhealthy	Health warnings of emergency conditions. The entire population is more likely to be affected.	Consider closing schools and cancel all outdoor events. Recommend shelter-in-place and/or evacuation for affected neighborhoods.			
> 500.0	> 250.5	Hazardous	Health alert: everyone may experience more serious health effects.	Recommend closing schools & cancel outdoor events. Recommend closing workplaces and evacuating affected neighborhoods.			

Attachment B

Maps



CTEH°

Doral Florida Facility Fire

Incident Location


Doral, FL | Miami-Dade County
PROJ-025114





S Incident Location

Updated At: 2/18/2023 8:51 AM Projection: GCS WGS 1984






Handheld Real-Time Air Monitoring Locations | Community Monitoring

Doral Florida Facility Fire



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade





Handheld Real-Time Air Monitoring Locations | Community Monitoring | PM_{2.5}

Doral Florida Facility Fire



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade






Fixed Real-Time Air Monitoring and Analytical Sampling Locations

Doral Florida Facility Fire



Project: PROJ-025114 Client: Covanta Energy City: Doral, FL County: Miami-Dade



Attachment C


AreaRAE Graphs




Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/17/2023 06:18 to 02/18/2023 06:59 | Analyte: %LEL




Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/17/2023 06:18 to 02/18/2023 06:59 | Analyte: CO (ppm)




Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/17/2023 06:18 to 02/18/2023 06:59 | Analyte: H2S (ppm)



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/17/2023 06:18 to 02/18/2023 06:59 | Analyte: HCN (ppm)



Preliminary Remote-telemetered Real-time Air Monitoring Readings PROJ-025114 | Doral Florida Facility Fire | Doral, FL 02/17/2023 06:18 to 02/18/2023 06:59 | Analyte: VOCs (ppm)



Attachment D


AM520 Graphs



Datalogged PM2.5 Air Monitoring Results

PROJ-025114 | Doral Florida Facility Fire | Doral, FL

2/17/2023 7:22:52 AM to 2/17/2023 3:07:19 PM



Attachment E

Meteorological Conditions



Weather Station: MIAMI INTL AIRPORT 02/17/2023 07:00 TO 02/18/2023 06:50

