

## REPLACE WINDOWS, MULLIONS OR GLASS DOORS

NO ALTERATION TO THE WALLS OR STRUCTURAL SUPPORTS

1. Provide a (yellow) permit application indicate on application that you are replacing existing windows. Enter Category 82 for Residential or 83 for Commercial buildings.
2. Provide a frontal view (elevation) of each exterior wall which is to have windows replaced. Show all windows in there approximate location. Identify which windows are being replaced and provide the following information for each.
  - a. The size of the window (indicate 2 if two windows are in one opening).
  - b. The product approval number of each window at the opening where it is to be placed.
  - c. If mullions are to be used between double windows indicate the cross sectional size of the mullion (1x3, 2x4, etc.).
3. The current **legible** Product Approval Notice of Acceptance of each window or mullion used.

Provide two copies of items 2 & 3 and one of Item 1.

**WINDOWS USED AS A SECOND MEANS  
OF ESCAPE TO COMPLY WITH FBC 1005.4**  
CLEAR OPENING NOT LESS THAN 20" IN WIDTH;  
24" IN HEIGHT AND 5.7 SQ. FT. NET CLEAR AREA  
THE BOTTOM OF THE SILL\* SHALL BE NOT MORE  
THAN 44" ABOVE THE FLOOR

