

# BORING LOG

Boring/Well Number: <u>139A</u> SBA- <u>167</u>		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: <u>Lu</u> Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: <u>7:08</u> <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	End Date: 09/18/18	
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Erglu	
Drilling Company: JAE		Pavement Thickness (inches): <u>N/A</u>	Borehole Diameter (inches): 4	Borehole Depth (feet): <u>0.5</u>	
Drilling Method(s): <u>DPT or HA</u>		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand	D	—	SBA- <u>167</u> (0.5) <u>139A</u> 1410
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <u>1398</u> SBA- <u>468</u> an		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1403	<input type="checkbox"/> AM	<input checked="" type="checkbox"/> PM
		End Date: 09/18/18	End Time: 1404	<input type="checkbox"/> AM	<input checked="" type="checkbox"/> PM
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAEЕ		Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 0.5	
Drilling Method(s): DPT or HA		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand		D	SBA- <del>468</del> 1398(0-0.5) 1405
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA- 150		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 0845 AM	End Date: 09/18/18	
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAE		Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 2	
Drilling Method(s): DPT or HA	Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DPT	2	2-1	N/A	N/A	N/A	N/A	0.5	Limerock roadbase and dark brown silty sand		D	SBA-150(0.5-2) OP50
							1	Alternating layers of sand and limerock (Med brown sand + orange/brown limerock)			
							2	End of borehole			
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA- <b>51</b>		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 0859 <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	End Date: 09/18/18	End Time: 0900 <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAEЕ		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): 4	Borehole Depth (feet): <b>2</b>	
Drilling Method(s): <u>DPT</u> or HA		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DPT	2	24	N/A	N/A	N/A	N/A	0.5	Dark brown s. Hy Sand			SBA-51(0-0.5')
							1	Poorly consolidated limsch offwhite.	D		0900
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA-152</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>0910</b> AM <input checked="" type="checkbox"/> PM		
		End Date: <b>09/18/18</b>	End Time: <b>0911</b> AM <input checked="" type="checkbox"/> PM		
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>1 1/2 inch</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>2</b>	
Drilling Method(s): <b>DPT or HA</b>	Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DPT	2	21	N/A	N/A	N/A	N/A	0.5 1 2 3 4 5 6	Dark brown sand w/ limerock beneath 0.5 inch asphalt pavement	D		SBA-152(0.5-2) 0915

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA- <u>153</u>		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: <u>0939</u> <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	End Date: 09/18/18	End Time: <u>0938</u> <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAEЕ		Pavement Thickness (inches): <u>N/A</u>	Borehole Diameter (inches): 4	Borehole Depth (feet): <u>2</u>	
Drilling Method(s): <u>DPT</u> or HA	Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
<u>DPT</u>	<u>2</u>	<u>24</u>	N/A	N/A	N/A	N/A	0.5 1 2 3 4 5 6	<u>off-white <sup>an</sup> <del>red</del> / muck w/ layers of light brown sand, poorly sorted.</u>			<u>SBA-153(0-0.5)</u> <u>0930</u> <u>SBA-153(0.5-2)</u> <u>0935</u>

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated



# BORING LOG

Boring/Well Number: <b>SBA-155</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>0949</b> AM <input type="checkbox"/> PM	End Date: <b>09/18/18</b>	
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>2</b>	
Drilling Method(s): <input checked="" type="checkbox"/> DPT or <input type="checkbox"/> HA		Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
<b>DPT</b>	<b>2</b>	<b>21</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	0.5 1 2 3 4 5 6	<b>Dark brown &amp; light brown sand, well sorted. Possible fill.</b>			<b>SBA-155(0-0.5) 0950</b> <b>SBA-155(0.5-2) 0952</b>

Sample Type Codes: **PH** = Post Hole; **HA** = Hand Auger; **SS** = Split Spoon; **ST** = Shelby Tube; **DP** = Direct Push; **SC** = Sonic Core; **DC** = Drill Cuttings  
 Moisture Content Codes: **D** = Dry; **M** = Moist; **W** = Wet; **S** = Saturated

# BORING LOG

Boring/Well Number: <b>SBA-156</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>0954</b> AM <input checked="" type="checkbox"/> PM <input type="checkbox"/>	End Date: <b>09/18/18</b>	
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>2</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>2</b>	
Drilling Method(s): <b>DPT or HA</b>	Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
<b>DPT</b>	<b>2</b>	<b>24</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	0.5	<b>Asphalt</b> Dark brown silty sand with rock			<b>SBA156(0-0.5)</b> <b>0955</b>
							1	Med. brown well sorted fill material			<b>SBA-156(0.5-2)</b> <b>0958</b>
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA- 157</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>1001</b> <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	End Date: <b>09/18/18</b>	
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>2</b>	
Drilling Method(s): <input checked="" type="checkbox"/> DPT or HA	Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DPT	2	24	N/A	N/A	N/A	N/A	0.5	<p style="color: blue;">Poorly sorted, med. Brown fine grained silty sand w/ limestone.</p>			<p>SBA-157(0-0.5) 1003</p> <p>D SBA-157(0.5-2) 1006</p>
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA- 158</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>1025</b> <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	End Date: <b>09/18/18</b>	
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>0.5</b>	
Drilling Method(s): <b>DPT or HA</b>		Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown top soil			SBA-158(0-0.5) 1030
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA- 159</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>1032</b> <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	End Date: <b>09/18/18</b>	
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>0.5</b>	
Drilling Method(s): <b>DPT of HA</b>		Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand.		D	SBA-15910-0.5)  1035
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA-160		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1041 AM	End Date: 09/18/18	
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAE		Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 0.5	
Drilling Method(s): DPT or HA	Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand		D	SBA-160(0-0.5) 1045
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA- 161		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1049 <del>X</del> AM <input type="checkbox"/> PM	End Date: 09/18/18	
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAEE		Pavement Thickness (inches): NA	Borehole Diameter (inches): 4	Borehole Depth (feet): 0.5	
Drilling Method(s): DPT or HA		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	NA	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand		D	SBA-161(0-0.5) -1050
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA- 162		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1055	AM <input checked="" type="checkbox"/> PM <input type="checkbox"/>	
		End Date: 09/18/18	End Time: 1054	AM <input checked="" type="checkbox"/> PM <input type="checkbox"/>	
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAE	Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 0.5		
Drilling Method(s): DPT or HA	Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand		D	SBA-162(0-0.5) 1055
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA- 163		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1113	<input checked="" type="checkbox"/> AM	<input type="checkbox"/> PM
		End Date: 09/18/18	End Time: 1115	<input checked="" type="checkbox"/> AM	<input type="checkbox"/> PM
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAE		Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 1	
Drilling Method(s): DPT or HA		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0-1	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown Silty sand		D	SBA-163(0-0.5) 1115 SBA-163(0.5-1) 1120
							1	Refusal @ 1ft by S, hrt 1merck			
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA-164		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1159	<input checked="" type="checkbox"/> AM	<input type="checkbox"/> PM
		End Date: 09/18/18	End Time: 1205	<input type="checkbox"/> AM	<input checked="" type="checkbox"/> PM
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAEE		Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 1	
Drilling Method(s): DPT or HA		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	1	N/A	N/A	N/A	N/A	N/A	0.5	Med. brown fine grained sand. Well sorted. Possible fill material		D	SBA-164(0.5-1) 1200
							1	Refusal w/HA at 1ft bgs.			SBA-164(0.5-1) 1205
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA-165</b>		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1238	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	
		End Date: 09/18/18	End Time: 1245	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAEE		Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 1	
Drilling Method(s): DPT or HA	Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	1	NA	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand, well sorted.		D	SBA-165(0-0.5) 1240
							1	<u>Refusal w/HA at 1ft logs</u>			SBA-165(0.5-1) 1245
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA- 166</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>9/18/18</b>	Borehole Start Time: <b>1250</b> <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM		
		End Date: <b>9/18/18</b>	End Time: <b>1255</b> <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM		
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): <b>4</b>		Borehole Depth (feet): <b>0.5</b>
Drilling Method(s): <b>DPT or HA</b>	Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	1	Dark brown silty sand. Limerock. Hit refusal w/HA at 0.5ft bgs. Dense limerock. Tried stepping out a couple feet and still hit limerock at 6 inches.		D	SBA-166(0-0.5') 1252
							2				
							3				
							4				
							5				
							6				
							7				
							8				
							9				
							10				
							11				
							12				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA-167</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>1318</b>	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	
		End Date: <b>09/18/18</b>	End Time: <b>1319</b>	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAE</b>		Pavement Thickness (inches): <b>NA</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>0.5</b>	
Drilling Method(s): <b>DPT or HA</b>	Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	NA	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand			SBA-167(0.5) 1320
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA-168</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>1523</b> <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	End Date: <b>09/18/18</b>	
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAEE</b>		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>0.5</b>	
Drilling Method(s): <b>DPT of HA</b>		Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown silty sand w/ limonite fragments		D	SBA-168  1525
	1						1				
	2						2				
	3						3				
	4						4				
	5						5				
	6						6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>SBA-169</b>		Permit Number: <b>N/A</b>		FDEP Facility Identification Number: <b>N/A</b>	
Site Name: <b>Ludlam Corridor</b>		Borehole Start Date: <b>09/18/18</b>	Borehole Start Time: <b>1533</b> <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM		
		End Date: <b>09/18/18</b>	End Time: <b>1535</b> <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM		
Environmental Contractor: <b>SCS Engineers</b>		Geologist's Name: <b>Alexis Nielsen</b>		Environmental Technician's Name: <b>Onur Eroglu</b>	
Drilling Company: <b>JAE</b>		Pavement Thickness (inches): <b>N/A</b>	Borehole Diameter (inches): <b>4</b>	Borehole Depth (feet): <b>0.5</b>	
Drilling Method(s): <b>DPT or HA</b>	Apparent Borehole DTW (in feet from soil moisture content): <b>N/A</b>	Measured Well DTW (in feet after water recharges in well): <b>N/A</b>	OVA (list model and check type): <b>N/A</b> <input type="checkbox"/> FID <input type="checkbox"/> PID		
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown topsoil, small 1. Merck pieces		D	SBA-169(0.5) 1535
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: SBA-170		Permit Number: N/A		FDEP Facility Identification Number: N/A	
Site Name: Ludlam Corridor		Borehole Start Date: 09/18/18	Borehole Start Time: 1543	<input type="checkbox"/> AM	<input checked="" type="checkbox"/> PM
		End Date: 09/18/18	End Time: 1545	<input type="checkbox"/> AM	<input checked="" type="checkbox"/> PM
Environmental Contractor: SCS Engineers		Geologist's Name: Alexis Nielsen		Environmental Technician's Name: Onur Eroglu	
Drilling Company: JAE		Pavement Thickness (inches): N/A	Borehole Diameter (inches): 4	Borehole Depth (feet): 0.5	
Drilling Method(s): DPT or HA		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): N/A <input type="checkbox"/> FID <input type="checkbox"/> PID	
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other (describe if other or multiple items are checked):					
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)					

Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0.5	N/A	N/A	N/A	N/A	N/A	0.5	Dark brown silty sandy / muck Med brown fine grained sand fill		D	SBA-170 (0-0.5) 1545
							1				
							2				
							3				
							4				
							5				
							6				

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated