SBD - CM Review Form

To: Project Review & Analysis - Construction

From: SBD CM - Eddy V. Etienne Jr.

Department: Transportation and Public Works

Department: Transportation and Public Works Contact: Alicia Arce

Date: February 11th, 2016 Resubmittal: No

PROJECT NUMBER: RPQ No. 20160020

PROJECT TITLE: Roadway Resurfacing Contract

Various Locations (N. Miami Avenue from N. 17 St to N. 87 St - N.E. 215 St from N.E. 2

PROJECT LOCATION: Avenue to N.E. 12 Avenue)

SCOPE OF WORK/DESCRIPTION: Work under this Contract includes furnishing of all supervision, labor, materials, tools, equipment and performing all operations required to construct the Work in accordance with the Contract Documents. Work includes but not limited to the following: Milling and resurfacing, widening and resurfacing of intersecting streets up to the existing joint at the side street, or up to the Point of Curvature (PC) as determined by the Engineer, and/or as indicated on the Plans, resurfacing of asphaltic pathways (pedestrian, bicycle, etc.) adjacent or not to the edge of pavement as necessity, temporary utility repairs (cold patches), clearing and excavating of shoulder areas or build-up, as directed by the Engineer; grading and clean-up of adjacent shoulders and removal of roots, as required, pavement markings including the installation of reflective pavement markers (blue/blue) at fire hydrant locations, sidewalk, sidewalk cubs and connectors, and pedestrian ramps.

SPECIAL REQUIREMENTS: At the time of Bid and pursuant to the requirements of Section 10-3 of the Code of Miami-Dade County, Florida and these Solicitation and Contract Documents, the Bidder must hold a valid, current, and active Certificate of Competency as a General Engineering Contractor or as Specialty Engineering Contractor, commensurate to the requirements of the Project's Scope of Work, in one or more engineering crafts to include Paving Engineering. The Specialty Contractor shall subcontract with a qualified contractor any work of other than that of the Engineering Specialty for which certified. Pursuant to Section 255.20, Florida Statutes (F.S.) and in lieu of the above, the County may consider a bid from Bidder that is duly licensed Contractor in good standing that has been pre-qualified and considered eligible by the Florida Department of Transportation (FDOT) under Section 337.14, F.S. and Chapter 14-2, Florida Administrative Code, to perform the work described in the Contract Documents. Contractor seeking consideration under this paragraph shall submit along with the Bid Documents for Work Underway, and Status of Contract(s) On Hand. Acceptable FDOT prequalification(s) necessary to perform the work specified in the Project's Scope of Work shall include the Flexible Paving Work Class. Additional Information - Permits, Licenses, Certifications, and General Regulations - Permits that are issued by the Public Works Department, Miami-Dade County for construction within the public right-of-way, as well as additional permits, which may be required by other municipalities or agencies, including those required for tree removal, will be the responsibility of the Contractor. County Road Construction Projects - NO PERMITS issues to sub-contractors. Except work related to Traffic Signalization, School Flashing Signals, Internally Illuminated Street Name Sign (IISNS), Street lighting, and Traffic Signal Loops which will require a separate permit issues to an Electrical Contractor to perform such work.

	1		
TRADES/SUBTRADES	AMOUNT	PERCENTAGE	COMMENTS
	<u>:</u>	<u> </u>	

Initial: EE

Date: 2-11-16

TRADES/SUBTRADES	AMOUNT	PERCENTAGE	COMMENTS	
			Prime, General Engineering & Paving Contractor	
SAW CUT EXIST. TRENCH AND REM.(2" MIN)	12564	0.58%	actualities vascalifarea assai francesa, il sover a restriction reservoi forme en d'orde en rell'entre en d'orde en rell'entre e	
REPLACEMENT OF BASE (8") & 6" ASPHALT	8794.5	0.41%		
NIGTH DIFF. FOR MILLING	300	0.01%		
NIGTH DIFF. FOR RESURFACING	300	0.01%		
MOBILIZATION FOR MILLING	2400	0.11%		
BARRICADES(Temporary , Type III,6')	495.3	0.02%		
FLASHING ARROW BOARD	1320	0.06%		
RE-GRADE EXISTING SWALE	50	0.00%		
VARIABLE MESSAGE SIGN (Temporary)	2030	0.09%		
WORK ZONE SIGNS	535	0.02%		
REMOVAL OF EXISTING PAVEMENT	21	0.00%		
REMOVAL AND DISPOSAL OF EXISTING CURB &	y a gaay gan baannoon a maannoon an maanaan dhii an o shootiin o daabaadha o c	ence flation o encontractes o contractes a contractes and a contracte of the contractes of the contrac		
GUTTER	7660	0.35%		
REMOVAL OF EXISTING CONCRETE(up to 8" thick,	- Ng Babuta Babayah orang samun ng merupan naman sa samun			
incl. base prep.)	14190	0.66%	*Must comply with special requirements.	
REGULAR EXCAVATION	66	0.00%	Primary scope of work includes all line items noted.	
EMBANKMENT FOR ROAD BUILD-UP	66	0.00%	notea.	
EMBANKMENT MATERIAL FOR SHOULDER	312	0.01%		
TYPE "B" STABILIZATION	560	0.03%		
BASE PREPARATION FOR NEW SIDEWALK	1860	0.09%		
LIMEROCK BASE (8" Double Course)(Primed)	855	0.04%		
MILLING EXISTING PAVEMENT(1")	368000	17.01%		
HOT MIX ASPHALT TRAFFIC C, SP-9.5	100800	4.66%		
HOT MIX ASPHALT FRICTION COURSETRAFFIC C, FC-		Ž.		
9.5, PG 76-22	1163800	53.79%		
ADJUSTING INLETS	150	0.01%		
ADJUST MANHOLE	9000	0.42%		
ADJUST VALVES BOXES	10675	0.49%	Newton below to the control of the c	
REMOVAL AND DISPOSAL OF EXIST.FRAMES MH	700	0.03%		
REMOVAL AND DISPOSAL OF EXIST.FRAMES W.V.	675	0.03%		
			Poured Concrete & Stucture Contractos	
CONCRETE CURB AND/OR GUTTER(any			WW.FFFF	
type,inc.base prep.)	14580	0.67%		
CONCRETE SIDEWALK(4"Thick,3,000 P.S.I. includes		NAMES OF STREET	*Possible subcontracting opportunities.	
cost of pedestrian ramps and Sidewalk curbs)	19600	0.91%	, costate supporter define opporternaes.	
CONCRETE SIDEWALK(6"Thick,3,000 P.S.I. includes		Paralescontractors		
cost of pedestrian ramps and Sidewalk curbs)	11340	0.52%		
			Landscape, General Engineering & Paving Contractors	
DETECTABLE WARNING ON WALKING SURFACE	29910	1.38%	*Must comply with special requirements.	
SODDING(PENSACOLA BAHIA OR MATCH EX.)	2502.5	0.12%	Primary scope of work includes all line items	
PULL BOX, METER TYPE (Polymer)	1800	0.08%	noted.	

Initial: EE

Date: 2-11-16

TRADES/SUBTRADES	AMOUNT	PERCENTAGE	COMMENTS
ROADSIDE SIGN (SINGLE POST)(LESS THAN 12 S.F.)	7750	0.36%	*Must comply with special requirements.
RESET EXISTING POST AND SIGN	100	0.00%	Primary scope of work includes all line items
36" TUBULAR DELINEATOR	480	0.02%	noted.
			Pavement Markings & Painting Contractors
REFLECTIVE PAVEMENT MARKERS(MONO-DIR)	14000	0.65%	
PAINTED PAVEMENT MARKINGS(STANDARD,			
WHITE, SOLID 6")	9178.38	0.42%	
PAINTED PAVEMENT MARKINGS(STANDARD,			
WHITE, SOLID 8")	98.64	0.00%	
PAINTED PAVEMENT	AND CONTRACTOR OF THE PROPERTY OF THE PARTY		
MARKINGS(STANDARD, WHITE, SOLID 12")	4149.72	0.19%	
PAINTED PAVEMENT			Table 270 d
MARKINGS(STANDARD, WHITE, SOLID 18")	183.6	0.01%	
PAINTED PAVEMENT			
MARKINGS(STANDARD,WHITE,SOLID 24")	3032.64	0.14%	
PAINTED PAVEMENT	ng tropper samanan manahinan manahinan kentahiri Sebiah Sebi		
MARKINGS(STANDARD)(WHITE)(SKIP)(6")	1213.6	0.06%	
PAINTED PAVEMENT			
MARKINGS(STANDARD)(WHITE)(MESSAGE)	440	0.02%	
PAINTED PAVEMENT			
MARKINGS(STANDARD)(WHITE)(ARROWS)	2475	0.11%	
PAINTED PAVEMENT			
MARKINGS(STANDARD)(YELLOW)(SOLID)(6")	8158.14	0.38%	
PAINTED PAVEMENT	Legen) ASSES (Despending Copyrigation Constitution Copyrigation Copyri		*Possible subcontracting opportunities.
MARKINGS(STANDARD)(YELLOW)(SOLID)(18")	521.64	0.02%	Fossible subcollitiacilis opportunities.
PAINTED PAVEMENT	aareaan aada ah ee oo xoo ah ah soo ah		
MARKINGS(STANDARD)(YELLOW)(SKIP)(6")	1635.8	0.08%	- Markanester
SOLID TRAFFIC STRIPE, PAINT - (4" WHITE, OR	oranie (group Charachan ann an Aibhrid An Air 19.		n principale
YELLOW)	453.75	0.02%	torist det
SKIP TRAFFIC STRIPE(6' STRIPE, 10' SPACE) (WHITE			
THERMO) (6"WIDE)	4	0.00%	no de la laci
GUIDELINES (6" DOTTED)(2'4' WHITE)			
(THERMOPLASTIC)	174	0.01%	
THERMOPLASTIC(WHITE)(SOLID) (6")	42008.4	1.94%	
THERMOPLASTIC(WHITE)(SOLID) (8")	586.4	0.03%	To the state of th
THERMOPLASTIC(WHITE)(SOLID) (12")	10857.6	0.50%	
THERMOPLASTIC(WHITE)(SOLID) (18")	1213.2	0.06%	
THERMOPLASTIC(WHITE)(SOLID) (24")	8726.4	0.40%	
THERMOPLASTIC(WHITE)(SKIP) (6")	2855.7	0.13%	
THERMOPLASTIC(WHITE)(MESSAGE)	1575	0.07%	T. C.
THERMOPLASTIC(WHITE)(ARROWS)	5280	0.24%	THE PROPERTY OF THE PROPERTY O
THERMOPLASTIC(YELLOW)(SOLID) (6")	21442.2	0.99%	The state of the s
THERMOPLASTIC(YELLOW)(SOLID) (18")	1767.6	0.08%	
THERMOPLASTIC(YELLOW)(SKIP) (6")	3021.3	0.14%	1841-1941-1941-1941-1941-1941-1941-1941-

Initial: <u>E</u>

Date: $\sqrt{-1/-1}$

TRADES/SUBTRADES	AMOUNT	PERCENTAGE	COMMENTS
THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	25500	1.18%	
SKIP TRAFFIC STRIPE (4" WHT/YELL 6X10)	14.4	0.00%	
SKIP TRAFFIC STRIPE (4" WHT/YELL 10x30)	86.4	0.00%	
SOLID TRAFFIC STRIPE (4"WHITE)(THERMOPLASTIC)	5	0.00%	*Possible subcontracting opportunities.
SOLID TRAFFIC STRIPE (4"YELLOW)(THERMOPLASTIC)	5	0.00%	a
REMOVAL OF EXISTING PAVEMENT MARKINGS(THERMO & PAINT)	60	0.00%	
BASE TOTAL	\$1,966,964.81	90.91%	
Contingency Allowance (10% of Base Estimate)	\$196,696.48	9.09%	
TOTAL AMOUNT	\$2,163,661.29	100.00%	

Small Business Development Signature:

Date:

2-11-16

*Trades/Sub-Trades identified for possible subcontracting opportunities by SBD CM

TPW is recommending

Trade Set Aside for Traffic Stripes and Markings: Painted and/or Thermoplastic and

Concrete; sidealk and/or curb and gutter

Initial: EE

Date: 2-11-16