## SBD - CM Review Form

(CONSTRUCTION)

From: SBD Construction Project Manager - Andrew Burgess Alfredo E. Munoz, P.E. Department: Department of Transportation and Public Works (DTPW) Contact: Chief, Capital Improvements Division Date: 12/16/2022 Resubmittal:

PROJECT NUMBER:	TP-000011620
PROJECT TITLE: Roof Replacement at Passenger Transportation Regulatory Division Building	
PROJECT LOCATION:	2615 NW 10 Avenue, Miami, FL 33127

## SCOPE OF WORK/DESCRIPTION:

To:

Work under this Contract includes furnishing of all supervision, labor, materials, tools, equipment and performing all operations required to construct the Work in accordance with the Contract Documents.

The work includes but is not limited to the following: Installation of a new roof assembly, to include a tapered engineered roof system designed for complete positive drainage, flashing all rooftop penetrations including but not limited to mechanical exhaust vents hood systems, rooftop units and vents through the roof, electrical conduits, scuppers, etc.

- •Remove and replace approximately 4,500 sq ft of existing roof system and insulation on a concrete deck.
- Remove all existing roofing membranes and flashings to the deck and prepare surfaces for the new roof system.
- Remove all fins, ridges, depressions, and other surface irregularities.

Project Review & Analysis

- Demolition of the roof assembly must leave a smooth workable surface free of grease, oil, dirt, and loosely adhered particles.
- Inspect roof decking for any breaks, splits, or cracks.
- Joints must be filled with masonry grout to correct imperfections between slabs and feathered to provide a slope not greater than 1/8:12 for insulated assemblies.
- Concrete deck shall be primed with Matrix 307 Premium Asphalt Primer and allowed to dry.
- •Install one ply of GAFGLAS #75 base sheet, which shall have adhered to the deck with hot-mopped asphalt at the rate of 20-40 lb./sq.
- •Install 2" GAF EnergyGuard Polyiso insulation board. Install cricket tapered insulation board to the roof where needed to promote proper water flow. All insulation shall have adhered to the deck with hot-mopped asphalt at the rate of 20-40 lb./sq.
- •Install one ply of GAFGLAS Stratavent perforated venting base sheet, loosely laid dry.
- •Install one ply of Ruberoid 20 Smooth, applied to the manufacturer's instructions.
- •Install one ply of GAFGLAS EnergyCap mineral surfaced cap sheet, adhered in a full mopping of approved asphalt applied within the EVT range and a rate of 20-40 lbs./sq.
- •Install all required flashings following all current manufacturer specifications.
- •Installation of approximately 270 linear feet of metal coping galvanized 24 gages fastened to the perimetral parapet and caulk all seems where are necessary.
- •Maintain all minimum roof curb heights based on the latest Florida Building Code. The new roof system would require existing curbs to be raised to comply with the latest Florida Building Code minimum height and/or replaced due to their deterioration. The contractor is responsible to supply and install the new curbs where necessary and reinstallation of the roof equipment units.

## Required Contractor's Certification

At the time of Bid and pursuant to the requirements of Section 10-3 of the Code of Miami-Dade County, Florida and these Solicitation and Contract Documents, the Bidder must hold a valid, current, and active Certificate of Competency as a Specialty Engineering Contractor, commensurate to the requirements of the Project's Scope of Work, in one or more engineering crafts to include Roofing Contractor. The Specialty Contractor shall subcontract with a qualified contractor any work which is incidental to the specialty but is specified in the aforementioned Code as being the work of other than that of the Engineering Specialty for which certified.

## **Experience Requirement:**

The Bidder, through full-time personnel employed by the Bidder, must demonstrate their experience as the prime contractor or subcontractor in at least three successfully completed projects performed whose bulk work is similar in detail to the Project's Scope of Work described in the Solicitation Documents. Demonstrate the experience requirement by:

Providing a detailed description of all projects similar in detail to the Project's Scope of Work described in these Solicitation Documents and in which the Bidder is currently engaged or has completed within the past five years. List and describe the aforementioned projects and state whether the work was performed for the County, other government clients, or private entities. The description should identify for each project

(1) The client, (2) Description of work, (3) Total dollar value of the contract, (4) Contract duration, (5) Customer contact person and phone number for reference, (6) Statement or notation of whether Bidder is/was the prime contractor or subcontractor, and (7) The results of the project; provide letters of certification of final acceptance or similar project closure documentation and/or Contractor's evaluation/performance.

SPECIAL REQUIREMENTS: Bidders shall submit proof that his/her firm has at least the minimum successful contract experience as requested below: See Experience Requirement.

Date: 12/16/2022 1 of 2

ITEM NO.	DESCRIPTION	AMOUNT	PERCENT	COMMENTS
				PRIME CONTRACTOR - SINGLE TRADE
Roof Replacement at Passenger Transportation				
	Regulatory Division			* Possible small business opportunities.
1	Building	\$99,000.00	100.00%	
	BASE SUB-TOTAL	\$99,000.00	100.00%	
	Contingency Allowance (10% of Base Estimate)	\$0.00	0.00%	
TOTAL BASE + CONTINGENCY		\$99,000.00	100.00%	

Small Business Development Signature:

\*Trades/Sub-Trades identified for possible subcontracting opportunities by SBD CM

**DTPW** is recommending **NO MEASURE** CONSTRUCTION

Initial:

Date: 12/16/2022

12/16/2022