AAA - 03-19-2019-A

RFI STATUS Submitted to county

PREPARED BY-

DATE:2/20/2019

RFI Line Items								
CPU:ESTIMATED COST P/UNIT	PMP:POTENTIAL MINIMUM PURCHASE		PAP:POTENTIAL ANNUAL PURCHAS	E PF:PUR	CHASE FREQUENCY	ETD:ESTIMATED DELIVERY TIME		
Securitarine	MH		ECO) AIR AV	93,00	600 E	570	Details	
VENTLESS EXHAUST SYSTEM	Wells	WVU-96	1		1	56	Universal Ventless Hood, 96" cooking zone, horizontal air discharge, 4 stage filtration: grease filter, pre-filter, HEPA filter and charcoal filter, stainless steel stand, 1-1/2 HP, 208/240v/60/1-ph,	
PRE-FILTER	Wells	22618	4	-	1	56	For Ventless Exhaust System; 22618 Pre-Filter, fits VCS systems, WVU-48, WVU-72, & WVU-96	
HEPA CHARCOAL FILTER PACK	Wells	23312	2	1	1	56	For Ventless Exhaust System; for WVU- 48 or WVU-96	
GRIDDLE, ELECTRIC, COUNTERTOP	Vulcan	HEG24E	1		1	56	Heavy Duty Griddle, electric, countertop, 24" W x 24" D cooking surface, 1/2" thick polished steel griddle plate, bottom mounted snap action thermostat every 12", low profile, stainless steel front, s	
INDUCTION HOTPLATE	Vollrath	924HIMC	r 1		, 1	56	Cayenne Heavy-Duty Induction Range, countertop, 24"W x 30"D x 13-5/8"H, (4) hob, (4) rotary dial controls, (100) power settings, 100°-450°F temperature range, 1-180 minute time function, 2500-2900 wa	
EQUIPMENT STAND, REFRIGERATED BASE	True Manufacturing Co., Inc	TRCB-48	1	The second secon	1	56	Refrigerated Chef Base, 48-3/8" L, one-piece 300 series 18 gauge stainles steel top with V edge, stainless steel front/sides, aluminum back, aluminum interior with stainless steel floor, (2) drawers [
ELECTRIC FLOOR FRYER	Pitco Frialator	SE14	2	1	1	56	Solstice™ Fryer, electric, floor model, full frypot, 40-50 lb. oil capacity, solid state controls, melt cycle, boil out capacity, drain valve interlock switch, stainless steel tank, front & sides, 17.	

RFI STATUS:Submitted to county

PREPARED BY

Product name	MFR	MFR product #	ECPU	Min qty	PIMP	PAP	PF	ETD	Details
COMBI OVEN, ELECTRIC	RATIONAL	B628106.12		1			1	56	SelfCooking Center® CombiOven/Steamer, electric, (6) 18" 26" full size sheet or (12) 12" x 20" ful size hotel pan capacity, iCookingControl with 7 modes, HiDensityControl®, iLevelControl, Efficient
RCI RATIONAL CERTIFIED INSTALLATION	RATIONAL	9999.9951		1			1	2	For Combi Oven
PRE-INSTALLATION SITE SURVEY	RATIONAL.	00261933		1			1	2	for Combi Oven; ensures that the site has proper space and connections for gas, electric, drain & water, includes 5 miles (100 miles round trip) from the installer
installation kit	RATIONAL	8720.1563US		1			1	56	For CombiOven; for electric SCC WE/CMP 62 (208/60/3ph & 240/60/3ph); electric SCC WE/CMP 20 (480/60/3ph)
CLEANER TABLET W/OUT PHOSPHORUS	RATIONAL	56.00.210A		1			1	56	For CombiOven; for ALL SelfCookingCenter® units since 2004 & CombiMaster® Plus units
CARE TABLETS	RATIONAL	56.00.562		1	The second secon	***************************************	1	56	For CombiOven; bucket of 150 packet for all SelfCooking Center® units fron 10/2008, with CareControl - Serial SG, SH or SI series
WATER FILTRATION SINGLE CARTRIDGE SYSTEM	RATIONAL	1900.1154US		1	7		1	56	For CombiOven; for any single Combi model or Combi-Duo models XS/XS, 61/61 or 61/101, includes: (1) single head with pressure gauge, R95H filter & filter installation kit
RCI RATIONAL CERTIFIED INSTALLATION	RATIONAL	9999.8448		, 1			1	2	For CombiOven; additional installation cost for a Rational Water Filter System
ULTRAVENT PLUS RECIRCULATING CONDENSATION HOOD	RATIONAL	60.74.976		1			1	56	For CombiOven; plus HEPA filter of smoke capture for electric SelfCookingCenter® 62, SelfCookingCenter® 102, CombiMaster® Plus 62 or CombiMaster® Plus 102, two-speed high power fan, 165-335CFM, inclu
RCI RATIONAL CERTIFIED INSTALLATION	RATIONAL	9999.9954		1		***************************************	1	2	For CombiOven UltraVent

PREPARED BY

Productarane	MFR	Alte products		_ Nin gy	7119	TWF.			Dutails
ULTRAVENT MOBILE OVEN STAND	RATIONAL	60.30,343		1			1	56	For CombiOven; 20 supporting rails, side panels, top & rear panel, height 3 -5/8", stainless steel construction
ANSUL INSTALLATION	Install	Install		1		·	1	56	
HAND SINK	Advance Tabco	7-PS-80		1	:		1	56	Model No.Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, splash mounted faucet, lever drain with overflow, P-trap, soap & towel dispenser, wall b
MOBILE HEATED CABINET	Cres Cor	H-135-SUA-11		2			1	56	Cabinet, Mobile Heated, insulated, bottom-mount heater assembly, recessed push/pull handles, magnetic latch, (11) sets chrome plated wire, 4-1/2" centers, adjustable 1-1/2" centers, dutch doors, antim
WORK TABLE, STAINLESS STEEL TOP	Advance Tabco	SS-304	*	1			1	56	Work Table, 48"W x 30"D, 14 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF
CASTERS	Advance Tabco	TA-255		5			1	56	expanding adapter, for 1-5/8" dia. O.D. tube/table legs, 400 lb capacity per caster, set of (4) (2 with brakes)
CASTERS, HEAVY DUTY	Advance Tabco	TA-255B		. 5	. common		1	56	Upgrade heavy duty casters (TA-255, TA-256 only) to have brakes on all wheels (upgrade only, must order casters separately)
SHELF	Advance Tabco	TA-94	-	26	1		1	56	16 gauge 304 stainless steel undershelf upgrade
WORK TABLE UNDERSHELF	Advance Tabco	US-30-48		3			1	56	for work tables 48"W x 30"D, 18 gauge stainless steel, NSF
OVERSHELF	Advance Tabco	ODS-15-48		1			1	56	table mounted, double, 48"W x 15"D, 18 gauge 430 stainless steel
HEAT LAMP MOUNTING	Advance Tabco	TA-71		1	\$		1 1	56	
SHELF UPGRADE	Advance Tabco	TA-99		34			1	56	16 gauge 304 stainless steel wall & overshelf upgrade

RFI STATUS:Submitted to county

PREPARED BY:

Product name	MFR	MFR product #	ECPU	Min qty	PMP	PAP	PF	ETD	Details
HEAT LAMP	Hatco	GRAH-42		1	-		1	56	Glo-Ray® Infrared Foodwarmer, high wattage, tubular metal heater rod, single heater rod housing, aluminum construction, 950 watts, NSF, cUL, UL; includes adjustable angled bracket pair
MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR	True Manufacturing Co., Inc.	TSSU-72-24M-B-ST-HC	7	1			1	56	(24) 1/6 size (4"D) poly pans, (2) stainless steel insulated covers, 8-7/8"E cutting board, stainless steel top, front and sides, aluminum back, (3) full doors, (6) shelves, aluminum interior with sta
SHELVING, WALL MOUNTED	Advance Tabco	WS-15-96-16		2	1 1111		1	56	96"W x 15"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 16/304 satin finish stainless steel, NSF
WORK TABLE, STAINLESS STEEL TOP	Advance Tabco	KSS-304		2	_		1	56	48"W x 30"D, 14 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs with stainless steel bullet feet, NSF
WORK TABLE UNDERSHELF	Advance Tabco	US-30-60		2	= = =		1	56	for work tables 60"W x 30"D, 18 gauge stainless steel, NSF
WORK TABLE, STAINLESS STEEL TOP	Advance Tabco	SS-306		1			1	56	72"W x 30"D, 14 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF
OVERSHELF	Advance Tabco	ODS-15-72		1	, i		1	56	table mounted, double, 72"W x 15"D, 18 gauge 430 stainless steel
WORK TABLE, STAINLESS STEEL TOP	Advance Tabco	SS-307		1			1	56	84"W x 30"D, 14 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF
OVERSHELF		ODS-15-84		1			1	56	table mounted, double, 84"W x 15"D, 18 gauge 430 stainless steel
SERVING COUNTER, HOT FOOD, ELECTRIC	Randell	3314-208		1	(A CONTRACTOR OF THE CONTRACTOR	1	56	electric, 208V, 63" L, 30" D, 36" H, common waterbath, individual die-stamped (4) 12" x 20" top openings and, thermostatic control, stationary modular, open shelf base, stainless steel top & ends, ful

RFI STATUS Submitted to county

PREPARED BY

DATE:2/20/2019

Product name	MFR	MFE product #	ECPU Mingty	PMP	PAP PF	FID	Details
REACH-IN REFRIGERATOR	True Manufacturing Co., Inc	T-49-HC	3		1	56	Reach-in, two-section, stainless steel doors, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, (6) adjustable PVC-coated wire shelves, interior lighting, 4" castors
REACH-IN FREEZER	True Manufacturing Co., Inc	T-49F∘HC	1	15	<i>:</i> 1	56	Freezer, Reach-in, -10° F, two-section, stainless steel doors, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, (6) adjustable PVC-coated wire shelves, interior lig
WORK TABLE, STAINLESS STEEL TOP	Advance Tabco	SS-305	2	;	1	56	60"W x 30"D, 14 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF
INSTALL	install	Install	1	J	1	5	Uncrate, assemble and set in place for final connections by others
FREIGHT	Freight	Freight	1	-	1	5	
	Total	S		<u> </u>			