DATE 6/8/2016

F&B ORDER 3 - FOOD SERVICE EQUIPMENT & INSTALLATION

RFI Line Items

ECPU: ESTIMATED COST P/UNIT

PMP: POTENTIAL MINIMUM PURCHASE

PAP: POTENTIAL ANNUAL PURCHASE

PF: PURCHASE FREQUENCY

ETD: ESTIMATED DELIVERY TIME

ICE BIN - TS Series Underbar loe Bin/Cocktail Unit, modular with cold plate, 24"W x 18 9/16"D, approx 50- lb. ice capacity, 10-circuit aluminum cold plate concealed under bin liner, 6"H backsplash with 1" return at top	WET WASTE BOX FOR BLENDER STATION - perforated, 2.7-quart capacity, 1/4 size clear polycarbonate pan with 1/8 diarneter holes in bottom	FAUCET FOR BLENDER STATION - Lead Free Faucet with gooseneck Perlick C spout, wall mounted	BLENDER STATION - TS Series Blender Station, 12"W, dump sink (10 Blender Station, 12"W, dump sink (10 recessed blender shelf with duplex outlet, 23-15/16" front to back with 6" splash, stainless steel construction	WASTEBASKET FOR UNDERBAR Perlick C	UNDERBAR ADD-ON UNIT - TS Series Trash Receptacle Top Cover, 12"W x 23 13/16"D x 17-15/16"H, stainless steel construction (wastebasket is not included), 6"H backsplash	WET WASTE BOX FOR UNDERBAR SINK UNIT - with drain tube, 1/3 size stainless steel pan with integral strainer and 3/4" diameter	FAUCET FOR UNDERBAR SINK UNIT - Lead Free Faucet, deck mounted, nominal 4" centers, swing	UNDERBAR SINK UNITS - TSD Series Underbar Sink Unit, three compartment, 36"W x 24"D, 10" wide x 14" front-to-back x 9-1/4" deep compartments, 6"H backsplash, 4" O.C. deck mount faucet holes, 5-1/2" rear deck, stainless steel apron on front & sides, sound d		
Perlick Corporation	Perlick Corporation	Perlick Corporation	Perlick Corporation	Perlick Corporation	Periick Corporation	Perlick Corporation	Perlick Corporation	Perlick Corporation	Perlick Corporation	MFR .
TS24 C10	7055-52	924GN-LF	TS12BLW	57265	T\$12TRA	7055A46	926-10LF	TSD33C	SC24	MFR PART # ECPU
2	2	N	2	2	N	arana Janes es			5	MIN QTY PMP FAP
-	<u> </u>		And the second s							ų ų
28	28	28	28	28	28	≥ 8	28	28	28	EID
ABS plastic top ledge, 10-3/4" deep stainless steel loe bin, stainless steel front & sides, steel stainless obtains 1.2" NPS male drain, 1-5/8" tubular stainless steel legs with 1" adjustable thermoplastic feet, NSF	Wet Waste Box for Blender Station, Perlick Corp, Model #TS12BLW	Faucet for Blender Station, Perlick Corp, Model #TS12BLW	PROPERTY 1.5 1.7 1. Planta de montre activativa (1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	Wastebasket for Underbar Add-on Unit, Perlick Corp, Model # TS12TRA	sliding top cover, hinged door on front apron (requires support by adjacent underbar equipment or accessory end panel & leg kit)	Wet Waste Box for Underbar Sink Unit, Perlick Corp, Model # TSD33C	Faucet for Underbar Sink Unit, Perlick Corp, Model # TSD33C	1/2" IPS supply shanks & nuts, includes 1-1/2" drains & 8-1/2" removable overflow standpipes, stainless steel construction, stainless steel legs with adjustable thermoplastic feet, NSF	embossed drainboard with 1-1/2" NPS male drain, adjustable intermediate shelf, stainless steel construction, stainless steel legs & adjustable feet, NSF	DETAILS

Baseplate and Legs for Back Bar Cooler, Perlick Corp, Model # BBS36	28	_ 	1	1		1		Perlick Corporation	LEGS & BASEPLATES FOR BACK BAR COOLER - Black front baseplate & 6" legs (set of 4), for 36" back bar cabinets
LED for Back Bar Cooler, Perlick Corp, Model # BBS36	28		1	f	ω			Perlick Corporation	LED FOR BACK BAR COOLER - Blue LED
Door for Back Bar Cooler, Perlick Corp, Model # BBS36	28		•	1	ω	1		Perlick Corporation	DOOR FOR BACK BAR COOLER - Door type: glass with stainless steel door frame
Finish for Back Bar Cooler, Perlick Corp, Model # BBS36	28		1	f	ယ	ſ		Perlick Corporation	FINISH FOR BACK BAR COOLER - Condensing unit cover finish: Stainless steel
(1) hinged door with lock, stainless steel interior,galvanized steel back, (2) vinyl-coated shelves per door, digital thermostat, LED interior lighting, automatic evaporator condensate, floor drain included, R134a, 1/5 HP, NSF, cULus	28	-	<u></u>	Ĵ	ω	1	BBS36	Perlick Corporation	BACK BAR COOLER - Refrigerated Back Bar Cabinet, one section, 36"W, self-contained refrigeration, (7.4) cu.ft. internal volume, front vented, stainless steel top & sides
Faucet for Glass Handling Cabinet, Perlick Corp, Model # TS12HSN	28	_		f			924GN-LF	Perlick Corporation	FAUCET FOR GLASS HANDLING CABINET - Lead Free Faucet with gooseneck spout, wall mounted
	28	1	l	1		1	7057-1	Perlick Corporation	GLASS HANDLING CABINET - Glass Handling Cabinet less faucet, 24" prep, for 24" glass washer
End Splash for Hand Sink, Perlick Corp, Model #TS12HSN	28		Î		N	6	7054L	Perlick Corporation	END SPLASH FOR HAND SINK - End Splash, left, 6", for TS, TSF, or TSD series
End Splash for Hand Sink, Perfick Corp, Model #TS12HSN	28		1	1	2	ſ	7054R	Perlick Corporation	END SPLASH FOR HAND SINK - End Splash, right, 6", for TS, TSF, or TSD series
Faucet for Hand Sink, Perlick Corp, Model # TS12HSN	28		•		2	1	924GN-LF	Perlick Corporation	FAUCET FOR HAND SINK - Lead Free Faucet with gooseneck spout, wall mounted
(16) oz pump soap dispenser, C-fold paper towel dispenser on front apron, sound deadened underside, (1) 8-1/2" standpipe, 3/8" copper supply tubes, 1-1/2" NPS male drain, stainless steel legs with 1" adjustable thermoplastic feet, NSF	28	-	I		N	1	TS12HSN	Perlick Corporation	HAND SINK - TS Series Underbar Hand Sink Unit, free standing, 12°W x 22-14°D, 22-14°D, stainless steel construction, 10° wide x 14° front-to-back x 9-1/4° deep sink, 6° backsplash, 4° QC, splash mount faucet holes
Bottle Guardrail Set for Bottle Display, Perlick Corp, Model #TS18LS	28		•	j	12	1	BG18	Perlick Corporation	GUARDRAIL SET FOR BOTTLE DISPLAY - Bottle Guardrail Set
	28	1		•	N	1	TS18LS	Perlick Corporation	BOTTLE DISPLAY - TS Series Liquor Bottle Display Unit, modular, 18' wide, 24' front-toback, with 3-78'' deep steps, stainless steel construction
manifold mounts to side panel for easy access and service and thumbscrews provide tool-less access for maintenance, soda gun systems NOT included shown for clarity only, NSF	28	-		f	12	1	TS6SGA	Perlick Corporation	UNDERBAR ADD-ON UNIT - TS Series Soda Gun Filler Section, 6" wide depth to match series, designed for use with Wunder-Bar® and Schroeder America TM 8-14 product soda gun / manifold
Speed Rail for Ice Bin, Perlick Corp, Model #TS24IC10	28	.	1	1	2	1	SR-S24	Perlick Corporation	SINGLE SPEED RAIL FOR ICE BIN - 24"W, factory installed
Condiment Tray for Ice Bin, Perlick Corp, Model #TS24IC10	28		I	ĵ	2	A	CC5	Perlick Corporation	CONDIMENT TRAY FOR ICE BIN - 5 plastic cups, stainless steel rack, 15-3/8" long, free standing or is designed to fit back of #BW3-24 toe chest covers
Underbar Bottle Well for ice Bin, Perlick Corp, Model #TS24IC10	28				Ν		BW3-24	Perlick Corporation	UNDERBAR BOTTLE WELL FOR ICE BIN - with loc Chest Cover Assembly, 3-bottle capacity, 2-piece stainless steel sliding cover assembly, (3) black polypropylene bottle we'lls on left

CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip comer, inside, 20° angle, stainless Perlick Corporation	CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 20° angle, stainless steel construction	CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 25° angle, stainless steel construction	CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 15° angle, stainless steel construction	CORNER ANGLE FILLER - TS Series Underbar Filler, flat top, clip corner, inside, 10° angle, stainless steel construction	CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip corner, inside, 15° angle, stainless steel construction	CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip comer, inside, 25° angle, stainless steel construction	CORNER ANGLE FILLER - TSF Series Underbar Filler, flat top, clip corner, inside, 10° angle, stainless steel construction	GLASS WASHER - Underbar Glass Washer, batch rotary type, 24*W, low temperature chemical seantizing, (720) 2 1/4" dia. glasses per hour, 10" Perlick Corporation maximum glass height, top-mounted instrument panel, upper & lower wash arms	CASTERS FOR BOTTLE COOLER - Set of casters (2-7/8"), for 2', 3', 4', & Perlick Corporation 5' models	LIGHT KIT FOR BOTTLE COOLER - Perlick Corporation Light Kit (installed)	CAP RECEIVER FOR BOTTLE COOLER - Cap Receiver (Right) Perlick Corporation	FLOOR RACK FOR BOTTLE Perick Corporation	BIN DIVIDER FOR BOTTLE COOLER - (1) bin divider with Perlick Corporation supporting brackets	DOORS FOR BOTTLE COOLER - Perlick Corporation Doors with lock	CUSTOM FOR BOTTLE COOLER - Stainless steel front and ends, Perlick Corporation galvanized steel back	BOTTLE COOLER - Bottle Cooler, flat top, 24"W, self-contained refrigeration, (4) cut interior capacity, 38°F factory temperature setting, stainless steel top, (1) dent-resistant stainless steel sliding door with die-cast handle
TSF20F-I	TS20F-I	TS25F-J	TS15F-I	TS10F-I	TSF15F-I	TSF25F-	TSF10F-I	PKBR24	67061							BC24
2	2	2	2	2	2	2	2		2	2	2	2	2	2	2	2
	1	1	f		1		1	j j	1	1	1	1	1	1	1	
_				1	and a		→ ·····	<u>-</u>	-						-	
28	28	22	28	28	28	28	28	28	28	28 .	28	28	28	28	28	28
								peristalic metering pumps, removable vinyl- coated glass racks, metal divider with safety swritch, 650W wash tank heater included, stainless steel construction, 6" adjustable legs, 120v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL-EPH	Item for Bottle Cooler, Perlick Corp, Model # BC24	Item for Bottle Cooler, Perlick Corp, Model # BC24	Item for Bottle Cooler, Perlick Corp, Model # BC24	Item for Bottle Cooler, Perlick Corp, Model # BC24	item for Bottle Cooler, Perlick Corp. Model # BC24	Item for Bottle Cooler, Perlick Corp, Model # BC24	Item for Bottle Cooler, Perlick Corp, Model #	stainless steel interior, automatic condensate evaporator, R134a, 1/5 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, NSF, cULus

CUSTOM INSTALLATION Totals 28