DEPARTMENTAL INPUT CONTRACT/PROJECT MEASURE ANALYSIS AND RECOMMENDATION

New New	OTR	Sole So	urce	Bid Waiver	Emer	gency	Previous C	Contract/Pr	oject No.
Contract	Annua.						8216-0/1	::	
Re-Bid	Other	(maj maj aparaja		A de la plação estra			es: Yes	gas.	10
Requisition 1	No./Project N	lo.: FB-006	528		TERM	OF CONTRA	CT S YEA	R(S) WITH	5 YEAR(S) OTR
Requisition /	Project Title	Landfill G	as Contro	l Systems Serv	vices		- The second sec		
Description:	Landfill Ga	s Managem	ent Systen	ns					
Issuing Depa	rtment; SW	7		Contact Pers	son: N. V	ASILYEV.	A	Phone: 30	05-375-4725
Estimate Cos	መረ በላለ ለረ	00-for 5 year	S	Funding Sou	GEN	ERAL	FEDER	AL	OTHER General Fund
				ANA	LYSIS				
Commodity	Codes:	98846							
				ect History of pre					
		CHECK	EXIST		icopurchase w	2 ND YEAR	ous mistory.	3	RD YEAR
Contractor:	""								
Small Busine	ess Enterpri	se:							
Contract Va	lue:	\$			\$			\$	
Comments:									
Continued on	another pag	e (s):	YES 🔽	NO					
			<u>R</u> I	ECOMME	NDATIO	<u>ONS</u>			
		Set-as	ide	Sub-contra	ector goal	Bid p	reference	S	election factor
SBE				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
Basis of recor	mmendation								
Signed: NA	TALYA V	ASILYEVA			Date sent to	o SBD:	02/14/2018		
12	talya v. Falej c	Vani	yeur	ey Kama	Date return	ed to DPM	1: l		

Solicitation FB-00628

Landfill Gas Management Systems

Solicitation Designation: Public



Miami-Dade County

Solicitation FB-00628 **Landfill Gas Management Systems**

Solicitation Number

FB-00628

Solicitation Title

Landfill Gas Management Systems

Solicitation Start Date

In Held

Solicitation End Date

Mar 31, 2018 6:00:00 PM EDT

Question & Answer End

Date

Mar 12, 2018 2:00:00 PM EDT

Solicitation Contact

Natalya Vasilyeva

Procurement Contracting Officer 2

ISD - Procurement Management Services

305-375-4725

Natalya. Vasilyeva@miamidade.gov

Solicitation Contact

Dakota Thompson

305-375-2356

dakota@miamidade.gov

Solicitation Contact

Fredrick Taylor

Procurement Contracting Manager

ISD - PMS 305-375-1078

taylorf@miamidade.gov

Contract Duration

See Bid Documents

Contract Renewal

See Bid Documents See Bid Documents

Prices Good for

Pre-Solicitation Conference Mar 8, 2018 9:00:00 AM EST

Attendance is optional

Location: March 8, 2018 at 09:00 AM (local time)

South Dade Landfill

23707 SW 97th Avenue, Gate A

Goulds, FL, 33032

March 8, 2018 at 02:00 PM (local time)

North Dade Landfill 21500 NW 47 Avenue, Miami, FL, 33055

Solicitation Comments

The purpose of this solicitation is to establish a contract for the operation and maintenance services for the South Dade Landfill Gas Control System, North Dade Landfill Gas Control System and other facilities in conjunction with the needs of Miami-Dade County on an as needed when needed basis.

Item Response Form

Landfill Gas Management Systems Mar 31, 2018



MIAMI-DADE COUNTY, FLORIDA

INVITATION TO BID

TITLE:
Landfill Gas Management Systems

FOR INFORMATION CONTACT:
Natalya Vasilyeva, 305-375-4725, Natalya.Vasilyeva@miamidade.gov

IMPORTANT NOTICE TO BIDDERS/PROPOSERS:

- READ THE ENTIRE SOLICITATION DOCUMENT, THE GENERAL TERMS AND CONDITIONS, AND HANDLE ALL QUESTIONS IN ACCORDANCE WITH THE TERMS OUTLINED IN PARAGRAPH 1.2(D) OF THE GENERAL TERMS AND CONDITIONS.
- THE SOLICITATION SUBMITTAL FORM CONTAINS IMPORTANT INFORMATION THAT REQUIRES REVIEW AND COMPLETION BY ANY BIDDER/PROPOSER RESPONDING TO THIS SOLICITATION.
- FAILURE TO COMPLETE AND SIGN THE SOLICITATION SUBMITTAL FORM WILL RENDER YOUR PROPOSAL NON-RESPONSIVE.

Item FB-00628-01-01 - Landfill Gas Control Systems Services

Quantity 1 each

Prices are not requested for this item.

Delivery Location Miami-Dade County

No Location Specified

Qty 1

Description

See Section 4. Price Schedule

2/14/2018 8:28 AM



GENERAL TERMS AND CONDITIONS:

All general terms and conditions of Miami-Dade County Procurement Contracts are posted online. Bidders/Proposers that receive an award from Miami-Dade County through Miami-Dade County's competitive procurement process must anticipate the inclusion of these requirements in the resultant Contract. These general terms and conditions are considered non-negotiable.

All applicable terms and conditions pertaining to this solicitation and resultant contract may be viewed online at the Miami-Dade County Procurement Management website by clicking on the below link:

http://www.miamidade.gov/procurement/library/boilerplate/general-terms-and-conditions-r17-1.pdf

NOTICE TO ALL BIDDERS/PROPOSERS:

Electronic bids are to be submitted through a secure mailbox at BidSync (www.bidsync.com) until the date and time as indicated in this Solicitation document. It is the sole responsibility of the Bidder/Proposer to ensure their proposal reaches BidSync before the Solicitation closing date and time. There is no cost to the Bidder/Proposer to submit a proposal in response to a Miami-Dade County solicitation via BidSync. Electronic proposal submissions may require the uploading of electronic attachments. The submission of attachments containing embedded documents or proprietary file extensions is prohibited. All documents should be attached as separate files.

For information concerning technical specifications please utilize the question/answer feature provided by BidSync at www.bidsync.com within the solicitation. Questions of a material nature must be received prior to the cut-off date specified in the solicitation. Material changes, if any, to the solicitation terms, scope of services, or bidding procedures will only be transmitted by written addendum. (See addendum section of BidSync site).

Please allow sufficient time to complete the online forms and upload of all proposal documents. Bidders/Proposers should not wait until the last minute to submit a proposal. The deadline for submitting information and documents will end at the closing time indicated in the solicitation. All information and documents must be fully entered, uploaded, acknowledged (Confirm) and recorded into BidSync before the closing time or the system will stop the process and the response will be considered late and will not be accepted.

PLEASE NOTE THE FOLLOWING:

No part of your proposal can be submitted via **HARDCOPY**, **EMAIL**, **OR FAX**. No variation in price or conditions shall be permitted based upon a claim of ignorance. Submission of a proposal will be considered evidence that the Bidder/Proposer has familiarized themselves with the nature and extent of the work, and the equipment, materials, and labor required. The entire proposal response must be submitted in accordance with all specifications contained in the solicitation electronically.

SECTION 2 - SPECIAL TERMS AND CONDITIONS

2.1 PURPOSE

The purpose of this solicitation is to establish a contract for the operation and maintenance services for the South Dade Landfill Gas Control System, North Dade Landfill Gas Control System and other facilities in conjunction with the needs of Miami-Dade County on an as needed when needed basis.

2.2 TERM OF CONTRACT

This contract shall commence on the first calendar day of the month succeeding approval of the contract by the Board of County Commissioners, or designee, unless otherwise stipulated in the Blanket Purchase Order issued by the Internal Services Department, Procurement Management Division and contingent upon the completion and submittal of all required bid documents. The contract shall expire on the last day of the sixty (60) month term.

2.3 OPTION TO RENEW

The initial contract prices resultant from this solicitation shall prevail for a sixty (60) month period from this contract's initial effective date. Prior to, or upon completion, of that initial term, the County shall have the option to renew this contract for an additional sixty (60) month period. Continuation of the contract beyond the initial period, and any option subsequently exercised, is a County prerogative, and not a right of the vendor. This prerogative may be exercised only when such continuation is clearly in the best interest of the County. Should the awarded vendor decline the County's right to exercise the option period, the County will consider the vendor in default which decision shall affect that vendor's eligibility for future contracts.

2.4 METHOD OF AWARD

Award of this contract will be made to a single lowest responsive, responsible Bidder who submits an offer on all items listed in the solicitation and whose offer represents the lowest price when all items are added in the aggregate. If a Bidder fails to submit an offer on all items, its overall offer may be rejected. If the awarded Bidder defaults, the County shall have the right to negotiate with the next responsive and responsible Bidder.

2.5 GENERAL QUALIFICATION REQUIREMENTS

Bidder(s) are expected to perform pressurized gas transmission pipeline and landfill gas collection system leak source detection monitoring, control and repair, including acoustic and temperature monitoring. Bidder(s) shall have adequate resources and licensed personnel to provide services requested within this solicitation. Offers shall be considered from Bidder(s) which are regularly engaged in providing maintenance and operation services for both 1) Landfill Gas Collection and Control systems and 2) Natural or Landfill Gas Compression and delivery systems. Bidder(s) are required to demonstrate that they have adequate experience and expertise in providing services requested:

- Bidder(s) shall have 3-5 years of experience operating (including maintaining and repairing) as well as
 programing Natural Gas and Landfill Gas flares, and Landfill Gas Collection systems (wellfields, wellheads
 buried transmission lines in lined and unlined landfill areas) to include Title V monitoring and reporting, also
 Greenhouse Gas monitoring and reporting. Experience with Title V and Greenhouse Gas monitoring and
 reporting is highly desirable.
- Bidder(s) shall have 3-5 years of experience operating (including maintaining and repairing) as well as
 programing Natural Gas delivery, conditioning, treating, processing and compression systems, and below
 and aboveground pressurized gas transmission pipelines,

- Bidder(s) shall have knowledge and expertise with following processes essential to scope of services requested within the solicitation:
 - a. Flare gas collection for analysis reporting and evaluation.
 - b. Startup/shutdown planning.
 - c. Flare minimization best practices.
 - d. Load shed plans and routine gas compression system operating practices.

2.6 BID SUBMITTAL

Bidder(s) shall provide, at the time of bid submittal the following:

- A. Completed Price Schedule Form.
- **B.** Provide information that the Bidder's business is regularly engaged in routinely offering services requested within this solicitation. As a part of the submittal form Bidders shall include two (2) references as proof of a satisfactory record of performance for a reasonable period of time. Bidder(s) shall include customer company name, contact person name and title, address, email and phone number. The County, at its sole discretion, may choose to request additional information in order to assess bidder responsibility.
- C. Provide information on Bidder's environmental track, specify any Title V violations.
- **D.** Provide information on Bidder's staff that will be assigned to perform services requested within this solicitation: number of employees, their experience and expertise in providing services requested.
- **E.** Bidder(s) shall submit an Operator/Technician's resume, who will be assigned to perform the routine services as specified in this solicitation. The Operator/Technician shall have a minimum of three (3) years' experience in landfill gas system operations and maintenance. The Operator/Technician shall provide e-mail address and cellular phone for routine correspondence and communication with the County.

2.7 PRICES

The prices resultant from this solicitation shall prevail for the term of the contract, except as hereby noted. The County will consider yearly price adjustments, to be effective on the contract's annual anniversary date, based on changes in the following pricing index: Consumer Price Index for all urban consumer, based on other goods & services for Miami-Ft. Lauderdale Area. It is the Bidders' responsibility to request any pricing adjustment under this provision. Requests for price adjustment should be submitted to the Internal Services Department Procurement Management Division 90 days prior to the contract's annual anniversary date. Requests for price adjustment must clearly substantiate the requested increase. The County reserves the right to negotiate prices, approve or disapprove price adjustments, or cancel its contract with the Bidder, in its best interest.

The Bidder adjustment request should not be in excess of the relevant pricing index change. If no adjustment request is received from the Bidder, the County will assume that the Bidder has agreed that the optional term may be exercised without pricing adjustment. Any adjustment request received after the commencement of a new option period may not be considered.

2.8 PRE-BID CONFERENCE / SITE VISIT (OPTIONAL, BUT HIGHLY RECOMMENDED):

It is highly recommended for prospective Bidders to visit the sites of the proposed work and become familiar with any conditions which may in any manner affect the work to be done or affect the equipment, materials and labor required. The Bidder(s) are also advised to examine carefully specifications and to become thoroughly aware regarding any and all conditions and requirements that may in any manner affect the work to be performed under the contract. No additional allowances will be made because of lack of knowledge of these conditions.

The Pre-Bid Conference/Site-Visit will take place as follows:

- MARCH 8, 2018 AT 09:00 AM SOUTH DADE LANDFILL, 23707 SW 97 AVENUE, GATE A, GOULDS, FL, 33032
- MARCH 8, 2018 AT 02:00 PM NORTH DADE LANDFILL, 21500 NW 47 AVENUE, MIAMI, FL, 33055

2.9 COMPLIANCE WITH FEDERAL STANDARDS

All services to be purchased under this contract shall be in accordance with all governmental standards, to include, but not limited to, those issued by the Occupational Safety and Health Administration (OSHA), the National Institute of Occupations Safety Hazards (NIOSH), and the National Fire Protection Association (NFPA).

The successful bidder shall assure compliance to all permit conditions and regulatory requirements stipulated in the Title V Air Permits issued to the County by the State of Florida. The successful bidder shall be responsible and pay for all penalties or fines imposed on the County as a consequence of the successful bidder's failure to meet any and all reporting, record keeping, documentation of system malfunctions or outages, performing timely repairs or maintenance, meeting established deadlines and any other requisites as detailed by the County's Title V Air Permits.

2.10 DEFICIENCIES IN WORK TO BE CORRECTED BY THE VENDOR

The vendor shall promptly correct all apparent and latent deficiencies and/or defects in work, and/or any work that fails to conform to the contract documents regardless of project completion status. All corrections shall be made within two (2) calendar days after such rejected defects, deficiencies, and/or non-conformances are verbally reported to the vendor by the County's project manager, who may confirm all such verbal reports in writing. The vendor shall bear all costs of correcting such rejected work. If the vendor fails to correct the work within the period specified, the County may, at its discretion, notify the vendor, in writing, that the vendor is subject to contractual default provisions if the corrections are not completed to the satisfaction of the County within three (3) calendar days of receipt of the notice. If the vendor fails to correct the work within the period specified in the notice, the County shall place the vendor in default, obtain the services of another vendor to correct the deficiencies. Any and all re-procurement costs incurred by the County shall be borne by incumbent vendor.

2.11 LABOR, MATERIALS, AND EQUIPMENT SHALL BE SUPPLIED BY THE VENDOR

Unless otherwise provided in Section 3, Technical Specifications, of this solicitation the vendor shall furnish all labor, material and equipment necessary for satisfactory contract performance. When not specifically identified in the technical specifications, such materials and equipment shall be of a suitable type and grade for the purpose. All material, workmanship, and equipment shall be subject to the inspection and approval of the County's Project Manager.

2.12 INDEMNIFICATION AND INSURANCE

Contractor shall indemnify and hold harmless the County and its officers, employees, agents and instrumentalities from any and all liability, losses or damages, including attorneys' fees and costs of defense, which the County or its officers, employees, agents or instrumentalities may incur as a result of claims, demands, suits, causes of actions or proceedings of any kind or nature arising out of, relating to or resulting from the performance of this Agreement by the Contractor or its employees, agents, servants, partners principals or subcontractors. Contractor shall pay all claims and losses in connection therewith and shall investigate and defend all claims, suits or actions of any kind or nature in the name of the County, where applicable, including appellate proceedings, and shall pay all costs,

Page 3 of 12

judgments, and attorney's fees which may issue thereon. Contractor expressly understands and agrees that any insurance protection required by this Agreement or otherwise provided by Contractor shall in no way limit the responsibility to indemnify, keep and save harmless and defend the County or its officers, employees, agents and instrumentalities as herein provided.

The Contractor shall furnish to Internal Services Department / Procurement Management Services, 111 NW 1st Street, Suite 1300, Miami, Florida 33128-1989, Certificate(s) of Insurance which indicate that insurance coverage has been obtained which meets the requirements as outlined below:

- A. Worker's Compensation Insurance for all employees of the Contractor as required by Florida Statute 440.
- B. Commercial General Liability Insurance on a comprehensive basis, in an amount not less than \$1,000,000 combined single limit per occurrence for bodily injury and property damage. **Miami- Dade County must be shown as an additional insured with respect to this coverage.**
- C. Automobile Liability Insurance covering all owned, non-owned and hired vehicles used in connection with the work, in an amount not less than \$300,000 combined single limit per occurrence for bodily injury and property damage.
- D. Professional Liability Insurance in an amount not less than \$1,000,000 per claim.
- E. Pollution Liability Coverage in an amount not less than \$1,000,000 combined single limit per occurrence for Bodily Injury and Property Damage.

All insurance policies required above shall be issued by companies authorized to do business under the laws of the State of Florida, with the following qualifications:

The company must be rated no less than "A-" as to management, and no less than "Class VII" as to financial strength, by Best's Insurance Guide, published by A.M. Best Company, Oldwick, New Jersey, or its equivalent, subject to the approval of the County Risk Management Division.

or

The company must hold a valid Florida Certificate of Authority as shown in the latest "List of All Insurance Companies Authorized or Approved to do Business in Florida" issued by the State of Florida Department of Financial Services.

NOTE:

CERTIFICATE HOLDER MUST READ:

MIAMI-DADE COUNTY

111 NW 1st STREET

SUITE 2340

MIAMI, FL 33128

2.13 REPORTING

Awarded vendor shall provide following reports as a part of scope of services outlined in this solicitation:

- Monthly report of wellfields wellhead monitoring.
- · Monthly maintenance report.
- Quarterly perimeter probe monitoring reports.
- Quarterly surface gas monitoring reports.
- Semiannual Title V reports.
- Annual pipeline inspection report (pressurized gas delivery pipeline GCS to Water and Sewer flow meter)
- Annual Statement of compliance
- Annual Visual Emissions Monitoring reports
- Annual Greenhouse Gas Monitoring reports
- Annual Title V Operating report for the NDL and SDL

2.14. ADDITIONAL SERVICES/ FACILITIES MAY BE ADDED OR DELETED

The County will have the option of adding and removing services/sites from the scope or work, increase or decrease frequency of services as needed and when needed, should the County determine that continuing to provide this level of services is no longer in the County's best interest due to extenuating circumstances. Although this solicitation and resultant contract identifies specific facilities to be serviced, it is hereby agreed and understood that any County department or agency facility may be added to this contract at the option of the County. When required by the pricing structure of the contract, vendor(s) under this contract shall be invited to submit price quotes for these additional services/facilities. If these quotes are determined to be fair and reasonable, then the additional work will be awarded to the current contract vendor(s) that offers the lowest acceptable pricing.

The County reserves the right to obtain price quotes for the optional services from other bidders in the event that fair and reasonable pricing is not obtained from the current contract vendor, or for other reasons at the County's discretion.

SECTION 3 - TECHNICAL SPECIFICATIONS

3.1 BACKGROUND

The purpose of this solicitation is to establish a contract for Landfill Gas (LFG) services necessary to fulfill the requirements of the County's Title V Air Permits, Mandatory Greenhouse Gas Monitoring and related regulations, permits and its contractual obligations to supply LFG as fuel for electric energy production. The services to be provided under this contract include: operation, maintenance, regulatory and operational monitoring, regulatory testing and reporting, LFG system expansion, repair and rehabilitation of the systems as required by federal, state and local air quality permits, or operational needs as requested by the County. The services to be provided under this contract also include maintenance and repair of perimeter probes. The services will be rendered at four (4) specific landfill sites specified below and may be amended from time to time in order to comply with any changes to the related regulations, rules, and permit requirements or operational needs:

A. South Dade Landfill - 23707 SW 97th Avenue, Goulds, Florida 33032.

The South Dade Landfill (SDLF) has an active LFG system and a flare which is equipped with an auto-dialer to alert the awarded vendor's Operator/Technician that a malfunction has occurred. This site has approximately 210 acres of disposal area distributed among five discrete cells (Cells 1-5):

- Cells 1 through 3 (approximately 110 acres) are closed in accordance with Florida Department of Environmental Protection (FDEP) regulations.
- Cell 4 (approximately 50 acres) is active and Cell 5 (approximately 50 acres) is under construction.

The site may receive both Class I and Class III Municipal Solid Waste (MSW). At this site, LFG is extracted from the waste through a series of approximately 59 vertical wells (Cells 1-3) and 10 wellheads (Cell 4) for the horizontal collectors to which a vacuum is applied. The LFG system also includes condensate collection points that are connected to wells that receive condensate and discharges the condensate into the leachate system. The number of well heads and well types may increase as needed by the County. The vast majority of the piping systems are constructed out of either PVC (polyvinyl chloride) or HDPE (high-density polyethylene).

Extracted LFG is to be directed, in order of priority: 1) to a gas compression station and pressurized gas transmission pipeline to an adjacent County facility, 2) a central flaring station or similar system for destruction or any combination of these. The gas compression station, flare, controls, pumps, compressors, blowers and recording instrumentation are located in a central location while the wells, condensate piping, service air piping and gas collection and transmission piping systems are located on the closed and active areas of the landfill and at adjacent facilities. The site has fourteen (14) gas monitoring probes along its boundary to assess gas migration.

B. North Dade Landfill – 21400 NW 47th Avenue, Miami, FL 33055

The North Dade Landfill (NDLF) also has an active LFG system and a flare which is equipped with an auto-dialer to alert the awarded vendor's Operator/Technician that a malfunction has occurred. NDLF has approximately 200 acres of disposal area distributed among two contiguous, but discrete cells (East Cell and West Cell).

The West Cell is closed in accordance with FDEP regulations and the East Cell is active. The site receives Class III MSW. This active gas system extracts LFG from the waste through a series of 136 vertical wells to which a vacuum is applied. The vast majority of the piping systems are constructed out of either PVC or HDPE. Extracted LFG is directed, in order of priority, to: a planned electric generating facility and a central flaring station or similar system for destruction.

The site has twelve (12) gas monitoring probes along its boundary to assess gas migration. The flare, controls, pumps, compressors, blowers and recording instrumentation are located in a central location while the wells,

condensate piping, service air piping and gas collection and transmission piping systems are located onsite at both the closed and active areas of the landfill.

C. NW 58th Street Landfill and Old South Dade Landfill

The NW 58th Street Landfill (58th Street) and Old South Dade Landfill (OSDL) are closed in accordance with FDEP regulations. The 58th Street landfill has a passive LFG system in which LFG vents through passive devices such as standpipes and the landfill cover system. The 58th Street site has seven (7) perimeter gas monitoring probes. OSDL has no passive LFG system, but it does have twenty (20) perimeter gas monitoring probes.

3.2. VENDOR RESPONSIBILITIES

Awarded vendor responsibilities will include but not limited to providing for continuous, compliant operation of all LFG systems at the NDL and SDL. These services cover the repairs or work necessary to assure a rapid return to operation of the LFG system after a failure that may result from any uncontrollable or planned event, and the repairs or work necessary for continuous compliant operation of the NDL and SDL LFG systems. All repairs under \$2,500 (individually not in aggregate) are the responsibility of the awarded vendor.

Awarded vendor shall be onsite at minimum once per week at both the South Dade and North Dade Landfills during the hours of 7:00 AM to 5:30 PM, Monday through Friday. The vendor must file its planned schedule with the County's Project Manager. This schedule may be changed upon prior written approval of the County's Project Manager. The awarded vendor is to assign staff to be on call 24 hours per day, seven days a week in case of an emergency. In the event of such an emergency affecting the safety of persons or property, respond in accordance with its best professional judgment, to prevent threatened damage, injury, or loss. Such actions, including any financial expenditure shall be immediately communicated to the County's Project Manager with a written explanation.

Respond within 8 hours to any auto dialer trouble call from the flare or notification by the County's Project Manager (PM) of problems with the gas management system or flare outage. Under no circumstances is the system to be out of service for more than 24 hours. The awarded vendor shall provide written notification to the County's PM, in the format requested by the County's PM, of the cause, duration, and corrective action taken, including certification of no uncontrolled release of landfill gas and immediately update the Start Up/Shutdown Malfunction logs and forms within twenty-four (24) hours of notification by the flare's emergency dialer or by the County's PM.

Provide consultation and recommendations to the County and attend meetings to serve as the County's representative to regulatory agencies and Miami-Dade residents in matters related to the operation of the gas management and control systems, including written reports and presentations that may be requested by DSWM. At the County's sole discretion, the awarded vendor may be required to attend meetings with regulatory agencies, public or County consultants and engineers, perform special studies, or conduct special testing or monitoring, which may be required to address compliance, design or construction issues or other services as may be needed.

Conduct and oversee all regulatory, compliance, and financial transactions pertaining to the operation of the gas management and control systems with all local, state, and federal regulatory requirements including those stipulated in this solicitation.

Provide security and maintenance for the gas management and control systems facilities' building, immediate grounds and landscaping (inside the fence line of the flare station and gas compression station). Facilities shall remain locked and secured when unattended. Fences, gates, and locks shall be maintained in good working order. Landscaping shall be neatly maintained and the grounds shall be clean, neat and litter free at all times.

At a minimum, maintain all equipment according to the manufacturer's recommendations and all maintenance checklists provided in this solicitation. Monthly service records shall be provided with the invoice. Perform at a minimum the flare and compression, and wellhead and gas transmission line maintenance in accordance with the Preventative Maintenance Schedule (see Attachments A-C) to assure proper operation of each facility and compliance with all local, State and Federal guidelines and regulations. The revision this schedule is subject to the County's Project Manager prior written approval by. All repairs under \$2,500 (individually not in aggregate) are the responsibility of the awarded vendor.

Provide technical, operational, maintenance and repair and analytical services as requested or required as part of the routine day-to-day operations and programing of the LFG system, and including monitoring for the preparation of all reports. In the event when the awarded vendor may be required to provide other related services or miscellaneous materials not specified in the Price Schedule, including equipment rental and subcontractors to fulfill the requirements stipulated herein, a formal written scope of work and price shall be developed and submitted by the awarded vendor for review and approval by the County's PM. The hourly rates for these services shall not exceed those stipulated in the Price Schedule Form (see Section 4).

Furnish all labor, materials, parts, equipment, chemicals, transportation, and supervision necessary to provide the services required under this Solicitation. Must have "in-house" knowledge and ability to understand programing and reprograming of the various LFG systems. Services may include, but are not limited to, daily operations, maintenance, and repair of both the gas collection, flaring and compression and delivery systems, programing, and any other operational needs of the LFG systems.

Furnish all labor, materials, parts, equipment, chemicals, and transportation, and supervision, technical and analytical services for the timely submittal of all reports required by this solicitation.

Furnish and bear the cost of all communications services for autodialer and communication with County and between the various components of the NDL and SDL LFG systems that require networking or other communication services.

Assume responsibility for all expenses incurred in the operation and maintenance of the gas collection, flaring and compression and delivery systems, and provide all necessary staffing and equipment required to provide these services, including vehicles, personnel, preventive and corrective maintenance and programming.

Provide at all times, when presented with valid identification, supervised access to the facilities for approved County personnel, County authorized agent's consultants, guests, and employees. Provide supervised access to the facilities for regulatory agency officials conducting inspections or any duties required by law or permit condition.

Provide all System's operating manuals, specification booklets, reports, records, data, software, and information including, but not limited to, operation reports, treatment system performance reports, reports required by this Solicitation, and regulatory agency inspection reports. Laboratory data, budgetary and financial information. All such records shall be maintained in good order by the awarded vendor, and shall remain the property of the County. All site-specific operating procedure guidelines, preventive maintenance and safety programs, and plant evaluation reports and data shall remain the property of the County. All data collected is the property of Miami-Dade County.

Provide reports and data in the formats, time, and manner requested by the Project Manager. The awarded vendor shall maintain reports and logs and shall submit to the County in both electronic and hard copy formats in a timely manner to assure compliance with regulatory deadlines. The County will provide a sample approve of an acceptable

format for logs. Awarded vendor's provided reports shall follow the format of those reports previously submitted by the County to the regulatory agencies. The awarded vendor's technician shall have an e-mail system and cellular phone for routine correspondence and communication with the County's PM. Cell phone or email provider charges are the responsibility of the awarded vendor and will not be reimbursed.

Awarded vendor will institute a pipeline integrity management program including pipeline safety inspections using, as needed, pipeline route surveys, depth of cover surveys, pressure tests, external corrosion direct assessment, or other technology that the operator demonstrates can further the understanding of the condition of the pipeline for the GCS facility and are completed on a schedule based on and to comply with all applicable portions of Florida Administrate code 25-12 Safety of Gas Transportation by Pipeline. This work begins at the SDL GCS, and ends at the first flow meter at the County's adjacent water and sewer facility.

3.3 ROUTINE SERVICES

A. Active Landfill Gas System Operations, Maintenance and Monitoring

The awarded vendor shall prepare and submit to County's Project Manager (PM) a site specific Health and Safety Plan for each site prior to commencement of activities under this solicitation. The awarded vendor shall also provide all labor, administrative support, transportation, tools, materials (i.e., propane, lubricants, pads, and filters, etc.), and equipment necessary, to perform routine operation, monitoring, calibration, regulatory reporting and preventative maintenance and minor repairs of the following elements collectively referred to as the LFG System:

- 1. Enclosed flare or similar system and gas moving and monitoring equipment at both the South Dade Landfill (SDLF) and North Dade Landfill (NDLF).
- 2. Gas extraction system (wells, horizontal collectors, well heads, collection piping, extraction blowers, and condensate system).
- Gas transmission system which includes, but is not limited to, compression station and equipment, piping, meters, monitoring equipment, and other equipment up to the Customer Delivery Point, which is defined as the metering station at the electric generating facilities, and gas extraction systems at both the NDLF and SDLF.
- 4. Perimeter gas probe and surface monitoring and reporting, as applicable to all sites.

The awarded vendor is to provide such services and be onsite at least once per week at both the SDLF and NDLF during the hours of 7:00 AM to 5:30 PM, Monday through Friday, which are considered as part of the Routine Services, unless a different time period is authorized by the County's PM. The awarded vendor must file its planned schedule with the County's PM prior to commencement of services rendered under this solicitation. This schedule may be changed from time to time with the prior approval of the County's PM. Additionally; the vendor shall be available for routine meetings on-site, via teleconference, or at the County's offices during regular work hours as requested by the County.

Routine activities are listed in the **Attachment A, Routine Services- Active Gas Systems**, and are considered part of the Routine Service and hence are included in the monthly service fee. These services are to be performed at frequencies stated herein and may be amended from time to time by mutual agreement of the County and the vendor in order to conform with permit requirements, customary industry practices, or in response to site specific or regulatory conditions. At the minimum, all equipment should be maintained in accordance with the manufacturer's recommendations. The awarded vendor shall submit to the County monthly service records with the invoices.

Preventive maintenance is considered a part of the Routine Services and performed in accordance with **Attachment B and C**. Completed maintenance schedule checklists are to be submitted with each monthly invoice. Maintenance schedule lists (Attachments B and C) are considered guides and minimum standard for conducting routine maintenance. The awarded vendor is to use its best efforts in performing routine maintenance and repairs to assure

Page 9 of 12

2/14/2018 8:28 AM p. 14

reliable, compliant operation of the LFG System. The awarded vendor shall maintain reports and logs and shall submit to the County in both electronic and hard copy formats in a timely manner to assure compliance with regulatory deadlines. All data collected is the property of Miami-Dade County. Reports and data shall be submitted to the County's PM in the format, time and manner approved by the County's PM. The reports and data will generally follow the format used by the County when reporting to regulatory agencies. The awarded vendor's Operator/Technician shall have an e-mail system and cellular phone for routine correspondence and communication with the County's PM and the auto-dialer alert system. The awarded vendor is responsible for all costs associated with cell phone/email usage.

B. Routine Gas Monitoring Services

Perimeter Gas Probe Monitoring and Surface Gas Monitoring including any re-sampling, and reporting are considered part of the Routine Service and hence are included in the monthly service fee. Reporting shall be in a form acceptable to the regulatory agencies and the County's PM. The monitoring can occur at frequencies varying from monthly to annually, at the discretion of the County's PM. The awarded vendor shall prepare all report(s) necessary to fulfill the regulatory requirements or as may be requested by the County's PM or permit requirements.

- **B1.** Perimeter Gas Probe Monitoring: The vendor is to provide all services labor and equipment to perform Perimeter Gas Probe Monitoring and reporting at all landfill sites specified above, using equipment prescribed by FDEP and the United States Environmental Protection Agency (USEPA) or other regulatory agency for such monitoring. The vendor shall also maintain and repair perimeter probes under this solicitation.
- **B2.** <u>Surface Gas Monitoring:</u> The vendor is to provide all services, labor and equipment to perform surface gas monitoring and reporting at the SDLF and NDLF using equipment and procedure prescribed by FDEP and USEPA for such monitoring. An episode is defined as a surface scan of the entire site at locations and frequencies defined in the regulations and performed to the satisfaction of the County's PM.
- **B3.** <u>Visual Emissions Monitoring</u>: The vendor is to provide all services, labor and equipment to perform Visual Emissions (VE) monitoring as called for by the DSWM's Title V permits. VE monitoring is to be done in conjunction with the annual maintenance work.

C. Call-In Work

The flares at South Dade Landfill (SDLF) and North Dade Landfill (NDLF) are equipped with an auto-dialer in the event of a malfunction and to prevent the flares from automatically restarting. Call-In Work is considered part of the Routine Service and hence is included in the monthly service fee. The awarded vendor shall respond within the next business day, and shall not exceed five calendar days after being contacted by the flare's auto-dialer or by the County's PM. The vendor is required to mobilize to the site to diagnose and repair a problem and restart the flare 365 days of the year, including weekends and holidays. Travel time to and from the site(s) in response to a notification by the auto-dialer or County's PM is not compensable as Call-In Work. The vendor shall provide written notification to the County's PM of the cause, duration, and corrective action taken, including certification of no uncontrolled release of landfill gas and immediately update the Start Up/Shutdown Malfunction logs and forms within forty-eight (48) hours of responding to the notification by the flare's auto-dialer or by the County's PM.

D. Greenhouse Gas (Services)

The awarded vendor shall perform the monitoring, prepare and submit, digital and hardcopy, annual reports for North Dade Landfill (NDLF), South Dade Landfill (SDLF), and 58th Street landfill sites, to United States Environmental Protection Agency (USEPA), in their required format and in accordance with the Mandatory Greenhouse Gas (GHG) Reporting Rule, 40 Code of Federal Regulation (CFR), Part 98, Subparts A and HH.

The annual reports, at a minimum, shall include the following information:

- 1. Annual (Greenhouse Gas) GHG emissions for all applicable source categories (40 CFR, Part 98, Subpart HH), expressed in metric tons of carbon dioxide equivalents (CO2e).
- 2. If applicable, report CH4 destruction resulting from landfill gas collection and combustion systems.
- 3. If applicable, report the emissions of CO2, CH4, and N2O from each stationary combustion unit following the requirements of Subpart C, General Stationary Fuel Combustion Sources.
- 4. Calculate annual modeled CH4 generation in accordance to the applicable requirements stipulated in 40 CFR 98.343, Calculating GHG Emissions (Equation HH-1). Provide the values used to calculate the annual modeled CH4 generation.
- 5. Provide classification of the landfill as "open" (actively received waste in the reporting year) or "closed" (no longer receiving waste), the year in which the landfill first started accepting waste for disposal, the last year the landfill accepted waste (for open landfills, enter the estimated year of landfill closure), the capacity (in metric tons) of the landfill, an indication of whether leachate recirculation is used during the reporting year.
- 6. Method used for estimating the reporting year and historical waste disposal quantities and the range of years it is applied.
- 7. Surface area of the landfill containing waste (in square meters), identification of the type of cover material used (as either organic cover, clay cover, sand cover, or other soil mixtures).
- 8. Retain all records including the calibration records for all monitoring equipment, including the method or manufacturer's specification used for calibration.

The GHG services are considered part of the Routine Service and hence are included in the monthly service fee.

3.4 NON-ROUTINE, MISCELLANEOUS REPAIRS AND REPLACEMENT

The landfill operating permits require continuous, compliant operation of the LFG System. These services cover those repairs or work necessary to assure a rapid return to operation of the LFG System after a failure that results from an uncontrollable event such as a lightning strike, or load settlement, which are non-periodic and infrequent repairs; or work such as the rebuilding of a flare's blower, re-drilling a well, extending a well, extending a pipe lateral, transmission pipe header; other miscellaneous repairs, expansion of existing LFG system necessary for continuous compliant operation, such as installing a new well or collector, wellhead or other activities. These services also cover gas transmission system which includes, but is not limited to, compression station and equipment, piping, meters, monitoring equipment and other equipment up to the Customer Delivery Point, which is defined as the metering station at the electric generating facilities, and gas extraction systems at both NDLF and SDLF.

These services are non-routine and are not considered part of routine service outlined in Attachments A and B. The awarded vendor shall provide all labor, materials including evaluation, assessment, supply, and performance testing.

3.5 OPTIONAL SERVICES

Although this solicitation and resultant contract identifies specific services, it is hereby agreed and understood that optional services may be required. At the County's sole discretion, the awarded vendor may be required to perform any of the following optional services, which may be required to address compliance, design or construction issues as may be needed or required by regulatory agencies:

Page 11 of 12

- 1. Attend meetings with regulatory agencies, public or County consultants and engineers.
- 2. Provide specific skilled personnel.
- 3. Perform special studies or conduct special testing or monitoring

The awarded vendor shall provide a formal written scope of work and pricing for review and approval by the County's Project Manager (PM). The hourly rates for these services shall not exceed those stipulated in the approved Price Schedule (see section 4).

SECTION 4 – BID SUBMITTAL

Bid Submittal Checklist (reference Sections 2.5 and 2.6)

Reference	Description	Response
	Bidder(s) shall have experience operating (including maintaining and repairing) as well as programing Natural Gas and Landfill Gas flares, and Landfill Gas Collection systems	
	(wellfields, wellheads buried transmission lines in lined and unlined landfill areas) to include Title V monitoring and reporting, also Greenhouse Gas monitoring and reporting.	(Indicate Years of applicable Experience)
Sec. 2.5.	Bidder(s) shall have experience operating (including maintaining and repairing) as well as programing Natural Gas delivery, conditioning, treating, processing and compression	
	systems, and below and aboveground pressurized gas transmission pipelines.	(Indicate Years of applicable Experience)
	Bidder(s) shall have knowledge and expertise with following processes essential to scope of services requested within the	
	solicitation: a) Flare gas collection for analysis reporting and evaluation; b) Startup/Shutdown planning; c) Flare minimization best practices; d) Load shed plans and routine gas compression system operating practices.	(Indicate Years of applicable Experience)
Sec. 2.6.A	Completed Price Schedule Form	(Initial to affirm Price Schedule Form is submitted)
Sec. 2.6.B	Bidder shall provide two references	(Initial to affirm reference forms are submitted)
0005	Bidder's staff to be assigned to perform services: specify staff	
Sec. 2.6.D	experience and expertise.	

Page 1 of 4

Sec. 2.6.E	Operator/Technician's resume, email and cellular phone number	(initial to affirm Resume submitted)(email)(phone #)
Sec. 2.6.C	Bidder's environmental track, specify any Title V violations	

PRICE SCHEDULE FORM (reference paragraph 2.6.A)

		er shall furnish all labor, materials, tools, equipment, transp	The first contract the contract the second contract to the con		·
	RO	UTINE MAINTENANCE AND MONITORING SERVICES F		OL SYST	
Reference	Item #	Location	Estimated Quantity for the Term of the Contract	U/M	Monthly All-inclusive Fee
	1	South Dade Landfill (Services A, B1, B2, C & D)	60	Month	\$
Section 3.2.	2	North Dade Landfill (Services A, B1, B2, C & D)	60	Month	\$
A, B, C, D	3	Old South Dade Landfill (Service B1)	60	Month	\$
	4	NW 58 Street Landfill (Services B1 & D)	60	Month	\$
		NON-ROUTINE SERVICES, MISCELLANE	OUS REPAIRS AND REPLAC	EMENTS	
Reference	Item#	Location	Estimated Quantity for the Term of the Contract	U/M	All-inclusive Unit Price
	1	Vertical Well Extension (PVC)	500	L.F.	\$
	2	Vertical Well Extension (HDPE)	1000	L.F.	\$
	3	Various Sizes Expansion Joints	125	Each	\$
	4	Perimeter gas Well/Probe Installed (2" x 10 ft.)	10	Each	\$
	5	10" PVC (Sch.40) Aboveground Header	2500	L.F.	\$
	6	6" PVC (Sch.80) Aboveground Lateral	1000	L.F.	\$
	7	3" PVC (Sch.40) Aboveground Lateral	500	L.F.	\$
	8	2" PVC (Sch.40) Aboveground Lateral	500	L.F.	\$
	9	12" HDPE (SDR 17) Aboveground Lateral	3000	L.F.	\$
	10	10" HDPE (SDR 17) Aboveground Lateral	500	L.F.	\$
Section 3.3	11	8" HDPE (SDR 17) Aboveground Lateral	2000	L.F.	\$
	12	6" HDPE (SDR 17) Aboveground Lateral	2000	L.F.	\$
	13	4" HDPE (SDR 17) Aboveground Lateral	1000	L.F.	\$
	14	6" PVC (Sch. 80) Below Ground Lateral	1000	L.F.	\$
	15	3" PVC (Sch. 40) Below Ground Lateral	1000	L.F.	\$
	16	2" PVC (Sch. 40) Below Ground Lateral	1000	L.F.	\$
	17	6" HDPE (SDR 17) Below Ground Lateral	1000	L.F.	\$
	18	4" HDPE (SDR 17) Below Ground Lateral	1000	L.F.	\$ -
	19	Over excavation (greater than 4' below surface)	1000	L.F.	\$
	20	Gas extraction well installation	1000	L.F.	\$
	21	8" Horizontal Collector Installation	4000	L.F.	\$
		OPTIONAL SERVICES FOR LANDFILL GA	AS CONTROL SYSTEM OPER		
Reference	Item #	Location	Estimated Quantity for the Term of the Contract	U/M	All-inclusive Unit Price
	1	Regulatory & Miscellaneous Meetings (Project Manager, Professional Engineer)	120	Hour	\$
	2	Landfill Gas Technician (Miscellaneous Tasks)	200	Hour	\$
Section 3.4	3	Project Foreman	2000	Hour	\$
	4	Heavy Equipment Operator	1500	Hour	\$
	5	Construction Laborer	5000	Hour	\$

VENDOR REFERENCES (reference paragraph 2.6.B)

Reference # 1	
Company name:	
Company address:	
Project Start/End Date	
Contact name and title:	
Contact email:	
Contact telephone number:	
Reference #2	
Company name:	
Company address:	
Project Start/End Date	
Contact name and title:	
Contact email:	
Contact telephone number:	
Reference #3	
Company name:	
Company address:	
Project Start/End Date	
Contact name and title:	
Contact email:	
Contact telephone number:	

ATTACHMENT A ROUTINE SERVICES NDL and SDL - ACTIVE GAS SYSTEMS

SDL Gas Compression Station and Pipeline to be operated and maintained in accordance with manufactures specifications (following is recommended minimum):

ACTIVITY	FREQUENCY
Flare/ LFG Distribution System Operation Check	Each Visit
Well Field Operation Check, Tuning & Balancing including Flow, O2, Temperature, Gas Quality and minor maintenance. All above includes condensate collection systems and special related well(s)	Each Visit (Entire Well field Tuning Completed Monthly)
Recorder Chart/Data Loggers	Weekly
Operational Data Summary Reports including Flare Log, Well Field Log, Downtime Log, flare outage reports and related SSM Plan	Daily, Monthly, Quarterly, Semiannually, and as requested by the PM
Flare Testing	Annually
NSPS & GHG Reporting	Annually
Preventative Maintenance	Attachments B and C
Hurricane Preparations	As needed
Coordination with County staff, County consultants and Regulators	As needed
Surface Gas Scanning and Perimeter Probe monitoring and respective reports	Quarterly
Semi-annual Monitoring Reports, Semi-annual Operating Reports	Semi-Annually
Statement of Compliance	Annually
Visual Emissions Monitoring	Annually
Annual Title V Operating Reports for the SDL and NDL	Annually
Inactive well management	In accordance with the inactive well plan

All above includes SDL Linear Gas Collection system that may be expanded from time to time

ATTACHMENT B

South Dade Landfill LFG Control Systems Preventative Maintenance Schedules Updated for Device: LFG Specialties Candlestick Flare Unit #2380

> Month Completed: Weekly Check List

		Weekly Check List			
Operator Name					
Components	Date:	Date:	Date:	Date:	Date:
Knack Out Pot:					The second secon
Check Liquid Leve					
Check Differential Pressure	("w.c.)	("w.c.)	("w.c.)	("w.c.)	("w.c.
Drain Liquid (As Needed)					
18" Pneumatic Header Valve	0.0040000000000000000000000000000000000	The second of th			
Check Nitrogen tank pressure	(psi)	(psi)	(psi)	(psi)	(psi
Check Line Pressure	(psi)	(psi)	(psi)	(psi)	(psi
Valve Position					
Check Lines for Leaks					
Replace Nitrogen Tank (As Needed					
LFG Blower					
Check Bearing Temperature	(deg. F)	(deg. F)	(deg. F)	(deg. F)	(deg. F
Check Vibration	(4.85.1)	(==5,17)	107	, , ,	
Drain Condensate from Housing					
Flame Arrester	("w.c.)	("w.c.)	("w.c.)	(*'w.c.)	("w.c.
Check Differential Pressure Clean Element (As Needed		(w.c.)	(10.0.)	(00.0.)	(17.0.
Flow Meters			/a afon	(scfm)	(scfm
Record Inlet Flow			(scfm)		
Record Flare Flow					
Record GCS Flow	(scfm)	(scfm)	(SCIIII)	(aciiii)	(SCIII)
Propane Pilot System					
Check Propane Supply				4 7	ļ , ,
Check Propane Supply Pressure		(psi)	(psi)	(psi)	(psi
Replace Propane Tank (As Needed				Who was a light to the control of th	
Control Panel					
Verify Chart Recorder Operation	download data				
Check enclosure for moisture					
Test Panel Light	5				
Verify Auto-Dialer Operation	1				
Verify PLC/Touchscreen Operation	1				4000
Air Compressor					
Air Compressor Operation	1				
Air Supply Pressure	(psi	(psi	(psi)	(psi)	isq)
Hour					
Drain Tank (As Needed)				
Check Air Dryer Operation					
Check Emergency Shutdown Switch					
Gas Compression System					
Verify System in Operation					
Remote Monitoring Work Station Online					
Compressor One Online		1			
Compressor Two Online		- Junior			
System Alarm					
System Permissive					
Outlet Pressure Set Poin					
PID Temperatur					
		(%) (%	(%)	(%
Chiller Liquid Level (50-75% full					
Aftercooler Liquid Level (50-75% full					
Oil Pump Resivoir Tank Level (50-75% full) (%	[%]	[70]	(70
Drain Suction Vessel (As Needed	3				
Drain Discharge Vessel (As Needed)]		<u> </u>	L	L

Monthly Check List

	Monthly Che	CK List
Date Completed:		Name:
Utility Flare		Gas Compression System
Grease Type: Mobil Lithium SHC 220		Grease Type: Mobil Polyrex EM (1 oz. or less)
LFG Blower		Grease Main Motors of Drive Trains
Lubricate Bearings		Grease Fin Fan Cooler Assembly
Lubricate Motor Bearings		Grease Circulation Pumps for Chiller System
Clean Ventilation Opening of Motor		Grease Water Pumps Input Shaft
Check Blower Belts/Alignment		
Piping		Air Compressor
Check Valves for Proper Operation		Check Oil Level, Top Off As Needed

South Dade Landfill LFG Control Systems Preventative Maintenance Schedules Updated for Device: LFG Specialties Candlestick Flare Unit #2380

Semi-Annual (January/July)

Operator Name:			
Components	Date:	Date:	
Piping			
Check All Flange Gaskets for Leaks			
Check Rubber Expansion Joints for Wear			
Flow Meters			
Clean Total Flow Meter Probe			
Clean GCS Flow Meter Probe			
Propane Pilot System			
Check Solenoid Manual Overide			
Clean Pressure Regulator Vent			
Check All Connections for Leaks			-
Clean Solenoid Valve per Specifications			
Control Panel			
Check Wire Connections for Corrision			
Check Wire Connections for tightness			

Annual (January)

	Annual (January)	
Operator Name:		
Components		Date:
Knock Out Po		
Inspect Internal Coating,	Cover Gasket and Clean Demister Pad	
	Retighten Cover Bolts	
LFG Blower		
Inspec	t Foundation and Correct Deficiencies	
	Check Condition of Isolation Pads	
	Check Blower Motor Alignment	
Check Wir	e Connection for Corrosion & Tigtness	
Flame Arreste		
	Check Differential Pressure	
	Clean Element (As Needed)	
Piping		
	Retighten All Flange Bolt Connections	
	Check Piping Alignment	
Flow Meter		
	Calibrate Flow Meter	
Flare Control Par	nel	
Clean and M	aintain Instruments per Specifications	
Pr	ove Out Alarm Shutdown Permissives	
Gas Compession Sy	stem	
Install new grease/Remov	e old grease from through drain plugs	
Inspect Joy	Coupling Inserts of Water Pumps (x2)	
Inspect	Joy Coupling Inserts of Oil Pumps (x2)	
Inspect the I	in Fan Cooler and Clean as Necessary	
	Replace Oil in the Oil Pump Reservoirs	
Replace the Elem	ients in Final Separator Vessel on Skid	
Check	Vanes on the Airend of Compressors	

2/14/2018 8:28 AM

Attachment C - North Dade Flare Maintenance Schedule NDL Flare Station Recommended Maintenance Schedule

		rate Station Neco	IIIIIcilaed Mail	ונכוומוזכי סכווכו	200			ſ
			DATE &	DATE &	DATE&	DATE&		
TASK SCHEDULE	FREQ.FREQ.	INITIALS	TIME	TME	TIME	TIME	COMMENTS	
CONDENSATE KNOCK OUT POT								
1- CHECK LIQUID LEVEL	M							
2- DRAIN KOP	As Needed							
3- INSPECT DP ACROSS DEMISTER AND CLEAN MENISTER PAD	W & As Needed						and the control of th	
4- RETORQUE COVER BOLTS	SA							
				San King Same				
PNEUMATIC HEADER VALVE								
2- CHECK SUPPLY PRESSURE	W & As Needed						and a state of the	
3- CHECK VALVE PERFORMANCE	W &SA				400		The second of th	
4- CHECK SUPPLY LINES FOR LEAKAGE	BM							
LFG BLOWER								
1- INSPECT FOUNDATION & CORRECTION DEFICIENCIES	SA							
2- CHECK CONDITIONS OF ISOLATION PADS	SA							
3- CHECK BLOWER MOTOR ALIGNMENT	SA							
4- CHECK PIPING ALIGNMENT	SA							
5- CHECK BEARING TEMPERATURE	W							
6- Inspect for VIBRATION	M							
7- RELUBRICATE BEARINGS PER SPECIFICATION	M							
8-INSPECT DRIVE BELTS	BM							
9- CLEAN VENTILATION OPENINGS OF BLOWER MOTOR	As Needed							
10- RELUBRICATE MOTOR BEARINGS	As Needed							
Piping								
1- CHECK ALL VALVES FOR PROPER OPERATION	M							
2- RETORQUE ALL FLANGE CONNECTIONS	SA							
3- CHECK ALL FLANGE GASKETS FOR LEAKAGE	SA							
4- CHECK RUBBER EXPANSION JOINTS FOR WEAR	SA							
5- CHECK PIPING ALIGNMENT	SA							
W= WEEKLY BW = BIWEEKLY M = MONTHLY BM = BIMONTHLY SA= SEMI	SIMONTHLY SA= SEMIA	ANNUALLY A = ANNUALLY NA= not applicable	INUALLY NA= 1	not applicable	-		minimizer of the second of the	

TASK SCHEDULE			מוער שיין איין איין איין איין איין איין איין					
		0 311		8 <u>1</u> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a li S	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	TKEQ.FKEQ.	INITALS	11 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14		I ME	IME	COMMENTS	
FLAME ARRESTOR								
1- CLEAN INTERNAL BANK per spec	M							
2- CHECK BACK PRESSURE & CLEAN BANK ASSEMBLY	M							
PROPANE PILOT SYSTEM								
1- CHECK PROPANE SUPPLY	M							
2- CHECK PROPANE SUPPLY PRESSURE	A							
5- CLEAN PRESSURE REGULATOR VENT	As Needed							
6- CHECK ALL CONNECTIONS FOR LEAKS	SA							
ENCLOSED FLARE ASSEMBLY								
1- CHECK LOUVERS FOR SMOOTH OPERATION	>							
2- CHECK LINKAGE CONDITION	M							
4- MAINTAIN OIL LEVEL IN LOUVER ACTUATOR	As Needed				-		The state of the s	
10- REMOVE AND CLEAN ULTRA VIOLET SCANNER	ВМ							
11- CHECK UV SCANNER FOR PROPER OPERATION	BM							
12- INSPECT IGNITER PLUG, LEAD, & CONNECTIONS	As Needed							
13- INSPECT CONDITIONS OF TIP	SA					- Award	TANAL TO THE PARTY OF THE PARTY	
14- INSPECT CONDITION OF INSULATION, PINS, & KEEPERS	SA							
15- ALIGN AND RETORQUE FOUNDATION BOLTS	SA							
16- CHECK ELECTRICAL ENCLOSURE FOR MOISTURE	BM							
17- TIGHTEN WIRE TERMINALS	SA						The state of the s	
18- TIGHTEN CONDUIT CONNECTIONS	SA							
19- CHECK WIRE CONNECTIONS FOR TIGHTNESS & CORROSION	N SA							
20- CHECK PAINT & TOUCH-UP/REPAINT	As Needed							
21- CHECK THERMOCOUPLE ELEMENTS	SA			-		7.7111	, specialistics	
22- CHECK PRESSURE, VACUUM & TEMP, GAUGES	ВМ							
TLAKE CONTROL FACE STATES OF THE STATES OF T								
1- CLEAN & MAINTAIN INSTRUMENTS PER SPECIFICATIONS	SA							
2- REPLACE RECORDER CHART	W						17.00.000.000.000.000.000.000.000.000.00	
4 CHECK ENCLOSURE FOR MOISTURE	W							
5- CHECK WIRE CONNECTIONS for CORROSION & TIGHTNESS	SA							
6- CHECK PANEL LIGHT BULBS	M							
7- CHECK EMERGENCY SHUTDOWN	Z							



	ction 2-8.8, the Bidder/Proposer shall submit with the ocedures (use separate sheet if necessary) for awarding
subcontractors.	
	ORS WILL BE UTILIZED FOR THIS CONTRACT
LINO SUBCONTRACTO	KS WILL BE UTILIZED FOR THIS CONTRACT
Signature	Date



SUBCONTRACTOR/SUPPLIER LISTING (Mami-Dade County Code Sections 2-8.1, 2-8.8 and 10-34)

			Na	ame of Bidde	er/Proposer;	[FE	N No.	····		*** ***********************************	7									
ncluding profession awarded this contri County, The Bidde	nal services which act shall not charç r/Proposer should	-8.8 and 10.34 of the h involve expenditures of pe or substitute first tie enter the word "NONE	of \$100,000 or r subcontract r under the ap	rmore, and a ons or direct s opropriate hea	Il Proposers on suppliers or the pading of this form	County or Pub portions of the n if no subcont	ofic Health Trus contract work ractors or supp	t construction to be perform liers will be us	contracts whi ned or material sed on the con	ich involve exp Is to be suppli tract and sign	penditures of \$1 led from those in the form below.	90,000 or mon dentified, exce	e. The Bidder plupon writte	Proposer who n approval of	is the								
Bidder/Proposer de	monstrates to the	1-90, an entity contra County prior to award i	cusig with are that the race,	gender, and e	report me race, ethnic informatio	genuar and e n is not reaso	unnic origin er u nably available	ne owners an at that time, ti	ia emproyees i he Bidder/Proc	ou au nrscuer s ooser shall be	subcontractors/s obligated to exe	uppliers, <u>in t</u> rcise diliaent e	ne event that I	ne recommend n Ibal informat	ion								
and provide the sar	ne to the County n	ot later than ten (10) da	ys after it bec	comes availab	le and, in any e	vent, prior to li	nal payment un	der the contra	act,														
CFloses duplicate this form if additional ap Buainess				cipal Owner					Employee(a) (Enter the number of male and female employees and the number of employees by reselethnicity)														
Address of First Tier Direct Supplier	Owner	Provided by Supplier	M	М	М	М	M	М	F	White	Black	Hispanic	Asian/Pacific Islander	Native c American/ Native Aleskan	Other	F	F	White	Black	Hispanic	Asien/Pecific Islander	Native American/ Native Alaskon	Oth
Businees Name and Address of	Principal	Scope of Work to be Performed by	Principal Owner (Enter the number of male and female owners by racelethnicity)						Employee(s) (Enter the number of male and female employees end the number of employees by redeficitivity)														
First Tier Owner Subcontractor/ Subconsultant		Subcontractor/ Subconsultant	M	F	White	Black	Hispanto	Asier/Pecific Islander	Nativa American/ Native Alaskan	Other	м	F	White	Black	Hispanic	Asien/Pecific Islandes	Nativa American <i>i</i> Native Alasken	Olh					
													I SATISTICAL STATE OF THE SAME				PMI ALIGNAD						
																		, in the second					
development-contre	cts.esp. As a condi	nicity information is no tion of final payment, E and in this Subcontrac	Sidder/Propos	er shall provid	de aubcontracto	r information (on the Subconti	iited lo aontr actor Paymen	acting departs	nent or on-ila 200 form which	e to the Small B h can be tound a	usiness Devel t http://www.n	iopment of the	i Internal Servi Businesefibri	ices Departme ary/forms/subc	nt at htp://www.n	nienidade.gov/busik yment.pdf.	।का र्क क्ष					
4																							
Signa	ture of Blader/Prop	oser		Print Nam				Print Title		[Date												

2/14/2018 8:28 AM

Contractor Due Diligence Affidavit

Per Miami-Dade County Board of County Commissioners (Board) Resolution No. R-63-14, County Vendors and Contractors shall disclose the following as a condition of award for any contract that exceeds one million dollars (\$1,000,000) or that otherwise must be presented to the Board for approval:

- (1) Provide a list of all lawsuits in the five (5) years prior to bid or proposal submittal that have been filed against the firm, its directors, partners, principals and/or board members based on a breach of contract by the firm; include the case name, number and disposition;
- (2) Provide a list of any instances in the five (5) years prior to bid or proposal submittal where the firm has defaulted; include a brief description of the circumstances;
- (3) Provide a list of any instances in the five (5) years prior to bid or proposal submittal where the firm has been debarred or received a formal notice of non-compliance or non-performance, such as a notice to cure or a suspension from participating or bidding for contracts, whether related to Miami-Dade County or not.

All of the above information shall be attached to the executed affidavit and submitted to the Procurement Contracting Officer (PCO)/ AE Selection Coordinator overseeing this solicitation. The Vendor/Contractor attests to providing all of the above information, if applicable, to the PCO.

Contract No.:	Federal Employer Identification Number (FEIN):	
Contract Title:		
Printed Name of Affiant	Printed Title of Affiant	Signature of Affiant
Name of Firm	This time to the t	Date
Address of Firm	State	Zip Code
	Notary Public Information	
Notary Public – State of	County of	
Subscribed and sworn to (or affirmed) before m	ne this day of,	20
by	He or she is personally known to me	or has produced identification
Type of identification produced		
Signature of Notary Public		Serial Number
Print or Stamp of Notary Public	Expiration Date	Notary Public Seal

COLLUSION AFFIDAVIT

(Code of Miami-Dade County Section 2-8.1.1 and 10-33.02.1) (Ordinance No. 08-113)

duly sw		ORE ME, A NOTARY PUBLIC, personally tates:	y appeared	(insert name of	affiant)	who being
director	l am , prin	over 18 years of age, have personal know cipal shareholder and/or I am otherwise au	ledge of the fac thorized to bind	cts stated in this aff I the Proposer of th	idavit and I am an dissipation	wner, officer,
	I stat	e that the Proposer of this contract:				
		is not related to any of the other parties proposal is genuine and not sham or collu named, and that the Proposer has not, din a sham proposal, or any other person, firr has not in any manner sought by collusion	sive or made ir ectly or indirect n, or corporatio	n the interest or on tly, induced or solid on to refrain from p	behalf of any perso cited any other prop proposing, and that	on not therein oser to put in the Proposer
		is related to the following parties who propo	osed in the soli	citation which are i	dentified and listed b	pelow:
	,					
collusive of evide submitta manage or in wh nterest	e and ence all of the ence all	d Proposer identifies related parties in the the recommended Proposer shall be inelig as to the extent of ownership, control a such proposals. Related parties shall measure proposals a direct or indirect owners parent company or the principals thereof other bidder or proposer for the same agreement. Signature of Affiant	gible for award nd manageme an bidders or p ship interest in of one (1) bidd	unless that presum nt of such related proposers or the pr another bidder or p der or proposer ha	option is rebutted by parties in the pre rincipals, corporate proposer for the same a direct or indire	presentation paration and officers, and le agreement ct ownership
		Printed Name of Affiant and Title	/_ Feder	/// ral Employer Identit	//_/ fication Number	
		Printed Nar	ne of Firm			
	SUB	Address SCRIBED AND SWORN TO (or affirmed) b		day of	, 20	
He/She	is pe	rsonally known to me or has presented	(Туре	of identification)	as identific	ation.
		Signature of Notary		Serial Number		
	F	Print or Stamp Name of Notary	E	xpiration Date		
	Notai	ry Public – State of		Notary Seal		



Submittal Form

Solicitation No.FB-00628 Solicitation Title:	Landfill Gas Management Syste	ms				
Legal Company Name (include d/b/a if applicable):	Federal Tax Identificat	ion Number:				
SSPT ACTION CONTROL OF THE PROPERTY OF THE PRO		t				
If Corporation - Date Incorporated/Organized:	State Incorporated	/Organized:		and the second s		
CANADA CA						
Topic may mean and a second second which has been also as the second of			I a	1 7:- 0-4-		
Company Operating Address:	City	MANAGA MA	State	Zip Code		
•	NAME OF THE OWNER O			•		
Miami-Dade County Address (if applicable):	City		State	Zip Code		
Company Contact Person:	Email Address:					
Phone Number	Company's Internet W	eb Address:		VIII.		
(include area code):	The second secon			aura Analok		
officer, director, or executive who has been convicted of a felony duentering into a contract with or receiving funding from the County. Place a check mark here only if the Bidder has such conviction to disclose LOCAL PREFERENCE CERTIFICATION: For the purpose of this certificational business, is a business located within the limits of Miami-Dade County the least one year prior to bid submission; has a physical business address located and which served as the place of employment for at least three full time exception, if the business is a certified Small Business Enterprise, the local businemployee); and contributes to the economic development of the community in retention and expansion of employment opportunities and the support and incremental place a check mark here only if affirming the Bidder meets the requiremental time (by checking the box above) may render the vendor ineligitation.	e to comply with this requestion, and pursuant to Seat has a valid Local Busing within the limits of Miarmployees for the continuiness location must have a verifiable and measurable ase to the County's taxents for Local Preference, bie for Local Preference.	irement. action 2-8.5 of the Code ness Tax Receipt issue ni-Dade County from w yous period of one yea served as the place of e ple way. This may inclu- base. Failure to complete se.	e of Miami-Dade Cour d by Miami-Dade Cour thich business is perfour prior to bid submitta employment for one full de, but not be limited to this certification at	nty, a nty at rmed al (by I time o, the		
LOCALLY-HEADQUARTERED BUSINESS CERTIFICATION: For the purpose of this certification, and pursuant to Section 2-8.5 of the Code of Miami-Dade County, a "locally-headquartered business" is a Local Business whose "principal place of business" is in Miami-Dade County. Place a check mark here only if affirming the Bidder meets requirements for the Locally-Headquartered Preference (LHP). Failure to complete this certification at this time (by checking the box) may render the vendor ineligible for the LHP. The address of the Locally-Headquartered office is:						
LOCAL CERTIFIED VETERAN BUSINESS ENTERPRISE CERTIFICATION business pursuant to Section 2-8.5 of the Code of Miami-Dade County and (Management Services as a veteran business enterprise pursuant to Section 2.	b) prior to bid submission	on is certified by the Sta				
Place a check mark here only if affirming the Bidder is a Local must be submitted with the bid.	Certified Veteran Busi	ness Enterprise. A	copy of the certifica	ition		
SMALL BUSINESS ENTERPRISE CONTRACT MEASURES (If Applicable	le)		Dill.			

A Small Business Enterprise (SBE) must be certified by Small Business Development for the type of goods and/or services the Bidder provides in accordance with the applicable Commodity Code(s) for this Solicitation. For certification information contact Small Business Development at (305) 375-3111 or access http://www.miamidade.gov/smallbusiness/certification-programs.asp. The SBE must be certified by the solicitation's submission deadline, at contract award, and for the duration of the contract to remain eligible for the preference. Firms that graduate from the SBE program during the contract may remain on the contract.

Is Bidder'sfirm a Miami-Dade County Certified Small Business Enterprise?	Yes 🗌	No 💭
If yes, please provide Certification Number:		
SCRUTINIZED COMPANIES WITH ACTIVITIES IN SUDAN LIST OR PETROLEUM ENERGY SECTOR LIST:	THE SCRUTINIZED O	OMPANIES WITH ACTIVITIES IN THE IRAN
By executing this bid through a duly authorized representative, the Bidde List or the Scrutinized Companies with Activities in the Iran Petroleum I 215.473 of the Florida Statutes. In the event that the Bidder is unable to p the Bidder shall execute the bid response package through a duly authoriz Bidder shall furnish together with its bid response a duly executed written that it claims under Section 287.135 of the Florida Statutes. The Bidder County to determine whether the claimed exception would be applicable solicitation for default if the Bidder is found to have submitted a false certification that it claims under Section with Activities in the Iran Petroleum Energy of the Scrutinized Companies with Activities in the Iran Petroleum Energy of the Secution was submitted a false certification that the Secution with Activities in the Iran Petroleum Energy of the Secution was submitted as false certification that the Secution was su	Energy Sector List, as provide such certification and explanation of the facts agrees to cooperate file. The County shall ication or to have been	those terms are used and defined in sections 287.135 and in but still seeks to be considered for award of this solicitation, shall also initial this space: In such event, the supporting any exception to the requirement for certification ully with the County in any investigation undertaken by the have the right to terminate any contract resulting from this
IT IS HEREBY CERTIFIED AND AFFIRMED THAT THE BIDDE SOLICITATION. BIDDER FURTHER AGREES THAT PRICES QUE EIGHTY (180) DAYS FROM DATE SOLICITATION IS DUE.		
WAIVER OF CONFIDENTIALITY AND TRADE SECRET TREATMENT The Bidder acknowledges and agrees that the submittal of the Bid is gove as set forth in Fiorida Statutes Section 286.011 and Fiorida Statutes Chapte available for public inspection after opening of bids and may be considered By submitting a Bid pursuant to this Solicitation, Bidder agrees Bidder shall not submit any information in response to this Solic confidential. In the event that the Bid contains a claim that all or a portion of the Bid subr signing below, knowingly and expressly waives all claims made that the Bid trade secret and authorizes the County to release such information to the p	erned by Florida's Gove er 119. As such, all mad by the County in publi that all such materia itation which the Bio mitted contains confiden Bid, or any part thereof	sterial submitted as part of, or in support of, the bid will be c. als may be considered to be public records. The lider considers to be a trade secret, proprietary or little, proprietary or trade secret information, the Bidder, by
Bidder's Authorized Representative's Signature:	Date	COMPARADOR AND THE STATE OF THE
Type or Print Name		
Type or Print Title *		
THE EXECUTION OF THIS FORM CONSTITUTES THE UNEQUIVO OFFER. FAILURE TO SIGN THIS SOLICITATION WHERE INDICAT THE BID NON-RESPONSIVE. THE COUNTY MAY, HOWEVER, IN EXECUTED DOCUMENT WHICH UNEQUIVOCALLY BINDS THE BID	ED ABOVE BY AN A ITS SOLE DISCRETION	UTHORIZED REPRESENTATIVE SHALL RENDER ON, ACCEPT ANY RESPONSE THAT INCLUDES AN
Bidder's Authorized Representative's Signature:	Date	*
Type or Print Name		
Type or Print Title *		

2/14/2018 8:28 AM p. 32

Question and Answers for Solicitation #FB-00628 - Landfill Gas Management Systems

Overall Solicitation Questions

There are no questions associated with this Solicitation.