

SECTION 2

SPECIAL TERMS AND CONDITIONS

2.1 PURPOSE

This solicitation will be used to rent holiday decorations for the exterior and interior areas within Miami International Airport (MIA). The Awarded Bidder will be required to furnish, install, and remove the decorations. In addition, the Awarded Bidder shall be required to provide generators, inclusive of fueling services, as needed.

2.2 TERM OF CONTRACT

The contract shall commence succeeding approval of the contract by the Board of County Commissioners, or designee, unless otherwise stipulated in the Purchase Order issued by the Internal Services Department, Strategic Procurement Division, and shall remain in effect until such time as the goods are delivered and services are completed and accepted by the County's authorized representative.

2.3 METHOD OF AWARD

Award of this contract will be made in the aggregate, to the lowest responsive, responsible Bidder who submits an offer on all items listed in the solicitation, and who meets the qualifications listed below. If a Bidder fails to submit an offer on all items, its offer may be rejected.

QUALIFICATION CRITERIA

- a) Bidder(s) are required to demonstrate that their firm has been providing holiday decorations, as requested in this solicitation and outlined in Section 3, "Technical Specifications". Bidder(s) shall provide three (3) client letters. The letters shall be signed and include the dates of service, goods provided, work performed, and client contact information.
- b) Bidder(s) shall provide the name of the Project Manager and/or Supervisor, along with their contact information. This shall be the individual in the organization who is knowledgeable and experienced in providing the listed services and who will serve as the primary point of contact for the County. The Project Manager and/or Supervisor shall have full authority to act on behalf of the Bidder on all matters related to the services outlined throughout this solicitation.

Bidder(s) shall submit the specified information listed above with their bid submittal as proof of compliance to the requirements of this solicitation. However, the County may, at its sole discretion and in its best interest, allow Bidder(s) to complete, supplement or supply the required information during the evaluation period.

If the Awarded Bidder fails to perform in accordance with the terms and conditions of the contract, the Bidder may be deemed in default of the contract. If the Awarded Bidder defaults, the County shall have the right to negotiate with the next responsive, responsible Bidder.

2.4 PRICES

The price proposed by the Bidder shall be fixed and firm, throughout the term of the contract.

Upon award of the contract, the Awarded Bidder shall provide the County a cost breakdown of all unit costs as described in Section 4.2 Price Sheet that must equal the total aggregate price indicated by the Awarded Bidder.

The County shall have the right to change the estimated quantities, increase or decrease, based on the County's needs during the term of the contract. No additional cost shall be paid by the County for delivery, freight, or Customs fees. County shall have the right to change the location of decorations as needed.

2.5 PRE-BID CONFERENCE AND SITE VISIT

It is highly recommended that Bidders visit the site of the proposed work and become familiar with any conditions which may in any manner, affect the work to be completed or affect the equipment, materials and labor required prior to submitting an offer. No additional allowances will be made because of Bidder's lack of knowledge of these conditions.

The Pre-Bid Conference will be held, Thursday August 01, 2019 at 9:30 am (EST). The meeting point will be Miami-Dade Aviation Department Building 3030 2nd floor B-Wing Conference Room B-205, located at 4331 NW 22nd St, Miami, FL. This is a public meeting and multiple members of distinct community councils may be present.

This meeting is permissible under the Cone of Silence. Therefore, Miami-Dade County representatives will be available to answer questions concerning this Solicitation.

Bidders shall provide their own transportation and arrive promptly as the meeting will start on time. Bidders are requested to bring a copy of the solicitation to the site visit, as additional copies will not be available.

2.6 INSURANCE

The following clause replaces the insurance requirements listed on Section 1.22, Paragraph A. for Commercial General Liability Insurance and Paragraph A.2 & 3, for Automobile Liability Insurance:

- A. Commercial General Liability Insurance in an amount not less than \$1,000,000 per occurrence. Miami-Dade County must be shown as an additional insured with respect to this coverage.
- B. Automobile Liability Insurance covering all owned, non-owned and hired vehicles used in connection with the work, in an amount not less than \$1,000,000 combined single limit per occurrence for bodily injury and property damage.

2.7 WARRANTY REQUIREMENTS

The Awarded Bidder shall be responsible for promptly correcting any deficiency, at no additional cost to the County, within twenty-four (24) hours after the County notifies the Awarded Bidder of such deficiency in writing. If the Awarded Bidder fails to repair or replace the defective items, the County may, at its discretion, notify the Awarded Bidder, in writing, that the Awarded Bidder may be subject to contractual default if the repairs or replacements are not completed to the satisfaction of the County within twenty-four (24) hours of receipt of the notice. If the Awarded Bidder fails to repair or replace the items within the period specified in the notice, the County may (a) place the Awarded Bidder in default of its contract, and/or (b) procure the products from another Bidder and charge the Awarded Bidder for any additional costs that are incurred by the County for this work or items; either through a credit memorandum or through invoicing.

2.8 EQUAL PRODUCTS

The manufacturer's name and product SKU number information or description contained in this solicitation are used for the sole purpose of establishing the minimum requirements of level of quality, standard of performance, and design, and is in no way intended to prohibit the offer of another manufacturer's product of equal level of quality, standard of performance, and design unless otherwise indicated.

This specific solicitation requires submission of the following supporting documentation to enable County evaluation of "equal" products offered by the Bidder:

- Manufacturer's Product Information Sheet.
- Additional supporting product literature.

Submitted supporting documentation must in total, meet the required specifications set forth within this Solicitation. Where the submitted supporting documentation provides information that does not comply with the specifications, the Bidder shall state, in an official letter on corporate letterhead as part of their bid submittal, the differences between the product they are specifically offering, and the product described and referenced in this Solicitation, to substantiate compliance to all of the specifications set forth in this Solicitation.

The approval or rejection, of a Bidder's offered product as an equal product that meets the minimum requirements of level of quality, standard of performance, and design as requested by the County, is at the sole discretion of the County. Failure to offer an equal product or failure to submit the required supporting documentation of an offered product, as specified in this section, may result in the rejection of the Bidder's Bid.

2.9 FAA SPECIAL PROVISIONS

i) Compliance with Nondiscrimination Requirements

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

1. Compliance with Regulations: The contractor (hereinafter includes consultants) will comply with the Title VI List of Pertinent Nondiscrimination Acts And Authorities, as

they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.

2. Non-discrimination: The contractor, with regard to the work performed by it during the contract, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor will not participate directly or indirectly in the discrimination prohibited by the Nondiscrimination Acts and Authorities, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR part 21.
3. Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the contractor of the contractor's obligations under this contract and the Nondiscrimination Acts And Authorities on the grounds of race, color, or national origin.
4. Information and Reports: The contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the sponsor or the Federal Aviation Administration to be pertinent to ascertain compliance with such Nondiscrimination Acts And Authorities and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor will so certify to the sponsor or the Federal Aviation Administration, as appropriate, and will set forth what efforts it has made to obtain the information.
5. Sanctions for Noncompliance: In the event of a contractor's noncompliance with the Nondiscrimination provisions of this contract, the sponsor will impose such contract sanctions as it or the Federal Aviation Administration may determine to be appropriate, including, but not limited to:
 - (a) Withholding payments to the contractor under the contract until the contractor complies; and/or
 - (b) Cancelling, terminating, or suspending a contract, in whole or in part.
6. Incorporation of Provisions: The contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, Required Contract Provisions Issued on January 29, 2016 Page 19 AIP Grants and Obligated Sponsors Airports (ARP) unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor will take action with respect to any subcontract or procurement as the sponsor or the Federal Aviation Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the sponsor to enter into any litigation to protect the interests of the sponsor. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.
7. During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees to comply with the following nondiscrimination statutes and authorities; including but not limited to:

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin);
- 49 CFR part 21 (Non-discrimination In Federally-Assisted Programs of The Department of Transportation—Effectuation of Title VI of The Civil Rights Act of 1964);
- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability); and 49 CFR part 27;
- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), (prohibits discrimination on the basis of age);
- Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms “programs or activities” to include all of the programs or activities of the Federal-aid recipients, subrecipients and contractors, whether such programs or activities are Federally funded or not);
- Titles II and III of the Americans with Disabilities Act of 1990, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131 – 12189) as implemented by Department of Transportation regulations at 49 CFR parts 37 and 38;
- The Federal Aviation Administration’s Non-discrimination statute (49 U.S.C. § 47123 (prohibits discrimination on the basis of race, color, national origin, and sex));
- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).

ii) All contracts and subcontracts that result from this solicitation incorporate by reference the provisions of 29 CFR part 201, the Federal Fair Labor Standards Act (FLSA), with the same force and effect as if given in full text. The FLSA sets minimum wage, overtime pay, recordkeeping, and child labor standards for full and part time workers.

The [contractor | consultant] has full responsibility to monitor compliance to the referenced statute or regulation. The [contractor | consultant] must address any claims or disputes that arise from this requirement directly with the U.S. Department of Labor – Wage and Hour Division

iii) All contracts and subcontracts that result from this solicitation incorporate by reference the requirements of 29 CFR Part 1910 with the same force and effect as if given in full text. Contractor must provide a work environment that is free from recognized hazards that may cause death or serious physical harm to the employee. The Contractor retains full responsibility to monitor its compliance and their subcontractor's compliance with the applicable requirements of the Occupational Safety and Health Act of 1970 (20 CFR Part 1910). Contractor must address any claims or disputes that pertain to a referenced requirement directly with the U.S. Department of Labor – Occupational Safety and Health Administration.

2.10 User Access Program (UAP)

As listed in Section 1, Paragraph 1.36 Terms and Conditions, UAP is not applicable to this solicitation.

2.11 2026 World Cup

The terms of this agreement are subordinate to the terms of the Airport Agreement submitted by Miami-Dade County to the United States Soccer Federation on February 21, 2018. In carrying out its obligations under this Contract, Contractor shall not take or omit any action which is inconsistent with, or in derogation of, the County's obligations under the Airport Agreement. Where the Contractor's rights or obligations under this Contract are in conflict with the County's obligations under the Airport Agreement, and upon notice by the County to Contractor, the terms of this Contract shall be deemed conformed to the County's obligations under the Airport Agreement. Where such conformance would cause a material change in this Contract, Contractor shall have the right, upon written notice to the County within five (5) days of receipt of notice of such a conflict, to terminate this Contract for convenience; in such termination, the Contractor shall have no cause of action for money damages of any kind, including but not limited to direct damages, unamortized costs or debt, stored or ordered materials, indirect damages, lost profits, loss of opportunity, loss of goodwill, or otherwise. In the event that the Contract does not elect to terminate this Contract within the time specified herein, this contract shall be deemed to have been amended via consent of the parties to conform its terms to the requirements of the Airport Agreement, but only to the extent needed to avoid conflict with same.

SECTION 3

TECHNICAL SPECIFICATIONS

3.1 SCOPE OF WORK OVERVIEW

The purpose of this solicitation is to rent holiday decoration for the exterior and interior areas within MIA for Holiday Season 2019 for the Miami-Dade Aviation Department (MDAD). The County shall approve all decorations before installation.

Bidder shall submit a total aggregate price for all items and quantities listed, inclusive of the furnishing, delivery, installation, and removal of said items.

The Awarded Bidder shall be responsible furnishing, delivering, installing, and removing the holiday decorations outlined in this solicitation. Additionally, the Awarded Bidder will be required to decorate exterior and interior areas of MIA, such as building exteriors and interiors, landscape, roadways, and any other structure or facility as may be required. The Awarded Bidder must also provide all necessary tools, equipment, ladders and lifts, and extension cords, required for installation and for the continuous delivery of electrical power to all decorative installations, where needed, for the illumination of lights. The Awarded Bidder will use white extension cords on all interior decorations. Refer to floor plans for the locations of all items listed below.

3.2 CENTRAL BOULEVARD – AIRPORT ENTRANCE

A) ROYAL PALM TREE MINIATURE STRING LIGHT WRAPS

The Awarded Bidder shall provide and install:

- Estimated Quantity: 110 Royal Palm Tree Miniature Light String Wraps
- Location: MIA Central Boulevard
- See Attachment A: Item One (1), for image reference and location map.

Each Royal Palm Tree Miniature String Light Wrap shall consist of the following:

- String light wrap shall be in clear high-quality miniature LED lights.
- The final top Thirty IN (30”) to Thirty-Six IN (36”) of the grey wood of the royal palm shall be spiral wrapped with a wide solid, tight wrap of red colored LED miniature lights. This should create a “burst” or “crown” effect.

Installation Specifications:

- LED lights shall be steady, except for every fifth royal palm tree, which shall have LED twinkling lights.
- Miniature light string wraps will be wrapped around approximately one-hundred ten royal palm tree trunks.
- A continuous string of miniature lights that shall begin at the base of the trunk and continue wrapping around the royal palm up to Twelve IN (12”) from where the gray wood ends for the royal palms.

- String light wrap shall be spaced Three IN (3”) apart around the trunk of the royal palm tree.
- No trimming or removal of palm fronds is allowed without approval from MDAD.
- The palm trunk shall not be pierced in any way in the installation of the lights (no nails, staples, screws or similar hardware) unless expressly approved in advance by MDAD.

B) GENERATORS TO POWER LED WRAPS

The Central Boulevard royal palms location does not have electrical outlets. Therefore, the Awarded Bidder shall supply a reasonable number of generators to provide power to all the LED royal palm wraps and related labor under this section. Palm wrap LED miniature lights must be “ON” from Dusk 6:00 PM to Dawn 6:00 AM.

The Awarded Bidder shall be responsible for arranging the manual or automatic turning on and off of generators, refueling of generators and the cost of the fuel, and providing the means to secure equipment from vandalism or theft.

C) LIGHT POSTS WITH BANNER AND VINYL GARLAND POLE WRAPS

The Awarded Bidder shall provide and install:

- Location: Light posts at Central Terminal E – 2nd Floor.
 - See Attachment A: Items Three, Four, and Five (3, 4, & 5) for reference images and links to products referenced.
1. Two (2) Light Posts with Banner and Vinyl Garland Pole Wraps shall consist of:
 - Quantity: Two (2), “I LOVE THE BEACH IN THE WINTER WELCOME TO MIAMI” banners, each on individual posts
 - Each banner shall be Thirty IN (30”) X Ninety-Six IN (96”) high double-sided banners with mounting hardware and wind breaker bracket kits.
 - The message shall read “I LOVE THE BEACH IN THE WINTER WELCOME TO MIAMI”.
 - Custom Banner by Dekra-Lite or approved equal product.
 - The Vinyl Garland Pole Wrap shall be placed around each light post where a banner is installed.
 - The vinyl garland pole wrap shall consist of wide cut One-Fourth IN (1/4”) width, Six IN (6”) garlands, with RED color wrap to be installed at full length of light post.
 - The vinyl garland pole wraps shall be made by Dekra-Lite or approved equal product.
 2. Two (2) Light Posts with Banner and Vinyl Garland Pole Wraps shall consist of:
 - Quantity: Two (2), “HOLIDAY CHEER” banners, each on individual posts

- Each banner shall be Thirty IN (30") X Ninety-Six IN (96") high double-sided banner with mounting hardware and wind breaker bracket kits.
- The message shall read "HOLIDAY CHEER".
- Custom Banner by Dekra-Lite or approved equal product.
- The Vinyl Garland Pole Wrap shall be placed around each light post where a banner is installed.
- The vinyl garland pole wrap shall consist of wide cut One-Fourth IN (1/4") width, Six IN (6") garlands, with RED color wrap to be installed at full length of light post.
- The vinyl garland pole wraps shall be made by Dekra-Lite or approved equal product.

3.3 MIA INTERIOR: NORTH AND CENTRAL TERMINALS

A) TWELVE FT (12') BAR WITH GARLAND, LIGHTS, AND DECORATIONS

The Awarded Bidder shall provide and install:

- Estimated Quantity: Forty-one (41), Twelve FT (12') Bar with Garland, Lights, and Decorations.
- Locations: North and Central Terminals.
- See Floor Plan for locations.
- See Attachment A: Item Six (6) for reference image.

Each Twelve FT (12') Bar with Garland, Lights, and Decorations shall consist of the following:

- A Twelve FT (12') long artificial spruce or fraser fir garland with clear LED lights and decorations.
- Pole shall be of gold finish. A wooden Two IN (2") dowel finished in gold is acceptable.
- Pole shall have ball finials on both ends, in matching gold finish.
- Density of garland shall be as depicted in provided picture in Attachment A.
- Ball ornaments shall range in size from Six IN (6"), Eight IN (8") and Ten IN (10") in diameter.
- Ornament colors shall be red, apple green, and gold in varying textures and finishes or as otherwise approved by MDAD.
- Ball ornaments and embellishments shall be suspended from the garland at various lengths with a One-fourth IN (1/4") wide gold fabric ribbon.
- Embellishments shall include Nine IN (9") clear acrylic twelve-pointed stars, by Dekra Lite Industries, Inc. SKU# ORSS17710, or approved equal product.
- Embellishments shall include Eight IN (8") five-pointed stars in matte finish gold, by Dekra Lite Industries, Inc. SKU# ORA74843Y30, or approved equal product.

Installation Specifications:

- Garland shall be approximately Fourteen IN (14”) in diameter with a minimum of 1,500 clear LED mini bulbs.
- Garland shall be wrapped around the bar.
- Pole shall be a maximum of Two IN (2”) in diameter with gold finish. A wooden Two IN (2”) dowel finished in gold is acceptable.
- Product shall be attached from suspended ceiling grid and the method of attachment used shall be as inconspicuous as possible.
- Ball ornaments and embellishments shall suspended form the garland at various lengths.
- Clearance from bottom of hanging ornament to floor shall be Nine FT (9’) minimum or as directed and approved by MDAD.
- Clearance from bottom of the garlands to the floor shall be Nine FT (9’) minimum or as directed and approved by MDAD.

B) EIGHT FT (8’) LIGHTED ORNAMENT DROPS WITH SNOWFLAKE FRAME

The Awarded Bidder shall provide and install:

- Estimated Quantity: Twenty-two (22), Eight FT (8’) Lighted Ornament Drops with Snowflake Fame.
- Location: MIA-Mover Station.
- See Floor plan for locations.
- See Attachment A: Item Seven (7) for reference images.

Each Eight FT (8’) Lighted Ornament Drops with Snowflake Frame shall consist of the following:

- Snowflake frame to be exactly Eight FT (8’) long when measured across from any point.
- Snowflake frame shall be a lightweight, Eight FT (8’) diameter snowflake style frame, with center focal point and eight (8) extending arms, made by Dekra-Lite Industries Inc. or approved equal product.
- Snowflake must have Thirty-six (36) light strands, of which, Ten (10) will be LED warm white twinkling lights.
- LED warm white twinkling lights shall be 8”-0” long.
- Snowflake shall contain Twelve (12) to Fourteen (14) ornaments, of which, Twelve (12) are made by Dekra-Lite or approved equal product.
- Ornament drops shall be with LED lights.
- Ornament colors shall be red, apple green, silver and clear acrylic snowflakes with varying shades and finishes or as otherwise directed and approved by MDAD.
- Ornaments must have exact color palette and surface finish as referenced product below:
 - Dekra-Lite SKU# ORSS177010 Clear Acrylic Star
 - Dekra-Lite SKU# ORGK100023691 13” Red finial
 - Dekra-Lite SKU# ORA89006B070500 200mm Silver Durian
 - Dekra-Lite SKU# ORA4099B070500 130mm Silver Durian
 - Dekra-Lite SKU# ORA89006B070500R 200mm Red Durian

- Dekra-Lite SKU# ORA4099B070500R 130mm Red Durian
- Dekra-Lite SKU# ORRDG200REDSHI 200mm Shiny Red
- Dekra-Lite SKU# ORRDG150REDSHI 150mm Shiny Red
- Dekra-Lite SKU# ORRDG150APGRNSHI 150mm Shiny Apple Green
- Dekra-Lite SKU# ORRDG100APGRNSHI 100mm Shiny Apple Green
- Dekra-Lite SKU# ORRDG100SILSHI 100mm Shiny Silver
- Dekra-Lite SKU# ORRDG100REDMAT matte Red

Installation Specifications:

- Snowflake frame shall be attached to a suspended ceiling.
- Clearance from bottom of ornament drop to floor shall be Nine FT (9') minimum, or as directed and approved by MDAD.
- Each drop must contain a quantity between Eleven (11) to Fourteen (14) ornaments and measure Eight FT (8') from frame to tip of ornament drop.
- All lights must have white wires.

C) TEN FT (10') CHRISTMAS TREES WITH DECORATIONS

The Awarded Bidder shall provide and install:

- Estimated Quantity: Three (3), Ten FT (10') Christmas Trees with decorations.
- Location: Central Terminal.
- See Floor Plan for locations.
- See Attachment A: Item Eight (8) for reference image.

Each Ten FT (10') Christmas Tree with Decorations shall consist of the following:

- A Ten FT (10') LED lighted and fully decorated artificial Spruce or Fraser Fir green Christmas tree.
- Christmas tree shall be placed on a raised platform.
- The raised platform shall be in matte gold and the design shall be as directed and approved by MDAD.
- Christmas tree shall be ready shaped and of fire-retardant material.
- Ball ornaments and finial colors shall be red, apple green, and gold in varying shades, sizes, textures and finishes or as otherwise directed and approved by MDAD.
- Tree topper shall be a five-pointed star in matte gold finish.
- Embellishments shall include clear acrylic snowflakes, stars, and beaded sprays.
- A minimum of 3,000 LED-crystal lights (UL certified) in warm white shall be placed on each tree.

Installation Specifications:

- There shall be no gap between the bottom branches and the base platform.

- Trees shall be installed on a raised platform at a minimum of Six IN (6") high and equal in diameter to the tree base diameter.
- Tree branching shall extend to top of raised platform.
- Each tree shall have a minimum of 3,200 tips or better.
- Tree base diameter shall be a minimum of Sixty IN (60") on a tilt-free metal stand or base platform.
- Smaller decorations at the top and larger at the bottom in equal numbers with snowflakes and stars interspersed throughout.
- The Christmas tree shall be decorated as depicted in the picture referenced in Attachment A, Item Five (5) to achieve a similar visual effect.
- Ornament design shall be as directed and approved by MDAD.

D) SIX FT (6') CHRISTMAS TREE WITH DECORATIONS

The Awarded Bidder shall provide and install:

- Estimated Quantity: One (1), Six FT (6') Christmas Tree with Decorations.
- Location: Central Terminal 1st Floor Arrivals location.
- See Floor Plan for location.
- See Attachment A: Item Nine (9) for reference image.

The Six FT (6') Christmas Tree with Decorations shall consist of the following:

- Christmas tree raised platform shall be in matte gold and design shall be as directed and approved by MDAD.
- The Christmas tree shall be decorated as depicted in the picture provided in Attachment A, Item Five (5), to achieve a similar visual effect.
- Ball ornaments and finial colors shall be red, apple green, and gold in varying shades, sizes, textures and finishes or as otherwise directed and approved by MDAD.
- Embellishments shall include clear acrylic snowflakes, stars, and beaded sprays.
- Ornaments designs and styles shall be as directed and approved by MDAD.
- Tree topper shall be a five-pointed star in matte gold finish.
- A minimum of 2,000 LED-crystal lights (UL certified) in warm white shall be placed on the tree.

Installation Specifications:

- Christmas tree shall be a lighted and fully decorated artificial Spruce or Fraser Fir green Christmas tree of ready shaped and fire-retardant material.
- There shall be no gap between the bottom branches and the base platform.
- Christmas tree branching shall extend to top of raised platform.
- Christmas tree base diameter shall be a minimum of Fifty-Five IN (55") on a tilt-free metal stand or base platform.
- Christmas tree shall have a minimum of 847 tips or better.

- Christmas tree shall be installed on a raised platform at a minimum of Six IN (6") high and equal in diameter to the tree base diameter.
- Decoration arrangement concept: Smaller ones at the top and larger at the bottom in equal numbers with snowflakes and stars interspersed throughout.

E) THREE FT (3'), THREE IN (3' 3") 3D WATERLOO STARS WITH BALL ORNAMENTS

The Awarded Bidder shall provide and install:

- Estimated Quantity: Fifty-four (54), Three FT, Three IN (3' 3") 3D Waterloo Stars with Ball Ornaments
- Locations: Central Terminals D-G, near entrance door locations.
- See Floor Plan for locations.
- See Attachment A: Item Ten (10) for reference image and link to product referenced.

Each Three FT (3'), Three IN (3") 3D waterloo star with ball ornaments shall consist of the following:

- Stars shall be a Three FT, Three IN (3' 3"), Gold Structure with LED Lights, SKU# LMS172 by Dekra-Lite Industries Inc. or approved equal product.
- Ball ornaments shall be in varying sizes, Four IN (4") and Six IN (6") and shall appear to be floating as depicted in provided picture.
- Finish of ball ornaments shall be a combination of shiny and matte gold finish.
- Lights shall be a combination of steady and twinkling or flickering lights.

Installation Specifications:

- Waterloo stars will be installed in groups of three (3).
- The Awarded Bidder shall provide power cables and transformers as needed.
- Each star shall be hung at varying heights from ceiling grid with appropriately sized wire in order to create a floating appearance.
- Ball ornaments shall be hung from the stars in varying heights with thin wire.
- Clearance from bottom of ornaments to floor shall be approximately Eight FT, Six IN (8' 6") or as directed and approved by MDAD.

F) BALL ORNAMENT DECORATION - INFORMATION COUNTER "D"

The Awarded Bidder shall provide and install:

- Estimated Quantity: One (1), Ball Ornament Decoration
- Locations: Above Information Counters "D" Arrivals Level
- See Floor Plan for locations.
- See Attachment A: Item Eleven (11) for reference images.

The Ball Ornament Decoration shall consist of the following:

- The Ball Ornament Decoration installed at Information Center Arrivals Level “D” location, shall consist of a total of Twelve (12) ornaments, **in Six IN (6”) and Eight IN (8”) size diameters.**
- Ball ornaments shall be in a combination of shiny and matte finishes.
- Ball ornaments shall be hung from ceiling grid with a One-Half IN (1/2”) matte gold ribbon as per MDAD instructions.
- Ornament colors shall be apple green, gold, and red.

Installation Specifications:

- Ball ornaments shall be hung at staggered heights from ceiling grid.

G) BALL ORNAMENT DECORATION - INFORMATION COUNTER “E”

The Awarded Bidder shall provide and install:

- Estimated Quantity: One (1), Ball Ornament Decoration.
- Locations: Above Information Counters “D” Arrivals Level and Above Information Counter “E” Departures Level.
- See Floor Plan for locations.
- See Attachment A: Item Eleven (11) for reference images.

The Ball Ornament Decoration shall consist of the following:

- The Ball Ornament Decoration at Information Center Departure Level “E” location, shall consist of a total of Twelve (12) ornaments, **in Ten IN (10”) and Twelve IN (12”) size diameters.**
- Ball ornaments shall be in a combination of shiny and matte finishes.
- Ball ornaments shall be hung from ceiling grid with a One-Half IN (1/2”) matte gold ribbon as per MDAD instructions.
- Ornament colors shall be apple green, gold, and red.

Installation Specifications:

- Ball ornaments shall be hung at staggered heights from ceiling grid.

3.4 MIA INTERIOR - SOUTH TERMINAL

A) LIGHTED GARLAND

The Awarded Bidder shall provide and install:

- Estimated Quantity: One (1) Lighted Garland
- Location: South Terminal “J” Information Center Meeter Greeter Lobby on the 3rd floor.
- See Floor Plan for location.
- See Attachment A: Item Twelve (12) for reference image.

The Lighted Garland shall consist of the following:

- Lighted garland, shall be a PVC green garland, Spruce or Frazier Fir, with a minimum of 2,400 tips or better, fire retardant material.

- Ball ornaments and embellishments shall be suspended from the lighted garland with a One-Fourth IN (1/4") matte gold fabric ribbon.
- Ball ornaments shall be approximately Four IN (4") diameter.
- Ball ornament colors shall be red, apple green, and gold in varying textures and finishes or as otherwise directed by MDAD.
- Lights shall be steady; no blinking or flickering lights.
- A minimum of 2,000 LED clear lights (UL certified), warm white lights shall be installed.
- Embellishments shall include clear acrylic Nine IN (9"), twelve-pointed (12) stars in matte gold color finish, SKU# ORSS17710 by Dekra-Lite Inc., or approved equal product.
- Embellishments shall include Eight IN (8") five-pointed stars, SKU# ORA74843Y30 by Dekra-Lite Inc., or approved equal product.
- All ornaments shall be shatterproof and fire retardant.
- Color options, as well as designs, may be changed as determined by MDAD at its sole discretion.

Installation Specifications:

- Lighted garland, shall be hung around balcony handrail located above the information center.
- Ball ornaments and embellishments shall be suspended from the lighted garland at various lengths.
- Awarded Bidder must provide all necessary extension cords, t-connectors and coupling constructions, power cables and transformer as needed.

B) BALL ORNAMENT DECORATION - INFORMATION COUNTER "J"

The Awarded Bidder shall provide and install:

- Estimated Quantity: One (1), Ball Ornament Decoration.
- Location: Information Counter in "J" Terminal.
- See Floor Plan for location.
- See Attachment A: Item Thirteen (13) for reference image.

The Ball Ornament Decoration shall consist of the following:

- Ball Ornament shall be hung with a One-half IN (1/2") matte gold ribbon as per MDAD instructions.
- Ball ornamental grouping, shall consist of a total of Twelve (12) ornaments, in Ten IN (10") and Twelve IN (12") size diameters.
- Ball ornaments shall be in a combination of shiny and matte finishes.
- Finish of ball ornaments shall be a combination of shiny and matte gold finish.
- Ornament colors shall be apple green, red, and gold.
- Ornaments shall vary between two sizes: Eight IN (8") and Ten IN (10").

Installation Specifications:

- Ball ornaments shall be hung at staggered heights from ceiling grid.

- Ornaments shall appear to be floating as depicted in provided picture.

C) “S” GARLAND SCROLL, WITH LED LIGHTS AND DECORATIONS

The Awarded Bidder shall provide and install:

- Estimated Quantity: Twenty-nine (29) “S” Garland Scrolls, with LED Lights and Decorations
- Location: Terminal “J” columns.
- See Floor Plan for column locations.
- See Attachment A: Item Fourteen (14) for reference images.

Each “S” Garland Scroll, with LED Lights and Decorations shall consist of the following:

- Each “S” garland scroll, shall be an “S” shape at Four FT, Six IN (4’ 6”) in length.
- Each “S” Garland Scroll, shall have a minimum of 600 LED light bulbs.
- Ornament ball colors shall be red, apple green, and gold in varying sizes, textures and finishes or as otherwise directed and approved by MDAD. See Attachment A, Item Twelve (12) for reference image.
- Embellishments shall include clear acrylic stars, snowflakes and five-pointed stars in matte gold.

Installation Specifications:

- Each “S” Garland Scroll, shall be attached to columns with metal banding straps in satin nickel color to match and blend with column.
- Clearance from bottom of “S” Garland Scrolls to floor shall be Nine FT (9’) minimum or as directed and approved by MDAD.

D) SIX FT, SIX IN (6’ 6”) 3D WATERLOO STAR WITH BALL ORNAMENTS

The Awarded Bidder shall provide and install:

- Estimated Quantity: Eight (8), Six FT, Six IN (6’6”) 3D Waterloo Stars, with Ball Ornaments
- Location: South Terminal “J” Departures Level.
- See Floor Plan for location.
- See Attachment A: Item Fifteen (15) for reference image and link to product referenced.

Each Six FT, Six IN (6’6”) 3D Waterloo Star, with Ball Ornaments shall consist of the following:

- Star shall be Six FT, Six IN (6’ 6”), gold structure with LED lights, SKU#LMS084 by Dekra-Lite Industries Inc., or approved equal product.
- Ball ornaments shall be in varying sizes, Eight IN (8”) and Ten IN (10”).
- Finish of ball ornaments shall be a combination of shiny and matte gold finish.
- Lights shall be a combination of steady and twinkling or flickering lights.

Installation Instructions:

- The Awarded Bidder shall provide power cables and transformers where needed.
- Stars shall be hung at varying heights from ceiling grid with appropriately sized wire in order to create a floating appearance.
- Ball ornaments shall be hung from the stars in varying heights with thin wire.
- Ball ornaments shall appear to be floating as depicted in Item # in Attachment A.
- Clearance from bottom of ornaments to floor shall be approximately Nine FT (9') or as directed and approved by MDAD.

3.5 MIA-MOVER STATION LOCATION

A) FIFTEEN FT (15') CHRISTMAS TREE WITH DECORATIONS

The Awarded Bidder shall provide and install:

- Estimated Quantity: One (1), Fifteen FT (15') Christmas Tree with Decorations
- Location: MIA-Mover Station.
- See Floor Plan for location.
- See Attachment A: Item Sixteen (16) for reference image.

The Fifteen FT (15') Christmas Tree with Decorations shall consist of the following:

- Christmas tree raised platform shall be in matte gold and design shall be as directed and approved by MDAD.
- Christmas tree shall be decorated as depicted in the picture referenced in Attachment A, Item Five (5) to achieve a similar visual effect.
- Christmas tree shall have a minimum of 8,574 tips or better.
- Ornament ball and finial colors shall be red, apple green, and gold in varying sizes, textures and finishes or as otherwise directed and approved by MDAD.
- Embellishments shall include clear acrylic stars, snowflakes, beaded sprays and five-pointed stars.
- Christmas tree topper shall be a five-pointed star in matte gold finish.
- Ornaments designs and styles shall be as directed and approved by MDAD.
- Christmas tree shall have a minimum of 5,000 LED-crystal lights (UL certified) in warm white.
- Christmas tree shall be LED lighted and fully decorated with artificial Spruce or Fraser Fir green Christmas tree of ready shaped, fire retardant material.

Installation Instructions:

- Christmas tree shall be installed on a raised platform Six IN (6") high and equal in diameter to the tree diameter.
- There shall be no gap between the bottom branches and the raised platform.
- Christmas tree branching shall extend to top of raised platform.

- Christmas tree base diameter shall be approximately Eighty IN (80”) on a tilt-free metal stand or base.
- Ornament arrangement concept: Smaller ones at top and larger at the bottom.

3.6 EXECUTIVE OFFICES & CONCOURSE “E” FEDERAL INSPECTIONS SERVICES (E-FIS)

A) SEVEN FT (7’) CHRISTMAS TREE WITH DECORATIONS

The Awarded Bidder shall provide and install:

- Estimated Quantity: Three (3), Seven FT (7’) Christmas Trees with Decorations
- Location: Two (2) at Executive Offices, and One (1) at E-FIS.
- See Attachment A: Item Seventeen (17) for reference image.

Each Seven FT (7’) Christmas Tree with Decorations shall consist of the following:

- Each Christmas tree shall be a LED lighted and fully decorated artificial Spruce or Fraser Fir green Christmas tree of ready shaped, fire retardant material.
- Christmas tree shall have a minimum of 847 tips or better and a minimum of 2500 LED-crystal lights (UL certified) in warm white.
- The Christmas tree shall be decorated as depicted in the picture referenced in Attachment A, Item Five (5) to achieve a similar visual effect.
- The base finish shall be matte gold and design shall be as directed and approved by MDAD.
- Ornament ball and finial colors shall be red, apple green, and gold in varying sizes, textures and finishes or as otherwise directed and approved by MDAD.
- Embellishments shall include clear acrylic stars, snowflakes, beaded sprays and five-pointed stars.
- Tree topper shall be a five-pointed star in matte gold finish.

Installation Specifications:

- Christmas tree shall be installed on a raised platform Six IN (6”) high and equal in diameter to the tree diameter.
- There shall be no gap between the bottom branches and the raised platform. The Christmas tree base diameter shall be approximately Fifty-Five IN (55”) on a tilt-free metal stand or base.
- Ornament arrangement concept: Smaller ones at top and larger at the bottom.

3.7 MISCELLANEOUS LOCATIONS THROUGHOUT MIA

A) FIVE FT (5’) MENORAH

The Awarded Bidder shall provide and install:

- Estimated Quantity: Seven (7), Five FT (5’) Menorahs.

- See Floor Plan for locations.
- See Attachment A: Item Eighteen (18) for reference images.

Each Five FT (5') Menorah shall consist of the following:

- Each Menorah shall be made of metal material with silver finish and shall meet standard UL electrical components and connections.
- Each Menorah shall be of a high quality professional/commercial grade design. Menorahs shall have its own base in the same metal finish and shall be attached to a Four IN (4") solid marble base or solid material providing the illusion of marble.
- Minimum height shall be Five FT (5') measured from the floor to top of the center bulb, with flickering bulbs to simulate candles.
- All Menorahs must be removed at the conclusion of the Hanukkah Holiday adhering to Jewish traditions.
- Appearance and finishes to be approved by MDAD.

Installation Specifications:

- Awarded Bidder will be responsible for properly lighting the correct number of bulbs and the correct sequence each day as per traditional Hanukkah customs.
- There shall be no exposed mounting hardware on base.

3.8 MIA BUILDING 845 – 5600 NW 36 STREET

A) TWELVE FT (12') BAR WITH GARLAND, LIGHTS AND DECORATIONS

The Awarded Bidder shall provide and install:

- Estimated Quantity: Four (4), Twelve FT (12') Bar with Garland, Lights and Decorations
- Locations: MIA Building 845
- See Attachment A: Item Nineteen (19) for reference image.

Each Twelve FT (12') Bar with Garland, Lights and Decorations shall consist of the following:

- Garland shall have a bar with long artificial Spruce or Frazier Fir, with clear LED lights and Decorations.
- Garland shall be approximately Fourteen IN (14") in diameter with a minimum of 1500 clear LED mini bulbs.
- Pole shall be a maximum Two IN (2") in diameter and Twelve FT (12') long bar, with gold finish, and finials on each end.
- A wooden Two IN (2") dowel finished in gold is acceptable.
- Bar shall have ball finials on both ends, in matching gold finish.
- See Attachment A, Item Three (3), for garland density.
- Ball ornaments shall range in size from Six IN (6"), Eight IN (8") and Ten (10") in diameter.
- Ornament colors shall be red, apple green, and gold in varying textures and finishes or as otherwise approved by MDAD.

- For safety reasons all ornaments shall be shatterproof and fire retardant.
- Embellishments shall include clear acrylic Nine IN (9") twelve-pointed stars, SKU# ORSS17710 by Dekra-Lite Industries, Inc. or approved equal product.
- Embellishment shall include 10" five-pointed stars in matte finish gold.

Installation Specifications:

- Product shall be attached from suspended ceiling grid and the method of attachment used shall be as inconspicuous as possible.
- Clearance from bottom of hanging ornament to floor shall be Nine FT (9') minimum or as directed and approved by MDAD.
- Clearance from bottom of ~~double-swag~~ the garlands to floor shall be Nine FT (9') minimum or as directed and approved by MDAD.
- Garland shall be wrapped around the bar.
- All decorations shall be attached in a secure manner to prevent removal or tampering by the public.
- Ball ornament and embellishments shall be suspended from the garland at various lengths with a One-fourth IN ($\frac{1}{4}$ ") wide gold fabric ribbon.

3.9 HOLIDAY ORNAMENTS SAFETY

For safety reasons all ornaments shall be shatterproof and fire retardant. All decorations shall be attached in a secure manner to prevent removal or tampering by the public.

3.10 PRE-INSTALLATION

Prior to installation, the Awarded Bidder shall submit Twenty (20) days after award to MDAD personnel: Photos, shop drawings, sketches, samples and/or full scale mock-ups for approval. County approval is required before production and installation.

3.11 LABOR MATERIALS AND EQUIPMENT

The Awarded Bidder shall provide its own ladders, hoist lifting/elevating equipment, aerial lifts, and tools as necessary to install and remove all required decorations while adhering to OSHA safety guidelines. Decorating services shall consist of furnishing, delivering, installing and removal (takedown) of all decorative materials, including the electrical powering of decorative installations with generators, where needed. Installations shall include all appurtenances required for complete and secure installations. All material, workmanship, and equipment shall be subject to the inspection and approval of the County's Project Manager.

3.12 CLEAN-UP

All unusable materials and debris shall be removed from the premises at the end of each workday, and disposed of in an appropriate manner. Upon final completion, the Awarded Bidder shall thoroughly clean up all areas where work has been performed, as mutually agreed with the associated user department's project manager.

3.13 INSTALLATION DATES & TIMES

Holiday decoration installation and take down shall be as follows or as otherwise directed and approved by MDAD: 2019

- Installation commences November 12th with completion by November 17th, 2019.
- Takedown commences January 7th, 2020 with completion by January 10th, 2020.

Hours of installation:

- Exterior: 9:00PM – 5:00AM
- Terminal: 10:00PM – 6:00AM
- Offices: 8:00AM – 5:00PM

MDAD will allow reasonable flexibility for early installation depending on schedules of passenger traffic and operational needs of MDAD. The installation of all decorations, including approved equal products, must be installed by the November 17, 2019 deadline.

3.14 IDENTIFICATION, UNIFORMS AND VEHICLES

All personnel performing services under this contract must possess and carry a valid government issued photo identification such as a driver's license.

All personnel shall wear a uniform shirt (or t-shirt) clearly displaying the Awarded Bidder's company name. Uniforms shall be neat, clean and professional in appearance. Non-uniform clothing will not be permitted.

The Awarded Bidder's equipment shall be in proper working conditions, free from leakage of fluids. All vehicles must be clearly identified with company name and number in both sides and must be legible from a minimum distance of fifty (50') feet.

3.15 DELIVERIES

For safety reasons, vehicles, including delivery, may not be left unattended along the Upper and Lower drives at the terminal or anywhere in close proximity to the terminal. If the Awarded Bidder plans to park in any of the above reference areas to unload and make deliveries must provide an employee that must remain present with the vehicle at all times while parked. The Awarded Bidder is responsible for any parking fees incurred while delivering and installing decorations.

3.16 MAINTENANCE AND REPAIR

The Awarded Bidder shall be responsible for any necessary repairs of the rental decorations during the term of the contract. Repairs shall include but not limited to: replacement of bulbs, electrical wiring, and replacement of defective or damaged decorations.

3.17 WORK ACCEPTANCE

This project will be inspected by an authorized representative of the County. This inspection shall be performed to determine acceptance of work, appropriate invoicing, and warranty conditions.

3.18 STORAGE

MDAD will not provide any storage.

3.19 PARKING AND TRANSPORTATION TO WORKSITE

Awarded Bidder's employees shall have the option of parking their personal vehicle in various parking garages or employee parking lot, for a non-refundable fee/toll. The Awarded Bidder shall provide transportation for all their employees to and from the work sites, while working under this contract.

SECTION 4:

BID SUBMITTAL FORM

The Bidder’s qualifications and price shall be submitted in the manner stated herein. Bidder is required to fill in the applicable blanks on this form.

Bidder may propose an equal product for approval for items listed in Section 3: Technical Specifications that specifically state in the line item **or approved equal product**. Items allowing an approved equal product will have two check boxes that the Bidder must choose from in Section 4.2: Price Sheet. Bidders must choose either the box indicating that the firm will provide the item as listed in Section 3: Technical Specifications, or the box indicating the Bidder is offering an equal product for approval. If offering an equal product for approval, Bidders must then attach the offered product documentation to their submission package in order to have the offered product reviewed and approved as an equal product by the County, as per Section 2.8 Equal Products.

If neither box is checked for an item, the County will assume the Bidder is offering the item listed as listed in Section 3: Technical Specifications.

For the purposes of this solicitation:

- The Unit, Each (EA), indicates the total number of items requested
- The Unit, Lot (LO), indicates a group of similar items bundled as one unit

4.1 QUALIFICATIONS

Qualifications Criteria Checklist	Check if Completed
Bidder(s) are required to demonstrate that their firm has been providing holiday decorations, as requested in this solicitation and outlined in Section 3, “Technical Specifications”. Bidder(s) shall provide three (3) client letters. The letters shall be signed and include the dates of service, goods provided, work performed, and client contact information, as per Section 2.3 (a).	<input type="checkbox"/>

Primary Contact Information

Bidder(s) shall provide the name of the Project Manager and/or Supervisor, along with their contact information. This shall be the individual in the organization who is knowledgeable and experienced in providing the listed services and who will serve as the primary point of contact for the County. The Project Manager and/or Supervisor shall have full authority to act on behalf of the Bidder on all matters related to the services outlined throughout this solicitation, as per Section 2.3 (b).

Project Manager and/or Supervisor: _____

Primary Contact Telephone Number: _____

Primary Contact E-mail Address: _____

4.2 PRICE SHEET

4.2 A CENTRAL BOULEVARD – AIRPORT ENTRANCE

Item	Estimated Quantity	Unit	Description	Product Offered
1	110	EA	Royal Palm Tree Miniature String Light Wraps, as per Section 3.2 A	
2	1	LO	Generators to Power LED Wraps, as per Section 3.2 B	
3	2	EA	Light Posts with Banner and Vinyl Garland Pole Wraps, as per Section 3.2 C1	<input type="checkbox"/> Dekra-Lite Industries: Referenced banners OR <input type="checkbox"/> Offering equal products for approval
4	2	EA	Light Posts with Banner and Vinyl Garland Pole Wraps, as per Section 3.2 C2	<input type="checkbox"/> Dekra-Lite Industries: Referenced banners OR

				<input type="checkbox"/> Offering equal products for approval
--	--	--	--	---

4.2 B MIA INTERIOR: NORTH AND CENTRAL TERMINALS

Item	Estimated Quantity	Unit	Description	Product Offered
5	41	EA	Twelve FT (12') Bar with Garland, Lights, and Decorations, as per Section 3.3 A	<input type="checkbox"/> Dekra-Lite Industries: SKU# ORA74843Y30; SKU# ORSS17710 OR <input type="checkbox"/> Offering equal products for approval
6	22	EA	Eight FT (8') Lighted Ornament Drops with Snowflake Frame, as per Section 3.3 B	<input type="checkbox"/> Dekra-Lite Industries: Referenced snowflake frame; and ornaments OR <input type="checkbox"/> Offering equal products for approval
7	3	EA	Ten FT (10') Christmas Tree with Decorations, as per Section 3.3 C	
8	1	EA	Six FT (6') Christmas Tree with Decorations, as per Section 3.3 D	
9	54	EA	Three FT, Three IN (3' 3") 3D Waterloo Stars with Ball Ornaments, as per Section 3.3 E	<input type="checkbox"/> Dekra-Lite Industries: SKU# LMS172 OR <input type="checkbox"/> Offering equal products for approval
10	1	EA	Ball Ornament Decoration – Information Counter “D”, as per Section 3.3 F	
11	1	EA	Ball Ornament Decoration – Information Counter “E”, as per Section 3.3 G	

4.2 C MIA INTERIOR – SOUTH TERMINAL

Item	Estimated Quantity	Unit	Description	Product Offered
12	1	EA	Lighted Garland, as per Section 3.4 A	<input type="checkbox"/> Dekra-Lite Industries: SKU# ORSS17710; SKU# ORA74843Y30 OR <input type="checkbox"/> Offering equal products for approval
13	1	EA	Ball Ornament Decoration – Information Counter “J”, as per Section 3.4 B	
14	29	EA	“S” Garland Scroll with LED Lights and Decorations, as per Section 3.4 C	
15	8	EA	Six FT, Six IN (6’ 6”), 3D Waterloo Stars with Ball Ornaments, as per Section 3.4 D	<input type="checkbox"/> Dekra-Lite Industries: SKU# LMS084 OR <input type="checkbox"/> Offering equal products for approval

4.2 D MIA-MOVER STATION LOCATION

Item	Estimated Quantity	Unit	Description	Product Offered
16	1	EA	Fifteen FT (15’) Christmas Tree with Decorations, as per Section 3.5 A	

4.2 E EXECUTIVE OFFICES & CONCOURSE “E” FEDERAL INSPECTIONS SERVICES (E-FIS)

Item	Estimated Quantity	Unit	Description	Product Offered
17	3	EA	Seven FT (7’) Christmas Tree with Decorations, as per Section 3.6 A	

4.2 F MISCELLANEOUS LOCATIONS THROUGHOUT MIA

Item	Estimated Quantity	Unit	Description	Product Offered
18	7	EA	Five FT (5') Menorah, as per Section 3.7 A	

4.2 G MIA BUILDING 845 – 5600 NW 36 STREET

Item	Estimated Quantity	Unit	Description	Product Offered
19	4	EA	Twelve FT (12') Bar with Garland, Lights, and Decorations, as per Section 3.8 A	<input type="checkbox"/> Dekra-Lite Industries: SKU# ORSS17710 OR <input type="checkbox"/> Offering equal products for approval
Total Aggregate Price for all items and quantities listed, inclusive of the furnishing, delivery, installation and removal of said items.				\$ _____

Company Name

Print Name

Authorized Representative Title

Signature