

Metal Fire Doors, Frames, Parts and Accessories

RQID1300055 - Verification of Availability

Find attached the “**Scopes of Work**” and “**Special Requirements**” for an upcoming **Invitation To Quote (ITQ)**. Please review to determine if you would be able to **satisfy the requirements** (as applicable), and **interested in responding**; if so, please check the appropriate areas below and respond to this email confirming the same. Please pay “**CLOSE**” attention to the various sections and the “**SPECIAL & MINIMUM Requirements**”, being specified, and confirm your **ability** and **availability** to satisfy “**ALL**” sections/scopes.

See attached documents (inclusive of **product specifications** for each group and the related **scope/requirements**); paying very close attention to all Sections listed, and the requirements of each. (While you are **not** bidding at this time, be mindful your response strongly influences SBD’s determination as it relates to a potential **SBE Measure**). So please be diligent in your review of the information and respond accordingly, based on your ability to meet **ALL** the applicable requirements.

Are you able to meet the requirements of Section 9 – pg. 2 (Scope)?

- **Deliveries within five (5) calendar days after the order is placed.**
YES _ NO _

- **Back orders within three (3) calendars of initial delivery.**
YES _ NO _

- **Requirements for packing/delivery.**
YES _ NO _

- **The proper labeling of products for delivery.**
YES _ NO _

Check below the “**Group/s**” of interest: (see attachment – **product specification**)

Group A _____ Group B _____ Group C _____ Group D _____

Do you have prior experience consistent with the requirements of this ITQ?
YES _ NO _

___ I am “**NOT**” interested in this solicitation.

Name of Firm: _____ SBE Exp. Date: _____

Owner’s Name: _____ Signature: _____

Please respond by **12:00pm, Wednesday February 6, 2013**. Any questions, feel free to contact me at the number below.

(Respond to the “**Verification**” whether you are interested or not (choosing “**Yes**” or “**No**” as applicable); this helps SBD in the determination of measures).

Vivian O. Walters, Jr.
Contract Development Specialist II
Regulatory and Economic Resources Department
Small Business Development Division
111 NW 1st Street #19 Floor, Miami, Fl 33128
walterv@miamidade.gov
☎ Office (305) 375-3138 | 📠 Fax (305) 375-3160
“*Delivering Excellence Every Day*”



**THIS IS NOT
AN ORDER**

IQ7314

designation status as primary, secondary or tertiary, respectively. It should be further understood that the County reserves the right to reject any price adjustment request and/or terminate the contract based on such price adjustments.

8. PURCHASE OF OTHER ITEMS NOT LISTED WITHIN THIS SOLICITATION

While the County has listed all major items within this solicitation which are utilized by County departments in conjunction with their operations, there may be similar items that must be purchased by the County during the term of this contract. The County reserves the right to award these similar items to the primary contract vendor, another contract vendor based on the lowest price quoted, or to acquire the items through a separate solicitation.

9. SCOPE

Furnish and deliver a variety of metal fire doors, related frames, accessories and replacement parts to various Miami-Dade County Departments on an as-needed basis. The minimum product requirements shall be, but not limited to, in accordance with Attachment 'A' of this solicitation.

1. Deliveries shall be within five (5) calendar days after the order is placed with the vendor, except where delays occur due to acts of nature, strikes, or other causes beyond the vendor's control. The County may give written authorization for pick-up by an employee. Vendors shall be required to maintain copies of such authorization, and have the option of calling the client department for verification.
2. Back orders shall be delivered within three (3) calendar days of the initial delivery, unless otherwise approved. After this period the County may, at its discretion, (a) verbally cancel the back order, (b) seek the item from another vendor, (c) charge the incumbent vendor for re-procurement costs. Back orders shall not be invoiced until those items are delivered and accepted by the client department. Failure to honor these terms may result in the County terminating the contract for default.
3. A packing slip or delivery ticket shall be enclosed with the items and be made available to the County representative during delivery. The packing slip/delivery ticket shall have the following minimum information: purchase order number, order date, items delivered, back orders and estimated time of back-order delivery (if applicable).
4. Products shall be clearly labeled and/or marked as having met the minimum requirements outlined in the specifications (Attachment 'A') as it relates to inspection, testing and rating.

- INTENTIONALLY LEFT BLANK -



THIS IS NOT AN ORDER

IQ7314

COMPANY NAME: _____

The stated quantities are not intended to represent or guarantee a minimum or maximum quantity for the given item. The vendor is to deliver the products within the technical scope of the contract, regardless of the actual quantities realized for each item, or all items in total.

Group A Hollow Metal Doors; 16 and 18 Gauge, 1³/₄" thick, galvanized.

Item	Qty	Description	Unit Price
1	2	2'8X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'8X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
2	2	2'8X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'8X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
3	2	2'4X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'4X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
4	2	2'4X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'4X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
5	2	2'6X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'6X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
6	2	2'6X6'8 RH INACT Flush IS, FB	Per 16 gauge \$ _____
	2	2'6X6'8 RH INACT Flush IS, FB	Per 18 gauge \$ _____
7	2	2'6X6'8 LH or RH Full Louver 161	Per 16 gauge \$ _____
	2	2'6X6'8 LH or RH Full Louver 161	Per 18 gauge \$ _____
8	2	2'6X6'8 RH INACT Full Louver IS, FB	Per 16 gauge \$ _____
	2	2'6X6'8 RH INACT Full Louver IS, FB	Per 18 gauge \$ _____
9	2	2'6X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'6X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
10	2	2'6X7'0 RH INACT Flush S, FB	Per 16 gauge \$ _____
	2	2'6X7'0 RH INACT Flush S, FB	Per 18 gauge \$ _____
11	2	2'6X7'0 LH or RH Full Louver 161	Per 16 gauge \$ _____
	2	2'6X7'0 LH or RH Full Louver 161	Per 18 gauge \$ _____
12	2	2'6X7'0 RH INACT Full Louver IS, FB	Per 16 gauge \$ _____
	2	2'6X7'0 RH INACT Full Louver IS, FB	Per 18 gauge \$ _____
13	2	2'8X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'8X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
14	2	2'8X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'8X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
15	2	2'10X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'10X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
16	2	2'10X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'10X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
17	2	3'0X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'0X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
18	2	3'0X6'8 LH/RH INAC Flush 161	Per 16 gauge \$ _____
	2	3'0X6'8 LH/RH INAC Flush 161	Per 18 gauge \$ _____
19	2	3'0X6'8 LH or RH Flush 86	Per 16 gauge \$ _____
	2	3'0X6'8 LH or RH Flush 86	Per 18 gauge \$ _____
20	2	3'0X6'8 LH or RH Flush BLK	Per 16 gauge \$ _____
	2	3'0X6'8 LH or RH Flush BLK	Per 18 gauge \$ _____
21	2	3'0X6'8 LH or RH Full Louver 161	Per 16 gauge \$ _____
	2	3'0X6'8 LH or RH Full Louver 161	Per 18 gauge \$ _____
22	2	3'0X6'8 RH INACT Full Louver IFB	Per 16 gauge \$ _____
	2	3'0X6'8 RH INACT Full Louver IFB	Per 18 gauge \$ _____

IQ7314

23	2	3'0X7'8 H/RH INAC Flush 161	Per 16 gauge \$ _____
	2	3'0X7'8 H/RH INAC Flush 161	Per 18 gauge \$ _____
24	2	3'0X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'0X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
25	2	3'0X7'0 LH or RH Full Louver 161	Per 16 gauge \$ _____
	2	3'0X7'0 LH or RH Full Louver 161	Per 18 gauge \$ _____
26	2	3'0X7'0 RH INACT Full Louver IS, FB	Per 16 gauge \$ _____
	2	3'0X7'0 RH INACT Full Louver IS, FB	Per 18 gauge \$ _____
27	2	3'0X7'0 LH or RH Flush BLK	Per 16 gauge \$ _____
	2	3'0X7'0 LH or RH Flush BLK	Per 18 gauge \$ _____
28	2	3'4X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'4X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
29	2	3'4X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'4X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
30	2	3'6X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'6X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
31	2	3'6X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'6X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
32	2	3'8X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'8X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
33	2	3'8X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'8X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
34	2	4'0X6'8 LH or RH Flush 161	Per 16 gauge \$ _____
	2	4'0X6'8 LH or RH Flush 161	Per 18 gauge \$ _____
35	2	4'0X7'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	4'0X7'0 LH or RH Flush 161	Per 18 gauge \$ _____
36	2	4'0X8'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	4'0X8'0 LH or RH Flush 161	Per 18 gauge \$ _____
37	2	4'0X8'0 RH INACT Flush 161	Per 16 gauge \$ _____
	2	4'0X8'0 RH INACT Flush 161	Per 18 gauge \$ _____
38	2	4'0X8'0 RH INACT Full Louver 161	Per 16 gauge \$ _____
	2	4'0X8'0 RH INACT Full Louver 161	Per 18 gauge \$ _____
39	2	4'0X8'0 RH INACT Full Louver IS, FB	Per 16 gauge \$ _____
	2	4'0X8'0 RH INACT Full Louver IS, FB	Per 18 gauge \$ _____
40	2	2'6X8'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	2'6X8'0 LH or RH Flush 161	Per 18 gauge \$ _____
41	2	2'6X8'0 RH INACT Flush IS, FB	Per 16 gauge \$ _____
	2	2'6X8'0 RH INACT Flush IS, FB	Per 18 gauge \$ _____
42	2	3'0X8'0 LH or RH Flush 161	Per 16 gauge \$ _____
	2	3'0X8'0 LH or RH Flush 161	Per 18 gauge \$ _____
43	2	3'0X8'0 RH INACT Flush IS, FB	Per 16 gauge \$ _____
	2	3'0X8'0 RH INACT Flush IS, FB	Per 18 gauge \$ _____
44	2	DR MOD Cut Height	Per 16 gauge \$ _____
	2	DR MOD Cut Height	Per 18 gauge \$ _____
45	2	DR MOD Cut Window	Per 16 gauge \$ _____
	2	DR MOD Cut Window	Per 18 gauge \$ _____
46	2	DR MOD Window 5" X 20" W/Glass	Per 16 gauge \$ _____
	2	DR MOD Window 5" X 20" W/Glass	Per 18 gauge \$ _____
47	2	DR MOD Window 10" X 10" W/Glass	Per 16 gauge \$ _____
	2	DR MOD Window 10" X 10" W/Glass	Per 18 gauge \$ _____



THIS IS NOT AN ORDER

IQ7314

48	2	DR MOD Window 24"X30" W/Glass	Per 16 gauge \$ _____
	2	DR MOD Window 24"X30" W/Glass	Per 18 gauge \$ _____
49	2	DR MOD Louver 24"X24" Fusible	Per 16 gauge \$ _____
	2	DR MOD Louver 24"X24" Fusible	Per 18 gauge \$ _____
50	2	DR MOD Louver 24" X 24" Fixed	Per 16 gauge \$ _____
	2	DR MOD Louver 24" X 24" Fixed	Per 18 gauge \$ _____
51	2	LOCK Mortise Prep	Per 16 gauge \$ _____
	2	LOCK Mortise Prep	Per 18 gauge \$ _____
52	2	PANIC Prep	Per 16 gauge \$ _____
	2	PANIC Prep	Per 18 gauge \$ _____
53	2	DR MOD Add Label	Per 16 gauge \$ _____
	2	DR MOD Add Label	Per 18 gauge \$ _____
54	2	DR MO Add Deadlock Prep	Per 16 gauge \$ _____
	2	DR MO Add Deadlock Prep	Per 18 gauge \$ _____
55	2	DR MOD Blank Edge	Per 16 gauge \$ _____
	2	DR MOD Blank Edge	Per 18 gauge \$ _____
56	2	DR.MOD Blank Face	Per 16 gauge \$ _____
	2	DR.MOD Blank Face	Per 18 gauge \$ _____
57	2	DR MOD Add Flush Bolt Prep	Per 16 gauge \$ _____
	2	DR MOD Add Flush Bolt Prep	Per 18 gauge \$ _____
58	2	DR MOD Add DL Strike INACT	Per 16 gauge \$ _____
	2	DR MOD Add DL Strike INACT	Per 18 gauge \$ _____
59	2	ALLIED LOC Hinge Add Stock DRS	Per 16 gauge \$ _____
	2	ALLIED LOC Hinge Add Stock DRS	Per 18 gauge \$ _____
60	2	ANWELD LOC Hinge, Add Stock DRS	Per 16 gauge \$ _____
	2	ANWELD LOC Hinge, Add Stock DRS	Per 18 gauge \$ _____

Group 'A' (Items 1- 60) TOTAL: \$ _____

Group B

Hollow Metal Doors; 5 3/4" Jamb, Galvanized, 16 Gauge

Item	Qty	Description	Unit Price
1	4	2'0X6'8 WELDED XB ASA	\$ _____
2	4	2'0X6'8 WELDED UA ASA	\$ _____
3	4	2'0X6'8 KD ASA	\$ _____
4	4	2'0X7'0 WELDED XB ASA	\$ _____
5	4	2'0X7'0 WELDED UA ASA	\$ _____
6	4	2'0X7'0-KD ASA	\$ _____
7	4	2'4X6'8 WELDED XB ASA	\$ _____
8	4	2'4X6'8 WELDED UA ASA	\$ _____
9	4	2'4X6'8 KD ASA	\$ _____
10	4	2'4X7'0 WELDED XB ASA	\$ _____
11	4	2'4X7'0 WELDED UA ASA	\$ _____
12	4	2'4X7'0 KD ASA	\$ _____
13	4	2'6X6'8 WELDED XB ASA	\$ _____



**THIS IS NOT
AN ORDER**

IQ7314

14	4	2'6X6'8 WELDED UA ASA	\$ _____
15	4	2'6X6'8 KD ASA	\$ _____
16	4	2'6X7'0 WELDED XB ASA	\$ _____
17	4	2'6X7'0 WELDED UA ASA	\$ _____
18	4	2'6X7'0 KD ASA	\$ _____
19	4	2'8X6'8 WELDED XB ASA	\$ _____
20	4	2'8X6'8 WELDED UA ASA	\$ _____
21	4	2'8X6'8 KD ASA	\$ _____
22	4	2'8X7'0 WELDED XB ASA	\$ _____
23	4	2'8X7'0 WELDED UA ASA	\$ _____
24	4	2'8X7'0 KD ASA	\$ _____
25	4	3'0X6'8 WELDED XB ASA	\$ _____
26	4	3'0X6'8 WELDED XB DL, ASA	\$ _____
27	4	3'0X6'8 WELDED UA ASA	\$ _____
28	4	3'0X6'8 WELDED UA DL, ASA	\$ _____
29	4	3'0X6'8 KD ASA	\$ _____
30	4	3'0X7'0 WELDED XB ASA	\$ _____
31	4	3'0X7'0 WELDED XB DL, ASA	\$ _____
32	4	3'0X7'0 WELDED UA ASA	\$ _____
33	4	3'0X7'0 WELDED UA DL, ASA	\$ _____
34	4	3'0X7'0 KD ASA	\$ _____
35	4	3'4X6'8 WELDED XB ASA	\$ _____
36	4	3'4X6'8 WELDED UA ASA	\$ _____
37	4	3'4X6'8 KD ASA	\$ _____
38	4	3'4X7'0 WELDED XB ASA	\$ _____
39	4	3'4X7'0 WELDED UA ASA	\$ _____
40	4	3'4X7'0 KD ASA	\$ _____
41	4	3'6X6'8 WELDED XB ASA	\$ _____
42	4	3'6X6'8 WELDED UA ASA	\$ _____
43	4	3'6X6'8 KD ASA	\$ _____
44	4	3'6X7'0 WELDED XB ASA	\$ _____
45	4	3'6X7'0 WELDED UA ASA	\$ _____
46	4	3'6X7'0 KD ASA	\$ _____
47	4	3'8X6'8 WELDED XB ASA	\$ _____
48	4	3'8X6'8 WELDED UA ASA	\$ _____
49	4	3'8X6'8 KD ASA	\$ _____
50	4	3'8X7'0 WELDED XB ASA	\$ _____
51	4	3'8X7'0 WELDED UA ASA	\$ _____



THIS IS NOT AN ORDER

IQ7314

52	4	3'8X7'0 KD ASA	\$ _____
53	4	4'0X6'8 WELDED XB ASA	\$ _____
54	4	4'0X6'8 WELDED UA ASA	\$ _____
55	4	4'0X6'8 KD ASA	\$ _____
56	4	4'0X7'0 WELDED XB ASA	\$ _____
57	4	4'0X7'0 WELDED UA ASA	\$ _____
58	4	4'0X7'0 KD ASA	\$ _____
59	4	5'0X6'8 WELDED XB FB	\$ _____
60	4	5'0X6'8 WELDED UA FB	\$ _____
61	4	5'0X6'8 KD FB	\$ _____
62	4	5'0X7'0 WELDED XB FB	\$ _____
63	4	5'0X7'0 WELDED UA FB	\$ _____
64	4	5'0X7'0 KD FB	\$ _____
65	4	6'0X6'8 WELDED XB FB	\$ _____
66	4	6'0X6'8 WELDED UA FB	\$ _____
67	4	6'0X6'8 KD FB	\$ _____
68	4	6'0X7'0 WELDED XB FB	\$ _____
69	4	6'0X7'0 WELDED UA FB	\$ _____
70	4	6'0X7'0 KD FB	\$ _____
71	4	7'0X6'8 WELDED XB FB	\$ _____
72	4	7'0X6'8 WELDED UA FB	\$ _____
73	4	7'0X6'8 KD FB	\$ _____
74	4	7'0X7'0 WELDED XB FB	\$ _____
75	4	7'0X7'0 WELDED UA FB	\$ _____
76	4	7'0X7'0 KD FB	\$ _____
77	4	8'0X6'8 WELDED XB FB	\$ _____
78	4	8'0X6'8 WELDED UA FB	\$ _____
79	4	8'0X6'8 KD FB	\$ _____
80	4	8'0X7'0 WELDED XB FB	\$ _____
81	4	8'0X7'0 WELDED UA FB	\$ _____
82	4	8'0X7'0 KD FB	\$ _____
83	4	FR MOD BLANK STRIKE	\$ _____
84	4	FR MOD ADD DL STRIKE	\$ _____
85	4	R MOD ADD LABEL	\$ _____
86	4	FR MOD ADD CUT HEIGHT	\$ _____
87	4	FR MOD ADD ELEC STRIKE PREP	\$ _____

Group 'B' (Items 1- 87) TOTAL: \$ _____



THIS IS NOT AN ORDER

IQ7314

Group 'C'

Anchors

Item	Qty	Description	Unit Price
1	50	DYNABOLTS 5"	\$ _____
2	50	TAPCONS 5"	\$ _____
3	50	UNIVERSAL ANCHORS	\$ _____
4	50	WOOD SCREWS	\$ _____

Group 'C' (Items 1- 4) TOTAL: \$ _____

Group 'D'

Hardware

Item	Qty	Description	Unit Price
1	4	HINGES 4 ½ x 4 ½ USP	\$ _____
2	4	HINGES 4 ½ x 4 ½ US26D	\$ _____
3	4	PANIC 7100 US32D	\$ _____
4	4	PANIC 7110 US32D	\$ _____
5	4	PANIC TRIM AU546F US26D	\$ _____
6	4	CLOSER 8501 BF ALUM	\$ _____
7	4	FLUSH BOLT 555-12 US26D	\$ _____
8	4	ASTRAGAL 6/8	\$ _____
9	4	ASTRAGAL 7/0	\$ _____
10	4	ASTRAGAL 8/0	\$ _____
11	4	BALL BEARING HINGES 4 ½ x 4 ½ (SS)	\$ _____
12	4	BALL BEARING HINGES 5 ½ x 5 ½ (SS)	\$ _____
13	4	CLOSER LCN 4041	\$ _____

Group 'D' (Items 1- 10) TOTAL: \$ _____

INSTRUCTIONS TO BIDDERS

- No sealed quote required. Bidders may submit their written quotation by:
 - Fax to 305-375-4407. Contact the officer by telephone (305-375-3904) prior to sending a faxed quote.
 - Mail / in Person to:

Miami-Dade County
Procurement Management Services
111 NW 1st Street, Suite 1300
Miami, Florida 33128-1974
Attention: Denis Chung

- E-mail to the officer identified on the front of this document (hcdc@miamidade.gov)

- Quotes received after the time and date specified may not be accepted.
- Prior to the scheduled opening date, requests for additional information or clarification must be made in writing to the person identified on the front of this form. The County will issue additional information by written addenda. It is the bidder's responsibility to assure receipt of all such addenda.

