

SBD DEPARTMENTAL INPUT
CONTRACT/PROJECT MEASURE ANALYSIS AND RECOMMENDATION

New OTR Sole Source Bid Waiver Emergency Previous Contract/Project No. _____
 Contract _____
 Re-Bid Other: _____ LIVING WAGE APPLIES: YES NO

Requisition No./Project No.: **RQID1700084** TERM OF CONTRACT **1** YEAR(S) WITH **5-1YR** YEAR(S) OTR

Requisition /Project Title: **FIRE EQUIPMENT TESTING, INSPECTION, & CERTIFICATION SERVICES**

Description: The purpose of this solicitation is to establish a service contract to provide all necessary labor, transportation, material and equipment to furnish a comprehensive program for the testing, inspection, and certification of various fire rescue equipment for Miami-Dade County Fire Rescue Department (MDFR). The resultant contract will ensure that all fire rescue equipment utilized by MDFR will have the proper qualifications to comply with the recommended American Society for Nondestructive Testing (ASNT), National Fire Protection Association (NFPA) Standards, Occupational Safety and Health Administration (OSHA), and Manufacturers' Recommendations.

Issuing Department: **MDFR** Contact Person: **DENA ALONSO** Phone: **(786) 336-3170**

Estimate Cost: **\$900,000.00** Funding Source: GENERAL FEDERAL OTHER

ANALYSIS

Commodity Codes: **340-56** **340-64** **924-20** **936-33** **961-45**
 961-48 **990-42** **720-27**

Contract/Project History of previous purchases three (3) years
 Check here if this is a new contract/purchase with no previous history.

EXISTING **2ND YEAR** **3RD YEAR**

Contractor _____

Small Business Enterprise: _____

Contract Value: _____

Comments: _____

Continued on another page (s): Yes No

RECOMMENDATIONS

SBE Set-aside Sub-contractor goal Bid preference Selection factor

Basis of recommendation: _____

Date sent to SBD: 05/04/2017

Signed: *Sasha Socarras*

Date returned to DPM: _____

SECTION 2 - SPECIAL TERMS AND CONDITIONS

2.1 PURPOSE

The purpose of this solicitation is to establish a service contract to provide all necessary labor, transportation, material and equipment to furnish a comprehensive program for the testing, inspection, and certification of various fire rescue equipment for Miami-Dade County Fire Rescue Department (MDFR). The resultant contract will ensure that all fire rescue equipment utilized by MDFR will have the proper qualifications to comply with the recommended American Society for Nondestructive Testing (ASNT), National Fire Protection Association (NFPA) Standards, Occupational Safety and Health Administration (OSHA), and Manufacturers' Recommendations.

DEFINITIONS

- A. **American Society for Nondestructive Testing (ASNT)** – A professional organization that is devoted to promoting knowledge of nondestructive testing.
- B. **Emergency Vehicle Technician (EVT) Certification** – a nonprofit corporation dedicated to improving the quality of emergency vehicle service and repair throughout the United States and Canada by means of a certification program that will provide technicians recognition for the education, training, and experience they have in the service and repair of emergency vehicles.
- C. **National Fire Protection Association (NFPA)** – a United States trade association, albeit with some international members, that creates and maintains private, copyrighted standards and codes for usage and adoption by local governments.
- D. **Nondestructive Testing (NDT) Certification** – In order to determine competency, this certification has been devised to ensure that NDT personnel have the proper training, have passed written and practical examinations, and have enough experience to properly perform NDT tasks using the applicable test method or technique. Personnel that have met all three of these requirements are said to be "qualified," and once qualified they can be certified, which is defined in several different ways under the various NDT systems.
- E. **Occupational Safety and Health Administration (OSHA)** – an agency of the United States Department of Labor that assures safe and healthful working conditions for working men and women by setting and enforcing standards and by providing training, outreach, education, and assistance.
- F. **Request for Quote (RFQ)** – An invitation where pre-qualified Submitters are invited to quote on a specific product or service.

2.2 TERM OF CONTRACT

This contract shall commence on the first calendar day of the month succeeding approval of the contract by the Board of County commissioners, or designee, unless otherwise stipulated in the Notice of Award Letter which is distributed by the County's Internal Services Department, Procurement Management Division; and contingent upon the completion and submittal of all required bid documents. The contract shall remain in effect for a one (1) year period, with five (5) one (1) year options to renew, at the County's sole discretion.

2.3 OPTIONS TO RENEW

The initial prices resulting from Group(s) 1 and 2 of this solicitation, shall remain fixed and firm for no less than one (1) year from the award of the contract. Annual price adjustments based on changes in the following pricing index: The latest issue of the **Consumer Price Index (CPI) published by the U.S. Department of Labor, Bureau of Labor Statistics for All Urban Consumers, All Items, Miami-Fort Lauderdale, FL area.**

It is the bidder's responsibility to request any pricing adjustment under this provision. For any adjustment to commence on the anniversary of the contract term, the bidder's request for adjustment should be submitted 90 days prior to the anniversary of the contract term. The bidder adjustment request should not be in excess of the relevant pricing index change. If no adjustment request is received from the bidder, the County will assume that the bidder has agreed not to request a price adjustment. Any adjustment request received after the anniversary of the contract term may not be considered.

The County reserves the right to negotiate lower pricing for the additional term(s) based on market research information or other factors that influence price. The County reserves the right to apply any reduction in pricing for the additional term(s) based on the downward movement of the applicable index.

The County reserves the right to reject any price adjustments submitted by the bidder and/or to not exercise any otherwise available option period based on such price adjustments.

The County reserves the right to negotiate lower pricing for the additional term(s) based on market research information or other factors that influence price. The County reserves the right to apply any reduction in pricing for the additional term(s) based on the downward movement of the applicable index.

The County reserves the right to reject any price adjustments submitted by the vendor and/or to not exercise any otherwise available option period based on such price adjustments. Continuation of the contract beyond the initial period, and any option subsequently exercised, is a County prerogative, and not a right of the vendor. This prerogative will be exercised only when such continuation is clearly in the best interest of the County.

Should the vendor decline the County's right to exercise the option period, the County may consider the vendor in default which decision may impact that vendor's eligibility for future contracts.

2.4 METHOD OF AWARD

2.3.1 GROUP 1 – FIRE HOSE SERVICES

This group will be utilized by the County for service testing, inspection, certification and/or associated record keeping of fire hose and fire hose appliances.

2.3.2 GROUP 2 – FIRE APPARATUS PUMP SERVICES

This group will be utilized by the County for service testing, inspection, certification and/or associated record keeping of fire apparatus pumps and corresponding equipment.

Award of Group(s) 1 and 2 will be made to the lowest responsive, responsible bidder on a group-by-group basis. To be considered for award, the bidder shall offer prices for all items within the group. If a bidder fails to submit an offer for any item within the group, its offer for that group may be rejected. The County will then select the bidder whose offer represents the lowest grand total and who meets the qualification criteria as listed below.

If, the awarded Bidder fails to perform in accordance with the terms and conditions of the contract, the Bidder may be deemed in default of the contract. If the awarded Bidder defaults, the County shall have the right to negotiate with the next responsive, responsible Bidder.

2.3.3 GROUP 3 – GROUND LADDER SERVICES

This pre-qualification pool will be utilized by the County for service testing, inspection, certification and/or associated record keeping of ground ladder services. Entry into the pool is not a contract between the County and any Submitter, but an acknowledgement that the included Submitters meet the qualifications as outlined in the qualification criteria. The pool shall be open for Submitters to qualify at any time after the initial contract opening date. Pre-qualified Submitters will be invited to participate in future competitions.

Submitters deemed pre-qualified by the County will participate in subsequent RFQ's on an as needed basis.

2.3.4 GROUP 4 – AERIAL DEVICE SERVICES

This pre-qualification pool will be utilized by the County for service testing, inspection, certification and/or associated record keeping of aerial device services. Entry into the pool is not a contract between the County and any Submitter, but an acknowledgement that the included Submitters meet the qualifications as outlined in the qualification criteria and the additional qualification criteria outlined below. The pool shall be open for Submitters to qualify at any time after the initial contract opening date. Pre-qualified Submitters will be invited to participate in future competitions.

Submitters deemed pre-qualified by the County will participate in subsequent RFQ's on an as needed basis.

QUALIFICATION CRITERIA FOR ALL GROUPS

- A. Bidder(s) or bidder's subcontractor shall assign a competent company representative(s) whom is cognizant of industry standards and is authorized to discuss matters pertaining to the contracted services in order to provide the County with support and information. Bidder(s) are required to provide their designated company representative(s) name, office address, phone number, and e-mail address.
- B. Bidder(s) or bidder's subcontractor must have demonstrated five (5) year experience in providing fire equipment testing, inspection, and/or certification pertaining to the contracted services. As evidence, bidder(s) are required to provide at least two (2) letters of references from their clients. The references shall ascertain to the County's satisfaction that the bidder has sufficient expertise having worked with a Metropolitan Fire Department. Additionally, bidder(s) are required to provide the references company name, company representative(s) name, company representative(s) title, phone number, and e-mail address.

ADDITIONAL QUALIFICATION CRITERIA FOR GROUP 2

Bidder(s) or bidder's subcontractor must submit ONE of the following along with their bid submittal:

- A. Per NFPA 1071 – Level II or III EVT Certification

-OR-

- B. Per NFPA 1911 - ISO/ IEC 17020 Accreditation

ADDITIONAL QUALIFICATION CRITERIA FOR GROUP 4

- A. Per NFPA 1914 - Level II or III Non-Destructive Testing (NDT) Technician Certification

The successful bidder(s) or bidder's subcontractor must maintain all licenses, certificates and qualifications during the contract period. Should the successful bidder(s) replace personnel during the contract period; the new personnel must meet the same qualifications and credentials as those identified in this section.

Bidder(s) shall submit with their bid all specified information, documents and attachments as proof of compliance to the qualification criteria; however, Miami-Dade County, may at its sole discretion, allow the bidder to complete or supplement the qualification requirements. The County may request additional evidence from the bidder(s) to ensure, to its satisfaction, that the bidder is in fact qualified to perform the required work.

Failure to provide proof of compliance to the qualification criteria, as specified by the County, may result in the bidder bid being deemed non-responsive. The County shall be sole judge of the bidder's conformance to the qualification criteria and its decision shall be final.

2.5 ADDITIONAL GROUPS

The County reserves the right to add additional groups (with applicable qualification criteria) to the contract, which are not listed within this solicitation. The Internal Services Department, Procurement Management Division will solicit the industry and award said group on a competitive basis. It is hereby agreed and understood that although this solicitation identifies specific groups, equipment, and services, additional groups, equipment, and/or services may be added to this contract at the County's option.

Bidder(s) under this contract shall be invited to submit price quotes for additional services. If these quotes are determined to be a fair and reasonable, then the additional work will be awarded to the current contract bidder(s) that offers the lowest acceptable pricing.

The County may determine to obtain price quotes for the additional services from other bidders in the event that fair and reasonable pricing is not obtained from the current contract bidders, or for other reasons at the County's discretion.

2.6 METHOD OF PAYMENT

In addition to the terms and conditions stated in Section 1.2.H. Prompt Payment Terms and 1.35 Invoices; No invoices shall be approved for payment unless the MDFR has received all required reports listed in Section 3.4 – Final Test Documentation.

2.7 OMISSIONS FROM THE SPECIFICATIONS

The apparent silence regarding any details omission from the specification of a detailed description concerning any point shall not negate or infringe on the prime objective of this contract, which is to have all equipment in operating condition, in accordance with the recommended NFPA Standards, Occupational Safety and Health Administration OSHA, and Manufacturers' Recommendations. Only the best industrial prices are to prevail, and only materials and professional workmanship of the highest quality are to be used. All interpretation of these specifications shall be made upon the basis of this understanding.

2.8 CONTACT PERSON

For any additional information regarding the terms and conditions of this solicitation and resultant contract, Contact: Sasha Socarras, at (305) 375-1620 or via e-mail at sasha.socarras@miamidadegov.

2.9 CLEAN-UP

All unusable materials and debris shall be removed from the premises at the end of each workday, and disposed of in an appropriate manner. Upon final completion, the successful bidder shall thoroughly clean up all areas where work has been involved as mutually agreed with the County.

2.10 COMPLIANCE AND REGULATIONS

A. Standards:

All bidders performing under this contract shall conform to the most current edition of applicable fire NFPA standards, State and County regulations during the course of such effort. Any fines levied by the above mentioned authorities for failure to comply with these requirements shall be born solely by the responsible successful bidder.

B. Accident Prevention and Barricades:

Precautions shall be exercised at all times for the protection of persons and property. All bidders performing services under this contract shall conform to all relevant OSHA, State and County regulations during the course of such effort. Any fines levied by the above mentioned authorities for failure to comply with these requirements shall be born solely by the responsible successful bidder. Barricades shall be provided by the successful bidder when work is performed in areas traversed by persons, or when deemed necessary by the County Department Project Manager.

C. Protection of Property:

All existing structures, utilities, services, roads, trees, shrubbery, etc. shall be protected against damage or interrupted services at all times by the successful bidder(s) during the term of this contract. The successful bidder(s) shall be held responsible for repairing or replacing property to the satisfaction of the County should it be damaged by reason of the bidder's operation on the property.

2.11 SUBCONTRACTING

Successful bidder(s) will be permitted to subcontract for Group(s) 1 and 2. The company name, contact person and a copy of their license/certificate shall be submitted to the Internal Services Department, Procurement Management Division for approval. The sub-contractors are the responsibility of the successful bidder(s) and not the County. All sub-contractors performing work for the County shall be duly licensed prior to commencement of any work during the contract period. Successful bidder(s) shall be fully responsible to the County for acts and omissions of the sub-contractors and persons employed by them, as they are for acts and omissions of persons directly employed by them. Any work or service to be performed by a subcontractor must have the prior approval of the County. The County reserves the right to approve, disapprove or dismiss any sub-contractors. Rejection of any subcontractor shall not entitle the successful bidder adjustment of bid prices. The successful bidder shall inform the County prior to scheduling any subcontractor's visit to any County facility. Failure by the successful bidder to have a subcontractor approved by Miami Dade County will not relieve the bidder of the responsibility to meet, comply with, and fulfill all of the terms and conditions of this contract. Nothing contained in this bid solicitation shall be construed to create any contractual relationship between any sub-contractor and the County.

2.12 MIAMI-DADE COUNTY LIVING WAGES

If the total contract value, per year, exceeds \$100,000 the provisions of Section 2-8.9 (Living Wages) of the Code of Miami-Dade County (Code) as amended by Ordinance (Governing Legislation), will apply. A copy

of this Code Section may be obtained online at www.miamidade.gov. A copy of the Administrative Order may be obtained online at <http://www.miamidade.gov/aopdfdoc/aopdf/pdffiles/AO3-3p.pdf>.

2.13 LIMITATION OF OPERATIONS

No work shall be done between the hours of 6:00 P.M. and 6:00 A.M except when such work is necessary for the proper care and protection of the work already performed, and when permission to do such work is secured from the County designee, project manager and/or representative.


2.14 NOTIFICATION PRIOR TO COMMENCEMENT OF WORK

The County will give a minimum lead time of ten (10) business days to the successful bidder(s) prior to the desired starting date for any specific assignment; provided however, that such notification shall be superseded by any emergency work that may be required in accordance with provisions included elsewhere in this solicitation and resultant contract. When possible, longer lead times will be given.

2.15 UNAUTHORIZED WORK

Bidder(s), bidder's subcontractors, nor any of their employees shall perform any work other than the work that is defined herein. The County representative may permit specific exceptions to the provisions of this paragraph when such permission is given in writing. Bidder(s) shall not be paid for any work performed outside the scope of the contract or any work otherwise unauthorized.

MIAMI-DADE



SECTION 3 – TECHNICAL SPECIFICATIONS

3.1 SERVICE LOCATIONS

All services for all groups under the resultant contract shall be completed at the provided site addresses unless otherwise indicated:

Miami-Dade County Fire Rescue Department
North Fire Shop
8010 NW 80th Street
Miami, FL

-OR-

Miami-Dade County Fire Rescue Department
South Fire Shop
6000 SW 87th Avenue
Miami, FL

3.2 MIAMI-DADE COUNTY RESPONSIBILITIES

- A. Service location will include a water source, if needed.
- B. Any known defects or possible hazards will be disclosed to the awarded bidder(s).

3.3 SERVICES

Group 1: Fire Hose Services

The awarded bidder shall provide all fire hose services requested as set forth by the NFPA that are pertinent to fire hose testing such as, but, not limited to:

- NFPA 1961: Standard on Fire Hose
- NFPA 1962: Standard for the Care, Use, Inspection, Service Testing, and Replacement of Fire Hose, Couplings, Nozzles, and Fire Hose Appliances
- NFPA 1963: Standard for Fire Hose Connections

The awarded bidder shall, at a minimum, perform all fire hose services following all aforementioned NFPA standards, as well as the following:

1. Provide all pertinent equipment necessary to inspect, test, and/or repair fire hoses
2. Establish and provide all components necessary for a hose inventory and service record system for all hoses serviced under the contract. The applied inventory & records system shall be a universal waterproof bar code label utilized to identify the equipment by unit and station number. The bar code shall also provide as a permanent record to track inspection and service test data.
***NOTE:** Under no circumstances will the awarded bidder handwrite an inventory system on the equipment
3. Perform a visual inspection of all hoses prior to testing for signs of fraying or other imminent failure. Any hoses failing visual inspection, the awarded bidder shall notify MDFR in order to determine whether to proceed with a repair, testing, and/or removing the hose from service.
4. Unload hose off of fire apparatus before testing services commence and roll/re-rack hose back onto fire apparatus upon hose testing completion.

5. Unload stock supply hose from MDFR pallets, test, and roll/re-rack and place back on pallets upon hose testing completion. MDFR will be responsible for moving/transporting of pallets.
6. Conduct a physical pressure test. No hose shall be tested over 400 PSI (pounds per square inch).
7. Check all couplings for proper amount of lubrication and lubricate as needed. Lubrication must be 100% silicone and approved by the hose manufacture.
8. Check and replace all gaskets as needed
9. While the testing and inspection services are in progress, notify MDFR of any fire hose failing standard requirements in order to determine whether to repair, re-test, or remove from service. If MDFR determines that a hose should be removed from service, the awarded bidder is to roll and re-rack the hose onto a pallet labeled "Discard" that will be provided by MDFR.
10. Provide tags and all other components necessary in order to tag and remove from service all hoses failing standard requirements.

Group 2: Fire Apparatus Pump Services

The awarded bidder shall provide all fire apparatus services requested as set forth by the NFPA that are pertinent to fire apparatus pump testing such as, but, not limited to:

- NFPA 1901: Standard for Automotive Fire Apparatus
- NFPA 1911: Standard for the Inspection, Maintenance, Testing, and Retirement of In-Service Automotive Fire Apparatus
- NFPA 414: Standard for Aircraft Rescue and Fire-Fighting Vehicles

The awarded bidder shall, at a minimum, perform all fire apparatus services following all aforementioned NFPA standards, as well as the following:

1. Provide all pertinent equipment necessary to test, inspect, and/or repair fire apparatus pumps
2. Test three (3) units per day
3. Test and calibrate gauges twenty-four (24) hours prior to apparatus pump testing
4. Check that pump transmission engages and that the engine transmission is in the proper gear
5. If the engine that drives the pump also drives a fixed power source, that engine needs to be able to power the fixed power source at a minimum of 50 percent of its rated capacity while the pump is operating at rated capacity. Older fire apparatus might or might not have the engine horsepower to run both simultaneously. When the same engine drives both the pump and the fixed power source, the capability to run both should be examined so MDFR will know the capability of the apparatus.
6. Check packings for leakage and correct as needed
7. Check all discharges for leakage (under pressure)
8. Check for leaks in all valves, drains, pipes and fittings
9. Check that all intake strainers are present and in proper condition
10. Check that pump transfer valve is functional
11. Determine if the pressure relief control system is functioning properly
12. Check pump transmission oil and primer oil level
13. Check if all pressure gauges are displaying within 10 PSI of actual pressure
14. Check primer operation with a dry vacuum test
15. Supply and provide MDFR with "Pump Test Worksheet" which will list any out of service equipment or suspected malfunctions that are detected.
16. While the testing and inspection services are in progress, notify MDFR of any fire apparatus pump failing standard requirements in order to determine whether to repair, re-test, or remove from service.

Group 3: Ground Ladder Services

Submitters under this prequalification pool will be utilized to provide testing, inspection, and/or certification services on ground ladders on an as needed basis as set forth by the following NFPA, but not limited to:

- NFPA 1911: Standard for the Inspection, Maintenance, Testing, and Retirement of In-Service Automotive Fire Apparatus
- NFPA 1932: Standard on Use, Maintenance, and Service Testing of In-Service Fire Department Ground Ladders (2010)

Group 4: Aerial Device Services

Submitters under this prequalification pool will be utilized to provide testing, inspection, and/or certification services on aerial devices on an as needed basis as set forth by the following NFPA, but not limited to:

- NFPA 1914: Standard for Testing Fire Department Aerial Devices

3.4 FINAL TEST DOCUMENTATION

The awarded bidder shall provide at a minimum:

1. Implement, provide and maintain all records and reports resulting from the testing, inspection and/or certification of fire equipment and shall provide said documentation to the County upon request. Documentation shall be provided in a Data File Program such as Microsoft Excel or Equivalent Microsoft Compatible File. Should an Equivalent Microsoft Compatible File be used, the Awarded Bidder must obtain approval by MDR prior to any commencement of service.
2. An electronic "Completion of Test Report/Certificate of Inspection" shall be provided to MDR within twenty-four (24) hours upon testing and inspection service completion. This report shall indicate, but not be limited to the following:
 - Listed determination of "Pass" or "Fail" of equipment
 - Make/Model/Year of Equipment
 - Equipment Serial No.
 - Assigned Miami-Dade County Equipment/Asset Number
 - Date of test/inspection (Month, Date, and Year)
 - Condition of the equipment
 - Service test pressure
 - Diameter (Where Applicable)
 - Length (Where Applicable)
 - Recommended minor/major repairs necessary during the term of the contract.
 - Itemize any replacement parts required for the repairs and indicating unit prices. Any repairs and replacement of parts shall require approval of the department prior to proceeding with the work.
 - List recommendations addressing irregularities observed that may or may not be addressed in the pertinent NFPA standard, but are believed to violate industry standards or compromised safe operating practices.

3.5 RE-TESTING AND/OR RE-INSPECTION


Should any device require re-testing and/or re-inspection due to minor defects which were not disclosed by the awarded bidder(s) while the initial test/inspection was in progress, at no additional cost to the County.

SECTION 4 - BID SUBMITTAL FORM

FIRM NAME: _____

QUALIFICATION CRITERIA TO BE COMPLETED BY ALL BIDDERS OR SUBMITTERS	
Refer to Section 2.3 to ensure that your firm's responses and attachments comply with solicitation requirements.	
Reference	Bidder Or Submitter Requirements
2.3.A	Designated company representative(s) name: _____ Office Address: _____ Phone Number: _____ E-mail address: _____
2.3.B	Bidder(s) or bidder's subcontractor must have demonstrated five (5) year experience in providing fire equipment testing, inspection, and/or certification pertaining to the contracted services. As evidence, bidder(s) are required to provide at least two (2) letters of reference from their clients including dates of service and statements of works performed.
	REFERENCE 1
	Company Name: _____ Name: _____ Title: _____ Phone Number: _____ E-Mail Address: _____
	REFERENCE 2
	Company Name: _____ Name: _____ Title: _____ Phone Number: _____ E-Mail Address: _____

TO BE COMPLETED BY GROUP 1 BIDDERS - FIRE HOSE SERVICES				
ITEM	EST. QTY.	UNIT OF MEASURE	DESCRIPTION	UNIT PRICE
1	600,000	Per Foot	Testing, inspection, and certification services of various sizes of fire hose	\$ _____ Per Foot
			TOTAL:	\$ _____



TO BE COMPLETED BY GROUP 2 BIDDERS – FIRE APPARATUS PUMP SERVICES ADDITIONAL QUALIFICATION CRITERIA	
Refer to Section 2.3.2 to ensure that your firm's responses and attachments comply with solicitation requirements. Bidder(s) must submit <u>ONE</u> of the following:	
Reference	Bidder Requirements
2.3.2.A	Bidder must be a Level II or III EVT Technician Technician Name: _____ Certification Date: _____ Expiration Date: _____ <i>Copy of the certification shall be provided with the bid submittal</i>
-OR-	
2.3.2.B	Bidder must be accredited by the ISO/IEC 17020 Certificate Number: _____ Valid To Date: _____ <i>Copy of the accreditation shall be provided with the bid submittal</i>

TO BE COMPLETED BY GROUP 2 BIDDERS – FIRE APPARATUS PUMP SERVICES				
ITEM	EST. QTY.	UNIT OF MEASURE	DESCRIPTION	UNIT PRICE
1	39	Each	Fire Apparatus Pump Testing, Inspection, and Certification	\$ _____ Per Unit
2	15	Each	Fire Apparatus Pump Testing, Inspection, and Certification on an apparatus that has an engine that drives the pump and also drives a fixed power source	\$ _____ Per Unit
			TOTAL:	\$ _____

TO BE COMPLETED BY GROUP 4 SUBMITTERS – AERIAL DEVICE SERVICES ADDITIONAL QUALIFICATION CRITERIA	
Refer to Section 2.3.3 to ensure that your firm’s responses and attachments comply with solicitation requirements.	
Reference	Submitter Requirements
2.3.4.A	Submitters must be a Level II OR III NDT Technician Technician Name: _____ Expiration Date: _____ <i>Copy of the certification shall be provided with the bid submittal</i>

