# DEPARTMENTAL INPUT CONTRACT/PROJECT MEASURE ANALYSIS AND RECOMMENDATION

<ul><li>New</li><li>Contract</li><li>Re-Bid</li></ul>	□ OTR □ Other	□ Sole Source	☐ Bid Waiver	☐ Emergency  LIVING V	Previous Contract 7313-0/18 WAGE APPLIES:	
Requisition No.:		-	)046/FB-01144	TERM OF CONTRACT	6 Years	
Requisition Title:	/Project	VIDEO A1	MISCELL	ANEOUS SER	VICES TO LEA	ACHATE PIPE
Description	Annual Control of the	pose of this Invitation leachate pipe systems			ct to provide video i	inspection services not
Issuing Dep		<u>WASD</u> <u>DSWM</u> 906,897.00	<b>D</b>	<mark>san Pascal</mark> ga Espinosa-An GENERAL	<u>Phone:</u> <b>derson</b> FEDERAL	786-552-8254 OTHER
Estimate Co	<u>91,</u>	700,077.00	Funding Source	<u>Proprietary</u>	FEDERAL	OTHER
<u>Commodit</u>	v Codes:		t/Project History of pr	LYSIS  evious purchases three (3) act/purchase with no previ		
			<b>EXISTING</b>	<u>2</u> <sup>N</sup>	YEAR	3RD YEAR
Contractor	:	man a program of the first pro	VAMERICA LLO 'ASTE SERVICE:			
Small Busii	ness Enter	prise:				
Contract V Comments:	alue:	\$1,906,897	.00			
Continued o	on another p	oage (s): 🔲 Yes		ENDATIONS		
SB	E	Set-aside	Sub-contr		preference X	Selection factor
Basis of recommend	ation:					
Signed: Las	honne Will	iams-Canty		Date sent to SBD: 0	1/06/2019	
				Date returned to DP	M:	

Revised April 2005

## Solicitation FB-01144

## VIDEO INSPECTION SERVICES FOR LEACHATE PIPES

Solicitation Designation: Public



**Miami-Dade County** 

## Solicitation FB-01144 VIDEO INSPECTION SERVICES FOR LEACHATE PIPES

Solicitation Number

FB-01144

Solicitation Title

VIDEO INSPECTION SERVICES FOR LEACHATE PIPES

Solicitation Start Date

In Held

Solicitation End Date

Jan 22, 2019 6:00:00 PM EST

Question & Answer

**End Date** 

Jan 15, 2019 3:00:00 PM EST

Solicitation Contact

Lashonne Williams-Canty

Procurement Contracting Officer 1

ISD - Procurement Management Services

305-375-5650

Lashonne.Williams-Canty@miamidade.gov

Solicitation Contact

Basia M. Pruna

Assistant Division Director

ISD

305-375-5018

bpruna@miamidade.gov

Contract Duration

See Bid Documents

Contract Renewal

See Bid Documents

Prices Good for

See Bid Documents

Solicitation Comments The purpose of this solicitation is to establish a contract to provide jetting and maintenance cleaning, water blasting services, video inspections, and miscellaneous services of the landfill leachate transmission and under drain piping for Miami-Dade County landfills (County).

#### Item Response Form

Item

FB-01144--01-01 - See Bid Documents

Quantity

1 each

Prices are not requested for this item.

Delivery Location

Miami-Dade County

Miami-Dade County 111 NW 1st Street Suite 1300 Miami FL 33128

Qty 1

Description

See Bid Documents

BID NO.: FB-01144
VIDEO INSPECTION SERVICES FOR LEACHATE
PIPES
Jan 22, 2019



## MIAMI-DADE COUNTY, FLORIDA

## INVITATION TO BID

## <u>TITLE</u>: VIDEO INSPECTION SERVICES FOR LEACHATE PIPES

#### FOR INFORMATION CONTACT:

Lashonne Williams-Canty, 305-375-5650, Lashonne.Williams-Canty@miamidade.gov

#### IMPORTANT NOTICE TO BIDDERS/PROPOSERS:

- READ THE ENTIRE SOLICITATION DOCUMENT, THE GENERAL TERMS AND CONDITIONS (SECTION 1), AND SUBMIT ALL QUESTIONS/CLARIFICATION IN ACCORDANCE WITH THE TERMS OUTLINED IN PARAGRAPH 1.2(D) OF THE GENERAL TERMS AND CONDITIONS.
- THE SOLICITATION SUBMITTAL FORM CONTAINS IMPORTANT INFORMATION THAT REQUIRES REVIEW AND COMPLETION BY ALL BIDDERS/PROPOSERS RESPONDING TO THIS SOLICITATION.
- FAILURE TO COMPLETE AND SIGN THE SOLICITATION SUBMITTAL FORM WILL RENDER BIDDER'S/PROPOSER'S BID/PROPOSAL NON-RESPONSIVE.



#### **SECTION 1**

#### **GENERAL TERMS AND CONDITIONS:**

All general terms and conditions of Miami-Dade County Procurement Contracts are posted online. Bidders/Proposers that receive an award from Miami-Dade County through Miami-Dade County's competitive procurement process must anticipate the inclusion of these requirements in the resultant contract. These general terms and conditions are considered non-negotiable.

All applicable terms and conditions pertaining to this solicitation and resultant contract may be viewed online at the Miami-Dade County, Strategic Procurement Division's webpage by clicking on the below link:

http://www.miamidade.gov/procurement/library/boilerplate/general-terms-and-conditions-r18-2.pdf

#### NOTICE TO ALL BIDDERS/PROPOSERS:

Electronic bids are to be submitted through a secure mailbox at BidSync (<a href="www.bidsync.com">www.bidsync.com</a>) until the date and time as indicated in this solicitation document. It is the sole responsibility of the Bidder/Proposer to ensure their proposal reaches BidSync before the solicitation closing date and time. There is no cost to the Bidder/Proposer to submit a proposal in response to a Miami-Dade County solicitation via BidSync. Electronic submissions may require the uploading of electronic attachments. The submission of attachments containing embedded documents or proprietary file extensions is prohibited. All documents should be attached as separate files.

For information concerning the scope of services/technical specifications please, utilize the question/answer feature provided by BidSync at <a href="https://www.bidsync.com">www.bidsync.com</a>, within the solicitation. Questions of a material nature must be received prior to the cut-off date specified in the solicitation. Material changes, if any, to the solicitation terms, scope of services, or bidding procedures will only be transmitted by written addendum. (See addendum section of BidSync site).

Please allow sufficient time to complete the online forms and upload of all proposal documents. Bidders/Proposers should not wait until the last minute to submit their bid/proposal. The deadline for submitting information and documents will end at the closing time indicated in the solicitation. All information and documents must be fully entered, uploaded, acknowledged ("Confirm") and recorded into BidSync before the closing time, or the system will stop the process and the submission will be considered late and will not be accepted.

#### PLEASE NOTE THE FOLLOWING:

No part of Bidder's/Proposer's bid/proposal can be submitted via HARDCOPY, EMAIL, or FAX. No variation in price or conditions shall be permitted based upon a claim of ignorance. Submission of a bid/proposal will be considered evidence that the Bidder/Proposer has familiarized themselves with the nature and extent of the work, and the equipment, materials, and labor required. The entire bid/proposal must be submitted in accordance with all specifications contained in the solicitation electronically.

#### **SECTION 2 - SPECIAL TERMS AND CONDITIONS**

#### 2.1 PURPOSE

The purpose of this solicitation is to establish a contract to provide jetting and maintenance cleaning, water blasting services, video inspections, and miscellaneous services of the landfill leachate transmission and under drain piping for Miami-Dade County landfills (County).

#### 2.2 TERM OF CONTRACT

This contract shall commence on the first calendar day of the month succeeding approval of the contract by the Board of County Commissioners, or designee, unless otherwise stipulated in the Blanket Purchase Order issued by the Internal Services Department, Strategic Procurement Division. The contract shall expire on the last day of the six (6) year period.

#### 2.3 DEFINITIONS

Cells - Specially built areas for the receipt of waste that meet all the environmental and engineering requirements.

Header - An access point for a pipe.

#### 2.4 METHOD OF AWARD

Award of this contract will be made to up to the two lowest responsive, responsible Bidders in the aggregate who meet the qualifications listed below. The County will award each work assignment based on pricing and availability. In order to be considered for award, Bidders must submit an offer on all items listed in Section 4.0.

#### Qualifications

- 2.4.1 Bidder(s) shall provide signed reference letters that describe the type of service, the quality of service and length of service that the Bidder provided. Said services must have been provided within the past two (2) years. The person providing the reference shall be someone who aware of the Bidders' performance. The reference letter shall contain a contact name and phone number.
- 2.4.2 The cameras the Bidder will utilize to provide services of leachate lines must be certified by the manufacturer as explosion proof. Bidder(s) shall provide proof that the cameras that will be used to provide services are "explosion proof".
- 2.4.3 The Bidder must have a minimum of two (2) cameras available for the provision of the service. Bidder shall provide a copy of receipt of purchase as proof.

#### 2.5 PRICES

The initial contract prices resultant from this solicitation shall prevail for no less than one (1) year from the contract's initial effective date. The County may consider an adjustment after the first year period, to be effective each anniversary date of the contract. The pricing adjustment shall not be in excess of the increase reflected on the latest Consumer Price Index (CPI) for All Urban Consumers, All Items, Miami and Ft. Lauderdale Area. It is the Awarded Bidder's responsibility to request any price adjustment under this provision. For any adjustment to be effective, it must be submitted ninety

#### SOLICITATION TITLE: VIDEO INSPECTION SERVICES FOR LEACHATE PIPES

(90) days prior to the expiration of the then current anniversary date/year. Any adjustment received after ninety (90) days from the expiration of the then current date/year may not be considered. The County reserves the right to reject any price adjustments submitted by the Awarded Bidder. If no adjustment request is received, the County will assume that the Awarded Bidder has agreed that the next year term will be without any price adjustment.

It shall be further understood that the County reserves the right to reject any price adjustments submitted by the Bidder, and/or to terminate the contract with the Bidder based on such price adjustments.

Should the relevant pricing index report a decline in the inflation rate, the County shall have the right to adjust prices downward to reflect the index change. The downward adjustment shall not be in excess of the relevant pricing index change.

#### 2.6 INSURANCE

The following clauses shall replace the insurance requirement listed in Section 1.22, Paragraph A.2, for Commercial General Liability Insurance and Paragraph A.3, for Automobile Liability Insurance:

Commercial General Liability Insurance on a comprehensive basis, in an amount not less than \$1,000,000 combined single limit per occurrence for bodily injury and property damage. **Miami-Dade County must be shown as an additional insured with respect to this coverage.** 

Automobile Liability Insurance covering all owned, non-owned and hired vehicles used in connection with the work, in an amount not less than \$1,000,000 combined single limit per occurrence for bodily injury and property damage.

#### 2.7 COMPLIANCE WITH FEDERAL STANDARDS

All services to be purchased under this contract shall be in accordance with all governmental standards, to include, but not limited to, those issued by the Occupational Safety and Health Administration (OSHA).

#### SECTION 3 – TECHNICAL SPECIFICATIONS

#### 3.1 BACKGROUND

Miami-Dade County owns and operates the North Dade, South Dade, and Resources Recovery Landfills. Each landfill has a leachate collection system. The North Dade Landfill has approximately 5,500 linear feet of high density polyethylene (HDPE) pipes and the South Dade Landfill has approximately 3,200 linear feet of HDPE pipes. The leachate collection system at the Resources Recovery Landfill consists of high density polyethylene (HDPE) and polyvinylchloride (PVC) with an estimated linear feet of 5,700.

The leachate pipes must be jet-cleaned and videotaped at minimum every five years in accordance with State of Florida regulations. However, the County anticipates that it will need jet cleaning and videotaping services on a yearly basis at its Resources Recovery Landfill and every two years at the North Dade Landfill and South Dade Landfill. Additional service may be requested if needed throughout the term of the contract.

#### 3,2 SCOPE OF WORK

The Awarded Bidder shall furnish all labor, tools, equipment, materials, and supplies required to provide video inspection and miscellaneous services of the landfill leachate transmission and under drain piping at the following Miami-Dade County landfills:

- Resources Recovery Landfill (RRL) 6990 NW 97<sup>th</sup> Avenue, Doral, FL
- North Dade Landfill (NDL) 21500 NW 47th Avenue, Miami, FL
- South Dade Landfill (SDL) 23707 SW 97<sup>th</sup> Avenue, Miami, FL

The Awarded Bidder shall be responsible for directly providing all of the required services. None of the services shall be sub-contracted.

#### 3.3 JETTING AND MAINTENANCE CLEANING SERVICES

- The Awarded Bidder shall clear all televised lines of all obstructions, blockages, or sediments through the use of high pressure water jetting that has a minimum of 3,000 pressure per square inch (PSI).
- 2. Maintenance Cleaning –shall be defined as cleaning requiring up to three (3) passes of high pressure water jetting to achieve a minimum 95% open area.
- 3. During performance and upon completion of work, the Awarded Bidder will remove all unused equipment and instruments of service, all excess or unsuitable material, trash, rubbish and debris, and legally dispose of same, unless otherwise directed by these specifications. The Awarded Bidder shall leave entire area in a neat, clean and acceptable condition.

#### 3.4 VIDEO INSPECTION SERVICES

- Awarded Bidder shall perform video inspection and taping of the interior of all piping systems which shall include but not be limited to joints, bends, valves and manholes. Confined space entry (manholes) and a methane rich atmosphere in the piping systems are anticipated.
- 2. The Awarded Bidder shall verify footage counter accuracy prior to the start of the CCTV inspection work. The camera set point (footage counter set point) shall be from the end of the pipeline to the focal point in the direction of camera travel. The footage counter shall appear on the screen at all times. The camera shall travel at a maximum speed of 30 fpm with slowdowns at joints. The camera shall stop and pan or tilt as needed to observe and clearly identify the following:
  - Camera Set Point
  - Joint separation (gap)
  - Offset joints
  - Alignment problems and elbows
  - · Cracked or damaged pipe including lined or point repaired pipe
  - Debris in the main line
  - Identifiable sags or high points in the main line
  - Root intrusion
  - Inflow or infiltration
  - Corrosion
  - Material Changes
  - Diameter Changes
  - End of the pipeline End of the pipe
- A recording of the televised storm drain inspection shall be provided, locating all defects and any pipeline connections entering the pipeline.
- 4. All videos must be formatted to allow the videos to be played independently from any video inspection software. Video inspections that require other than a standard media player shall not be acceptable. No video inspections recorded on VHS tapes shall be allowed.
- Continuous digital video recordings of the inspections as they appeared during the inspection shall be transmitted to DWR. The recordings shall be used as a permanent record of defects. The digital video encoding shall include video information.
- The self-propelled transporter must be equipped with appropriate wheels or tracks to provide a smooth inspection. Inspections where the camera is bouncing up and down will not be accepted.
- 7. The beginning of each inspection video shall include header information about the pipeline and a brief view of the area including at least one notable feature if possible.
- The camera shall stop and view all defects located within the pipeline. The defects must be viewed long enough and from multiple angles if necessary to allow clear identification of the nature of the defect.

- If a blockage cannot be removed and hampers the televising of the storm drain in one direction then an attempt shall be made to complete the section by televising from the other end of the pipeline to complete the section.
- The inspection system must be able to collect all necessary data in either the forward or reverse direction.
- 11. The CCTV data recording shall begin as the camera is being lowered into the pipeline and include scanning the end of the pipeline for observations before the pipeline inspection is started. All observations at the end of the pipeline shall be recorded at footage "0.0" of the pipe being inspected. The camera shall then be pointed down to scan the end of the pipeline and, with the video running, slowly lowered into the pipeline with the camera head pointed in the direction of the flow in the pipe. If a defect in the end of the pipeline is observed, the camera shall be panned and zoomed to obtain a closer view of the defect. The camera shall be set into the bottom of the pipeline in the direction of the inspection and the video stopped after panning up.

#### 3.5 WATER BLASTING SERVICES

The Awarded Bidder shall provide high pressure water-blasting services with a maximum of 10,000 PSI on as needed basis for scale buildup removal per lineal foot. Situations requiring the use of heavy cleaning may include, but are not limited to, large amounts of debris or heavy root growth within the existing sewer line. Heavy cleaning shall not be conducted without prior approval of the County.

#### 3.6 VACTOR SERVICES

The Awarded Bidder shall provide vactor service for removal of scale/solids from manholes/piping in addition to digesters and clarifiers. Bidder shall provide an hourly rate for the Vactor Services which shall include any and all labor, equipment including vactor truck, materials including water usage and incidental costs. Vactor service will be for water supply not associated with typical video inspections.

#### 3.7 GENERAL REQUIREMENTS

- 1. The County makes no guarantee stated or implied as to a minimum amount of feet to be video inspected at each site. In addition, the County shall assume no liability due to obstructions, pipe failure or accumulated water resulting in damage, submerged, lost, or stuck camera(s) or associated equipment. The leachate collection and under drain systems consists of a variety of pipe types and information to be used as a guide and is to be verified by the Awarded Bidder.
- 2. All equipment shall be in excellent working condition and with interchangeable heads for different pipe sizes.
- 3. The Awarded Bidder shall deliver to the Department within thirty (30) days of completing services at any site, four (4) copies of the following items:
  - A. Digital video disk (DVD) of recorded video inspection with index of the location and time on video of pipe damage and other areas of interest.

- B. A written report noting damaged areas of pipe as recorded on the digital video disk. The location and time on digital video disc of damaged areas of pipe shall be stated in the report. Other information such as date, time, and length of pipeline inspected, shall be noted in the report as well.
- C. Schematic drawing identifying the location of noted damage.
- 4. A Purchase Order, which will serve as a "Notice to Proceed".
- 5. All data and video recording will become the sole property of the County without restrictions of future use, duplication, modification, and dissemination. The Awarded Bidder shall have no vested rights to the completed work and may not sell or reuse it without the County's permission.

#### 3.8 CAMERA EQUIPMENT SPECIFICATIONS

- Camera equipment, camera crawler/carrier and other related equipment which are to be used in the potentially methane rich atmospheres are to be certified by the equipment manufacturer as explosion proof. All Equipment to be used for this application must conform to Occupational Safety & Health Administration (OSHA) regulations.
- 2. Inspections shall be performed using a color pan and tilt camera or a side wall scanning (panoramic) camera specifically designed and constructed for storm drainage or storm drain pipeline inspection.
- 3. The lighting for the pan and tilt camera or side wall scanning camera shall provide a clear picture of the entire periphery of the existing storm drain. The camera shall include a remote adjustable optical focus and automatic light compensation iris with remote override, camera controller with remote focus, iris and auto centering control and camera lighting system. Illumination sensitivity shall be 3 lux or less. During inspection, lighting intensity shall be adjusted to minimize glare. Lighting and picture quality shall be adjusted to provide a clear, in-focus picture of the entire periphery of the pipe for all conditions encountered. Lighting shall be adjusted according to the size of the pipe.
- 4. The pan and tilt camera shall pause, pan, and visually inspect all service connections, pipe ends, and maintenance or structural defects.
- 5. If utilizing a camera with side wall scanning capabilities, pausing and panning of each lateral is not necessary during the inspection if the image clearly depicts the inside of the lateral for post processing.
- 6. There shall be no geometrical distortion of the image. The camera and monitor shall be able to produce a minimum 460 lines of horizontal resolution and 400 lines of vertical resolution. Focal distance shall be adjustable from a range of 1 inch to infinity. The camera shall be mounted on skids or a tractor suitably sized for each pipe diameter to be inspected. The camera shall move through the pipe in a downstream direction whenever possible at a maximum uniform rate of 30

feet per minute (fpm). Maximum allowable error for all the footage counters shall not exceed 0.5%

#### 3.9 SITES DESCRIPTION

#### Resources Recovery Landfill (RRL) located at 6990 N.W. 97 Avenue

- This mono-fill landfill covers approximately 80 acres; 26.5 acres have reached their designated elevation and are not actively receiving waste and are situated in the northwest corner of the site. Twenty (20) acres in the southwest corner (Cells 17 & 18) are closed; the north side of Cell 19 is are also closed, Cell 20 is active.
- The leachate collection system consists of a variety of pipe types including high density polyethylene (HDPE) pipe, and polyvinylchloride (PVC) pipe.
- The southern lateral (MH1A7D) is 8" 12" HDPE and PVC. Under drains in Cells 17 and 18
  are accessed from the east by manhole and from the west by clean outports. All under drains
  and headers are not shown on Attachment A provided as part of this solicitation.

Estimated Headers (RRL): The longest length line segment is +/-750' with access at both ends. The under drains longest length line segment is +/-1000' with access from both ends.

#### North Dade Landfill (NDL) located at 21500 N.W. 47 Avenue

The NDL covers approximately 220 acres. Video inspection work will be performed for the
east cell only, which is approximately 110 acres. All under drain and transmission piping are
8" – 12" HDPE. The east cell is currently operational. Access is from the east via manholes
only.

Estimated Headers: The header's longest length line segment is +/-875' with access from both ends. The under drain's longest length line segment is +/-2000' with access from one end. Refer to Attachment B provided as part of this solicitation.

#### South Dade Landfill (SDL) located at 23707 S.W. 97th Avenue

• The developed portion of the SDL covers approximately 160 acres. Roughly one hundred ten (110) acres are closed and occupy the east portion of the site (cells 1, 2 & 3) and fifty (50) acres are currently in operation (Cell 4). In addition +/-50' acres will be constructed and are awaiting operation (Cell 5).

Cell	Pipe Locations	Type	Approx. Length	No.	Access
1	East Perimeter	PVC	2000	1	N/S Manholes
2	Underdrains	PVC	2000	3	N/S Manholes
3	Underdrains	HDPE	1000	4N	N Manholes
3	Underdrains	HDPE	1000	4S	S Manholes
4	Underdrains	HDPE	1000	4N	N Manholes

1/8/2019 3:25 PM Rev. 1/14 p. 11

#### SOLICITATION TITLE: VIDEO INSPECTION SERVICES FOR LEACHATE PIPES

4	Underdrains	HDPE	1000	4S	S Manholes
	Headers Berms	PVC	8000		Manholes
		HDPE	V. 14		Life Stations

NOTE\* There are a number of manholes. No run (length of a line) will exceed 1000 feet. The longest continuous run is 1000 feet.

Estimated Headers (SDL): The longest length line segment is +/-2000' with access from both ends. The under drain's longest length line segment is +/-2000' with access from both ends. Refer to Attachment C provided as part of this solicitation.

#### 3.10 SAFETY & PROTECTION

The Awarded Bidder shall be solely responsible for initiating, maintaining and supervising all safety precautions and programs in connection with the scope of services. Awarded Bidder shall comply with all applicable laws and regulations relating to the safety of persons or property, or to the protection of persons or property from damage, injury, or loss; and shall erect and maintain all necessary safeguards for such safety and protection.



## **SECTION 4 - BID SUBMITTAL**

FIRM NAME:	

Qualif	ication Requirements							
2.4.1	Bidder(s) shall provide signed reference letters that describe the type of service, the quality of service and length of service that the Bidder provided. Said services must have been provided within the past two (2) years. The person providing the reference shall be someone who aware of the Bidders' performance. The reference letter shall contain a contact name and phone number.							
2.4.2	The cameras the Bidder will utilize to provide services of leachate lines must be certified by the manufacturer as explosion proof. Bidder(s) shall provide proof that the cameras that will be used to provide services are "explosion proof".							
2.4.3	Bidder(s) must have a minimum of two (2) cameras available for the provision of the service. Bidder shall provide a copy of receipt of purchase as proof.							

Bidder shall provide all labor, materials, tools, equipment, transportation, licenses and incidentals necessary to provide services to leachate pipe systems, all in accordance with bid specification

## **Price Sheet**

Resources	Recovery Landfill (Estim	ated quantities ar	e based on annual usage)	
Item No.	Estimated Qty. Per Year	Unit	Description	Unit Price
1	5700**	Linear Ft.	Jetting & Cleaning Services per section 3.2	\$
2	5,700	Linear Ft.	Video Inspection Services per section 3.3	\$
North and S	South Dade Landfills (Es	timated quantities	are based on usage every 2 years)	
Item No.	Estimated Qty. Every Two (2) Years	Unit	Description	Unit Price
3	8700**	Linear Ft.	Jetting & Cleaning Services per section 3.2	\$
4	8,700	Linear Ft.	Video Inspection Services per section 3.3	\$
(Estimated	quantities are based on t	he 6 year term)		
Item No.	Estimated Qty. for Six (6) Years	Unit	Description	Unit Price
5	50,000	Linear Ft.	Water Blasting Services per section 3.4	\$
6	500	Hours	Vactor Services per section 3.5	\$

<sup>\*\*</sup> Estimated quantity based on one (1) counter passing



In compliance with Miami-Dade County Code Section 2-8. statement of its policies and procedures (use separate she	8, the Bidder/Proposer shall submit with the proposal a detailed et if necessary) for awarding subcontractors.
□ NO SUBCONTRACTO	RS WILL BE UTILIZED FOR THIS CONTRACT
Signature	Date



## SUBCONTRACTOR/SUPPLIER LISTING (Miami-Dade County Code Sections 2-8.1, 2-8.8 and 10-34)

			Na	me of Bidde	r/Proposer:				FEI	N No.								
ncluding profession awarded this contra County. The Bidder In accordance with Bidder/Proposer der	nal services which act shall not chang r/Proposer should in Ordinance No. 1 monstrates to the	-8.8 and 10.34 of the Minvolve expenditures of pe or substitute first tier enter the word "NONE" 11-90, an entity contract County prior to award to taler than ten (10) de	of \$100,000 or r subcontractor " under the ap cting with the hat the race,	r more, and all ors or direct so opropriate hea County shall of gender, and e comes availab	Proposers on uppliers or the ding of this for report the race, thnic informatic e and, in any e	County or Publi portions of the n if no subcontr gender and et n is not reason	lic Health Trus contract work actors or supp hnic origin of t ably available nal payment ur	st construction to be perform bliers will be us the owners an at that time, the	contracts whited or material sed on the condition of the	ch involve exp is to be suppli tract and sign of all first tier s	penditures of \$10 ed from those ic the form below. subcontractors/s	00,000 or mor dentified, exce suppliers. In ti	e. The Bidder/F pt upon written he event that the	Proposer who approval of recommend	o is the			
Business Name and		Supplies/ Materials/ Services to be	Hanai				al Owner					(Ent	er the number o	f male and fe	loyee(s) male employee y race/ethnicity)		iber of	
Address of First Tier Direct Supplier	Principal Owner	Provided by Supplier	М	F	White	Black	Hispanic	Aslan/Pacific Islander	Native American/ Native Alaskan	Other	м	F	White	Black	Hispanic	Asian/Pacific Islander	Native American/ Native Alaskan	Oti
												<u> </u>						F
Business Name and Address of	Principal	Scope of Work to be Performed by	James 1	Principal Owner (Enter the number of male and female owners by racolethnicity)					Employee(s)  (Enter the number of mad female employees and the number of employees by racelethnicity)					][				
First Tier Subcontractor/ Subconsultant	Owner		M	F	White	Black	Hispanic	Asian/Pacific Islander	Native American/ Native Alaskan	Other	м	F	White	Black	Hispanic	Asian/Pacific Islander	Native American/ Native Alaskan	Oti
															Samuel Control	-	and an analysis of	
<u> </u>	<u>L</u>		L	<u></u>	Ц	Ц	<u> </u>	1	<u> </u>	Ц	Ц	<u> </u>	Ц			1		Ц
		nicity information is no ition of final payment, E																ilnessibusli
certify that the rep	resentations conte	ained in this Subcontrac	ctor/Supplier i	listing are to II	e best of my k	nowledge true i	and accurate.											
Signat	ture of Bidder/Pro	poser		Print Narr	ie			Print Title			Date							
																		90 154

### Miami-Dade County

#### **Contractor Due Diligence Affidavit**

Per Miami-Dade County Board of County Commissioners (Board) Resolution No. R-63-14, County Vendors and Contractors shall disclose the following as a condition of award for any contract that exceeds one million dollars (\$1,000,000) or that otherwise must be presented to the Board for approval:

- (1) Provide a list of all lawsuits in the five (5) years prior to bid or proposal submittal that have been filed against the firm, its directors, partners, principals and/or board members based on a breach of contract by the firm; include the case name, number and disposition;
- (2) Provide a list of any instances in the five (5) years prior to bid or proposal submittal where the firm has defaulted; include a brief description of the circumstances;
- (3) Provide a list of any instances in the five (5) years prior to bid or proposal submittal where the firm has been debarred or received a formal notice of non-compliance or non-performance, such as a notice to cure or a suspension from participating or bidding for contracts, whether related to Miami-Dade County or not.

All of the above information shall be attached to the executed affidavit and submitted to the Procurement Contracting Officer (PCO)/ AE Selection Coordinator overseeing this solicitation. The Vendor/Contractor attests to providing all of the above information, if applicable, to the PCO.

Contract No. :	Federal Employer Identification Number (FEIN):	
Contract Title:		anna anna an deir an deir deir deir deir deir deir deir deir
Printed Name of Affiant	Printed Title of Affiant	Signature of Affiant
Name of Firm	•	Date
Address of Firm	State	Zip Code
	Notary Public Information	
Notary Public – State of	County of	
Subscribed and sworn to (or affirmed) before me this	day of,	20
by	He or she is personally known to me	or has produced identification
Type of identification produced		
Signature of Notary Public		Serial Number
Print or Stamp of Notary Public	Expiration Date	Notary Public Seal

# Question and Answers for Solicitation #FB-01144 - VIDEO INSPECTION SERVICES FOR LEACHATE PIPES

Overall Solicitation Questions

There are no questions associated with this Solicitation.