


Mosquito Bite Protection **in Florida**

FloridaHealth.gov • Florida Department of Health

Not all mosquitoes are the same. Different mosquitoes spread different viruses and bite at different times of the day. Some mosquito species bite during the day, such as those mosquitoes that can spread chikungunya, dengue, and Zika viruses. Other species of mosquitoes bite most often at dawn and dusk, including those that can transmit West Nile virus.



If you have a baby or child:

Always follow product instructions when applying insect repellent to children.

Spray insect repellent onto your hands and then apply to a child's face.

Do not apply insect repellent to a child's hands, mouth, cut or irritated skin.

Do not use insect repellent on babies younger than 2 months.

Dress babies or small children in clothing that covers arms and legs.

Cover cribs, strollers or baby carriers with mosquito netting.

Cover up with clothing

Wear long-sleeved shirts and long pants.

Mosquitoes can bite through thin clothing. Treat clothes with permethrin or another EPA-registered insecticide for extra protection.

Use permethrin-treated clothing and gear.

Permethrin is an insecticide that kills mosquitoes and other insects.

Buy permethrin-treated clothing and gear (boots, pants, socks, tents), or use permethrin to treat clothing and gear—follow product instructions closely.


Read product information to find out how long the permethrin will last.

Do not use permethrin products directly on skin.

02/2016

www.cdc.gov/features/StopMosquitoes

* The use of commercial names is to provide information about products; it does not represent an endorsement of these products by the Centers for Disease Control and Prevention or the U.S. Department of Health and Human Services.



www.cdc.gov/features/StopMosquitoes