

Appendix D
Draft Monitoring Plan

**COASTAL WETLANDS REHYDRATION DEMONSTRATION
PROJECT
DRAFT MONITORING PLAN**

TABLE OF CONTENTS

| | |
|---|----|
| List of Tables..... | ii |
| List of Figures..... | ii |
| 1.0 Introduction..... | 1 |
| 2.0 Project Background..... | 1 |
| 3.0 Objectives and Monitoring Approach..... | 1 |
| 4.0 Water Quality Targets..... | 2 |
| 5.0 Surrounding Area Baseline Monitoring (Category A)..... | 3 |
| 5.1 Status of Existing Data and Data Gaps..... | 3 |
| 5.1.1 Water Quality..... | 3 |
| 5.1.2 Vegetation..... | 6 |
| 5.1.3 Data Gaps..... | 6 |
| 5.2 Surrounding Area Baseline Monitoring Program..... | 6 |
| 5.2.1 Baseline Water Quality Monitoring..... | 7 |
| 5.2.2 Baseline Sediment Monitoring..... | 7 |
| 5.2.3 Baseline Vegetation Monitoring..... | 11 |
| 6.0 Water Rehydration Demonstration Plant (WRDP) Monitoring (Category B)..... | 11 |
| 7.0 Aquatic Toxicity Testing Study (Category C)..... | 12 |
| 8.0 Sidestream Testing (Category D)..... | 12 |
| 9.0 Ecological Testing (Category E)..... | 12 |
| 10.0 Photodocumentation..... | 13 |
| 11.0 Microconstituents..... | 13 |
| 12.0 Analytical Methods..... | 13 |
| 13.0 Quality Assurance Program..... | 13 |
| 14.0 Data Display, Dissemination and Reporting..... | 14 |
| 15.0 Project Implementation Program..... | 14 |

List of Tables

| | |
|--|----|
| Table 1. Water Quality Targets..... | 4 |
| Table 2. Water Quality Targets- Metals..... | 5 |
| Table 3. Existing Surrounding Area Baseline Monitoring Station Summary..... | 9 |
| Table 4. Proposed Additional Surrounding Area Baseline Monitoring Stations | 10 |
| Table 5. Sediment Monitoring Parameters and Frequencies | 11 |
| Table 6. Vegetation Monitoring Parameters and Frequencies | 12 |

List of Figures

| | |
|---|---|
| Figure 1. Surrounding Baseline Monitoring Station Locations. | 7 |
|---|---|

COASTAL WETLANDS REHYDRATION DEMONSTRATION PROJECT DRAFT MONITORING PLAN

1.0 Introduction

This document outlines the Coastal Wetlands Rehydration Demonstration Project (CWRDP) monitoring plan. The CWRDP Monitoring Plan outlines specific recommendations for water quality and biological data collection based on monitoring plans implemented during other wastewater reuse pilots, the operations schedule of the plant, and physical site conditions dictated through design and construction. The plan provides sampling locations, parameter lists, methods and frequencies. The plan has been designed to provide the data and information necessary to evaluate the CWRDP's performance in meeting its goals and objectives.

2.0 Project Background

The Central and Southern Florida Project Restudy has determined that there will be insufficient water available in the natural system to restore the Biscayne Bay Coastal Wetlands (BBCW). The Comprehensive Everglades Restoration Plan (CERP) proposed using wastewater reuse from the South District Waste Water Treatment Plant (SDWWTP) to supplement the flows that will be provided to the BBCW from other future restoration project elements. Since this particular element of the CERP has been placed on hold, Miami-Dade County has proposed to undertake the CWRDP.

The CWRDP is designed to treat secondary effluent from the SDWWTP to produce approximately 230,000 gallons per day. A small sidestream (approximately 30-40 gpm) of the WRDP effluent will be used to test additional sidestream treatment processes. The WRDP and the sidestream processes will be evaluated according to various water quality parameters and their ability to remove unwanted nutrients. Aquatic ecological toxicology testing will be performed on the plant and sidestream process effluents to determine anticipated ecological responses, if any, to the reclaimed water. Detailed treatment processes and the surrounding environmental conditions are available in the Coastal Wetlands Rehydration Demonstration Project Conceptual Plan and Basis of Design, Technical Memorandum (CDM, November 2007).

3.0 Objectives and Monitoring Approach

The CWRDP monitoring plan has been designed to yield data and information that will facilitate the following objectives:

1. Enhance the current monitoring programs in areas surrounding the SDWWTP in order to establish a surrounding area baseline prior to full-scale wastewater reuse application;
2. Demonstrate the WRDP's ability to consistently attain low nutrient water quality and determine how close it can come to meeting the target levels;

3. Evaluate ecological responses to the highly treated WRDP effluent; and
4. Test the added treatment capabilities and benefits of the sidestream processes.

In order to achieve these objectives, the monitoring activities will be divided into the following four categories:

- The ***Surrounding Area Baseline Monitoring (Category A)*** will be conducted to further characterize the areas surrounding the SDWWTP. Specifically, stations within the C-1 and L31E Canals, the BBCW area lying immediately east of the SDWWTP, the coastal wetland fringe east of the SDWWTP, and Biscayne Bay will be monitored. A detailed description of the vegetation, sediment, and water quality monitoring is presented in Section 5.0.
- The ***WRDP Water Quality Monitoring (Category B)*** will be conducted to demonstrate the WRDP's ability to consistently attain low nutrient water quality and determine how close it can come to meeting the target levels. Water quality data will be collected at the WRDP influent (SDWWTP deep well injection discharge) and effluent. This monitoring will be conducted throughout the life of the project.
- The ***Aquatic Toxicology Testing Studies (Category C)*** will be conducted to evaluate the biological responses to the highly treated WRDP effluent. A general overview of the objectives and procedures is presented in Appendix C. Details of the testing protocols will be determined through a literature review and will be subjected to a peer review during the next project phase.
- The ***Sidestream Process Testing (Category D)*** will be conducted on several sidestream pilot technologies: reverse osmosis; ion exchange; granulated activated carbon; and advanced oxidation. Water quality monitoring will be performed at the influent and effluent of each tested process to determine corresponding improvements in water quality associated with these additional treatment technologies.
- The ***Ecological Testing (Category E)*** will be conducted to evaluate the water quality, soil, vegetation and biological responses to the highly treated WRDP effluent. Details of the testing protocols will be determined through a literature review and will be subjected to a peer review during the next project phase.

4.0 Water Quality Targets

The water quality datasets generated from each monitoring category will be compared against a common set of water quality targets. These water quality targets were established by the 2004 Waste Water Reuse Pilot Project Delivery Team and reported in the Final Report South Dade Advanced Wastewater Treatment Alternatives, (USCOE, 2004).

In formulating these standards, the Project Delivery Team (PDT) considered three water quality goals: the State of Florida standards for reuse of reclaimed water; the State of

Florida water quality standards for discharge to receiving wetlands; and the ‘anti-degradation’ standards based Class III/ Outstanding Florida Water (OFW), which are more stringent than the reuse and wetlands application standards. Micronutrient targets are indicated as “lowest possible”. These targets are outlined in Tables 1 and 2, as presented in Coastal Wetlands Reuse Rehydration Demonstration Pilot Project, Phase I Technical Memorandum.

5.0 Surrounding Area Baseline Monitoring (Category A)

The primary objective of the Surrounding Area Baseline Monitoring (Category A) is to enhance the existing monitoring programs and outline supplemental monitoring efforts necessary to close existing data gaps that currently prevent a comprehensive characterization of the area surrounding the SDWWTP. The surrounding area baseline monitoring will be conducted throughout the duration of the project to develop a database for establishing anti-degradation criteria prior to the eventual discharge of the highly treated effluent.

A review of readily available water quality data was performed to characterize the existing conditions of the area surrounding the SDWWTP. The area includes the C-1 and L-31 canals, the Cutler Flow Way, the BBCW, and the waters of Biscayne Bay. Data gaps within these areas of interest were identified as a course of the review. The findings were previously prepared and reported in Appendix D of the Coastal Wetlands Reuse Rehydration Demonstration Project, Phase I, Technical Memorandum (CDM, February 2007). Appendix F of the Coastal Wetlands Rehydration Demonstration Project Conceptual Plan and Basis of Design (CDM, November 2007) contains copy of these findings. This will be necessary to provide an environmental conditions characterization of the surrounding areas.

5.1 Status of Existing Data and Data Gaps

Multiple water quality datasets for the surrounding canals, the coastal wetland fringe, and the Bay were reviewed and summarized. The sub-sections below review selected relevant datasets and discuss the data gaps identified during the review of readily available data.

5.1.1 Water Quality

Relevant water quality data was extracted from the Biscayne Bay Water Quality Status and Trends Project (BBWQSTP) conducted by the Miami-Dade Department of Environmental Resources Management (DERM). Stations within the project area included stations in the C-1 Canal, the L31-E Canal south of the project area, and areas within Biscayne Bay. The periods of data collection varied per station, but included monthly samples taken from 1988 to 2003. Parameters consistent with the current project’s water quality goals include TKN, Nitrate/Nitrite, Ammonia, Total Phosphorus, Orthophosphate, TSS, DO, pH, Salinity, Total Coliform and Fecal Coliform, Lead, Zinc and Cadmium.

Table 1. Water Quality Targets

| Parameter | Effluent Water Quality Standards / Goals ^(a) | | | | |
|--|---|----------------------|--------------------------|---------------------|-------------------------|
| | Irrigation Reuse | Wetlands Application | Class III Goal OFW | BBPI ^(b) | WWRU PDT ^(c) |
| Total Nitrogen (mg/L) | NA | 3 | 0.27 | - | - |
| Total Kjeldahl Nitrogen (mg/L) | - | - | 0.22 | - | 0.36 |
| Nitrite/ Nitrate (mg/L) | - | - | 0.01 | 0.01 | 0.01 |
| Ammonia Nitrogen (mg/L) | - | - | 0.02 - 0.05 | 0.05 | 0.05 |
| Total Phosphorus (mg/L) | NA | 1.000 | 0.005 | 0.005 | 0.005 |
| Orthophosphate (mg/L) | - | - | 0.002 | - | |
| CBOD-5 (mg/l) | 20 (2) | 5 | NA | | |
| Turbidity, NTU | 5 (1) | | 0.5 | | |
| Total Coliform (cfu/100ml) | <1.0 | <1.0 | <1.0 | - | <10.0 |
| Fecal Coliform (cfu/100ml) | | | | - | |
| DO Surface (mg/L)^ | - | - | 5.0 to 7.3 | - | 6.43 |
| DO Bottom (mg/L)^ | - | - | | - | |
| Surface Salinity (ppt)^ | - | - | No change > 5 ppt | - | - |
| Bottom Salinity (ppt)^ | - | - | | - | - |
| Total Suspended Solids (mg/L) | 5.0** | 5.0 | 3.5 | - | - |
| pH | - | - | 6.5 to 7.5* | - | - |
| Conductivity | - | - | - | - | - |
| Temperature | - | - | - | - | - |
| Metals (See Table 2) | | | | | |
| Microconstituents / Emerging Pollutants of Concern (EPOCs) | - | - | Lowest Possible Level*** | - | - |
| Cryptosporidium and Giardia | - | - | | - | - |
| * Appropriate limits for pH in the estuarine zone will require further evaluation. | | | | | |
| ** Single sample maximum | | | | | |
| *** Although, there are currently no established numerical criteria or antidegradation targets for these parameters, available information shall be gathered on the removal efficiency of various treatment technologies and detectable levels after advanced treatment for these parameters for comparative assessment. In practical terms, the objective would be to identify the technology that reduces such contaminants to the lowest level. | | | | | |
| ^ Monitored separately by depth as per DERM, but not separated for CWRDP. | | | | | |
| (a) Task 5 – Final Report South Dade Advanced Wastewater Treatment Alternatives, (USCOE, 2004) | | | | | |
| (b) Biscayne Bay Partnership Initiative (BBPI) | | | | | |
| (c) Waste Water Reuse Pilot Project Delivery Team (WWRU PDT) | | | | | |

Source: Final Report South Dade Advanced Wastewater Treatment Alternatives Literature Search/Survey of Wastewater Treatment Facilities. (US Army Corps of Engineers, Contract No. DACW 17-01-D-00B, 2004)

Table 2. Water Quality Targets- Metals

| Treatment Objectives: Method Detection Limit (MDL) and Practical Quantitation Limit (PQL) for Metals of Interest | | | | | |
|---|------------------------------------|---------------------|---------------------|----------------------------------|----------------------|
| Metals | Methodology Required or Equivalent | Required MDL (ug/l) | Required PQL (ug/l) | Sea Water Composition (ug/L) 1,2 | Target Levels (ug/L) |
| Aluminum** | EPA 200.9 | 7.8 | 30 | 10 | 10 |
| Antimony | EPA 200.9 | 0.8 | 3 | 0.5 | 0.8 |
| Arsenic, tot | EPA 200.9 | 0.5 | 2 | 3 | 3 |
| Barium** | EPA 200.7 | 1 | 44 | 30 | 30 |
| Cadmium | EPA 200.9 | 0.05 | 0.2 | 0.1 | 0.1 |
| Chromium, total | EPA 200.9 | 0.1 | 0.4 | 0.05 | 0.1 |
| Copper | EPA 200.9 | 0.7 | 3 | 3 | 3 |
| Iron | EPA 200.7 | 7 | 3 | 10 | 10 |
| Lead | EPA 200.9 | 0.7 | 3 | 0.03 | 0.7 |
| Manganese | EPA 200.9 | 0.3 | 1 | 2 | 2 |
| Mercury, total | EPA 1631C | 0.0001 | 0.0005 | 0.03 | 0.03 |
| Mercury, methyl | EPA 1630 Draft | 0.00002 | 0.00005 | | 0.03 |
| Nickel | EPA 200.9 | 0.6 | 2 | 2 | 2 |
| Selenium** | EPA 200.9 | 0.6 | 2 | 4 | 4 |
| Silver | EPA 200.9 | 0.5 | 2 | 0.04 | 0.5 |
| Thallium | EPA 200.9 | 0.7 | 3 | >0.01 | 0.7 |
| Tin | EPA 200.9 | 1.7 | 7 | 3 | 3 |
| Zinc | EPA 200.7 | 2 | 8 | 10 | 10 |
| Bolded Metals: Indicates typical parameters monitored in waste water | | | | | |
| Bolded and Italic Metals Metal added due to its inclusion in the Class III Surface Water FDEP Rule | | | | | |
| Italic Metals: Total Mercury is monitored in waste water and is part of the Class III Surface Water FDEP Rule. Methyl and total mercury at low levels are not part of the Class III Surface Water FDEP Rule, but were added to this quality goals list to be consistent with current District monitoring. | | | | | |
| 1 - Geological Survey Water Supply Paper 1473, <i>Study and Interpretation of the Chemical Characteristics of Natural Water</i> , Second Edition, p. 11 (1971) 2 - Horne R.A. , <i>Marine Chemistry The Structure of Water and the Chemistry of the Hydrosphere</i> , Wiley-Interscience, 1969 | | | | | |

Source: Final Report South Dade Advanced Wastewater Treatment Alternatives Literature Search/Survey of Wastewater Treatment Facilities. (US Army Corps of Engineers, Contract No. DACW 17-01-D-00B, 2004)

The expansion of the BBWQSTP is planned as part of the Biscayne Bay Coastal Wetlands Water Quality Monitoring Plan, currently in draft. Significant changes to the BBCWWQSTP are not anticipated. This plan is currently in the final stages of its review process. There is another portion of the BBCW project, the C-1 Cutler Flow Way, that may occur sooner as part of Acceler8. However, the monitoring plan for this project is not yet available and is expected to occur as part of the permitting process.

Water quality data was also obtained from MDWSD monitoring wells on the SDWWTP property. Data derived from the wells on the north side of the property were reviewed and include parameters for chlorides, conductivity, total dissolved solids and Biscayne Aquifer water levels. This data provides information concerning upwelling conditions around the deep well injection casings. This dataset may not be appropriate to determine existing conditions within the areas surrounding the project, but has proven useful in characterizing

the water of the Biscayne Aquifer south of the project area.

5.1.2 Vegetation

Vegetation data was available for the BBCW in a report entitled, *Inventory of Vascular Plants of Biscayne National Park* (Institute for Regional Conservation, 2004). Transects were run within the BBCW in the areas east of the SDWWTP. However, more detailed information is needed for the surrounding area baseline. This information was not included in the original Baseline Assessment Report.

5.1.3 Data Gaps

Water quality, sediment, and vegetation data gaps exist within the Cutler Flow Way, the BBCW immediately east of the SDWWTP, the surrounding canals and Biscayne Bay. Additional stations and supplemental parameters added to existing monitoring stations are needed to fill these data gaps.

5.2 Surrounding Area Baseline Monitoring Program

This section refers to a list of additional monitoring parameters that are recommended for incorporating into the sample analysis regimes at the existing monitor stations surrounding the project area. It also outlines proposed additional stations and parameters needed to close the data gaps in the baseline characterization of the areas surrounding the WRDP. It is anticipated that the Category A monitoring activities will run from the project's inception (2008) through its completion in 2015 (subject to change as per schedule revisions).

Existing stations that will be utilized for surrounding area baseline monitoring include BA-14, BA-15, BL01, BL02, BL03, GL03, GL02 and BB39A. (See Figure 1.)

The proposed additional stations are:

- BL20 – Located just to the northwest of the SDWWTP, along the C-1 Canal
- LC01 – Located on the L31-E Canal, approximately 0.5 miles north of the confluence of the C-1 and the L31E Canals
- BC01 – Located approximately 0.25 miles southeast of the northeastern corner of the SDWWTP
- BC02 – Located approximately 0.5 miles southeast of the northeastern corner of the SDWWTP
- BC03 – Located approximately 1.25 miles southeast of the northeastern corner of the SDWWTP, along the intertidal zone of Biscayne Bay

This results in a 15 station matrix for the surrounding area baseline (Category A) monitoring program (see Figure 1.) Table 3 presents a summary of the sampling matrix of the existing monitoring stations, parameters and frequencies. Table 4 presents a sampling

matrix of additional surrounding area baseline monitoring stations, parameters and frequencies.

5.2.1 Baseline Water Quality Monitoring

Nutrient and physical parameters of surface water in the area surrounding the SDWWTP will be sampled monthly at stations BC01, BC02, BC03, LC01, BL01, BL02, BL03, BL20, GL03, GL02 and BB39A; samples from these stations will be analyzed for metals annually. Tables 1 and 2 outline the exact parameter lists. The sampling frequencies of the existing monitoring stations are congruent with the frequencies required for the CWRDP monitoring plan and will thus remain unaffected. Supplemental parameters must be added to stations BL01, BL02, BL03, GL02, GL03 and BB39A to match those listed in the water quality target goals listed in Tables 1 and 2. Table 3 identifies these supplemental parameters.

Groundwater quality samples from the Biscayne Aquifer in the surrounding area will be collected and analyzed for nutrients and physical parameters on a quarterly basis at stations BA-14, BA-15, and BC02; samples from these stations will be analyzed for metals annually. Grab samples from these stations will be analyzed for the parameters listed in Tables 1 and 2.

It has been determined that the top of the Biscayne Aquifer is at zero meters, National Geodetic Vertical Datum (NGVD). Therefore, the groundwater monitoring well clusters at stations BC02, C1GW1 and C2GW4 will consist of two wells, with one installed to -0.33m and the second to -2.33m NGVD. Well depths were chosen that would reveal project groundwater migration while minimizing the risk of those parameters eluding detection due to dilution by the Biscayne Aquifer. The proposed naming convention for the wells installed at the stations cited above will list the station name followed by an “a”, to indicate wells installed to -0.33m, or a “b” to indicate wells installed to -2.33m. For example, BC02a and BC02b refer to the proposed wells at the BC01 station installed to -0.33m and -2.33m, respectively.

5.2.2 Baseline Sediment Monitoring

Baseline sediment samples will be collected at Start-up and annually thereafter at BC01, BC02, and BC03. Samples will be collected in triplicate by cylindrical coring. Each core will be sectioned into the 0-10 and 10-30 cm soil intervals. The triplicate samples will be homogenized based on sample interval and then submitted for analysis.




Table 3. Existing Surrounding Area Baseline Monitoring Station Summary

| Agency | Monitoring Station | Groundwater /Surface water | Currently Monitored Parameters | Current Monitoring Frequency | Proposed Additional Parameters for CWRDP | Proposed Monitoring Frequency for CWRDP |
|-------------|--------------------|----------------------------|--|------------------------------|---|---|
| MDWSD | BA-14, BA-15 | Groundwater | Chlorides, Conductivity, TDS, and Biscayne Aquifer levels. | Quarterly | TN, TKN, Nitrite/Nitrate, NH ₃ , TP, Ortho-TPO ₄ , CBOD-5, Turbidity, Total & fecal coliform, DO, Salinity, TSS, pH, Cryptosporidium and Giardia, | Quarterly |
| | | | | | Metals (See Table 2) | Annually |
| SFWMD/ DERM | BL01 | Surface water | *Physical parameters, Turbidity, Total & fecal coliform, TP, NH ₃ , NOx-N | Monthly | TN, TKN, Ortho-TPO ₄ , CBOD-5, TSS, Cryptosporidium and Giardia, | Monthly |
| | | | Cu-SW, Pb-SW, Zn-SW, Cd-SW | Quarterly | Metals (See Table 2 except Cu, Pb, Zn, Cd) | Annually |
| | BL02 | Surface water | *Physical parameters, Total and fecal coliform, TP, NH ₃ -N, NOx, Color, Turbidity | Monthly | TN, TKN, Ortho-TPO ₄ , CBOD-5, TSS, Cryptosporidium and Giardia, | Monthly |
| | | | | | Metals (See Table 2) | Annually |
| | BL03 | Surface water | *Physical parameters, Total and fecal coliform, TP, NH ₃ -N, NOx, Color, Turbidity, Ortho-TPO ₄ , TSS, BOD, COD, Phenols | Monthly | TN, TKN, TDS, CBOD-5, Cryptosporidium and Giardia, | Monthly |
| | | | TKN | Bi-monthly | — | — |
| | | | TDS, TSS, BOD, COD, Hardness, Cu-FW, Pb-FW, Zn-FW, Cd-FW | Quarterly | — | — |
| | | | Sb, As, Ba, Be, Cr, Hg-FW, Mn, Ni, Se, Ag, Ti, Cn, VOC, Semi-VOCC, Oil-Grease | Annually | Metals (See Table 2, except Sb, As, Ba, Be, Cr, Mn, Ni, Se, Ag, Hg-FW, Cu-FW, Pb-FW, Zn-FW, Cd-FW), and Microconstituents | Annually |
| | BB39A | Surface water | *Physical parameters, Total and fecal coliform, TP, NH ₃ -N, NOx, Color, Turbidity | Monthly | TN, TKN, Ortho-TPO ₄ , CBOD-5, TSS, Cryptosporidium and Giardia, | Monthly |
| | | | Cu-SW, Pb-SW, Zn-SW | Quarterly | Metals (See Table 2 except Cu, Pb, Zn), Microconstituents | Annually |
| DERM | GL02 | Surface water | *Physical parameters, Total and fecal coliform, TP, NH ₃ -N, NOx, Color, Turbidity, Ortho-TPO ₄ , TSS, BOD, COD, Phenols | Monthly | TN, TKN, Ortho-TPO ₄ , CBOD-5, DO, Salinity, TSS, pH, , Cryptosporidium and Giardia, | Monthly |
| | | | | | Metals (See Table 2) | Annually |
| | GL03 | Surface water | *Physical parameters, Total and fecal coliform, TP, NH ₃ -N, NOx, Color, Turbidity, Ortho-TPO ₄ , TSS, BOD, COD, Phenols | Monthly | TN, TKN, TDS, CBOD-5, DO, Salinity, pH, Cryptosporidium and Giardia, | Monthly |
| | | | TKN | Bi-monthly | — | — |
| | | | TDS, TSS, BOD, COD, Hardness, Cu-FW, Pb-FW, Zn-FW, Cd-FW | Quarterly | — | — |
| | | | Sb, As, Ba, Be, Cr, Hg-FW, Mn, Ni, Se, Ag, TI, CN, VOC, Semi-VOCC, Oil-Grease | Annually | Metals (See Table 2, except Sb, As, Ba, Be, Cr, Mn, Ni, Se, Ag, Hg-FW, Cu-FW, Pb-FW, Zn-FW, Cd-FW) | Annually |

Physical parameters include: Temperature, Salinity, Dissolved Oxygen, Conductivity, Depth, pH, and Oxidation/reduction potential

x-FW = D.E.R.M. Freshwater metals detection methods; x-SW= D.E.R.M Salt water metals detection methods

MDWSD- Miami Dade Water and Sewer Department; SFWMD- South Florida Water Management District; DERM- Department of Environmental Resource Management

MSA Milian, Swain & Associates, Inc.

Table 4. Proposed Additional Surrounding Area Baseline Monitoring Stations

| Proposed Monitoring Station | Location Description | Groundwater/ Surface water | Proposed Parameters for CWRDP | Proposed Monitoring Frequency |
|------------------------------------|--|---------------------------------------|---|--------------------------------------|
| LC01 | Located on the L31-E Canal, approximately 0.5 miles north of the confluence of the C-1 and the L31E Canals | Surface water | Nutrients, physical parameters and bacteria (See Table 1 for complete list) | Monthly |
| | | | Metals (See Table 2) and Microconstituents | Annually |
| BL20 | Located just to the northwest of the SDWWTP, along the C-1 Canal | Surface water | Nutrients, physical parameters and bacteria (See Table 1 for complete list) | Monthly |
| | | | Metals (See Table 2) and Microconstituents | Annually |
| BC01 | Located approximately 0.25 miles southeast of the northeastern corner of the SDWWTP | Surface water | Nutrients, physical parameters and bacteria (See Table 1 for complete list) | Monthly |
| | | | Metals (See Table 2) | Annually |
| BC02 | Located approximately 0.5 miles southeast of the northeastern corner of the SDWWTP | Surface water | Nutrients, physical parameters and bacteria (See Table 1 for complete list) | Monthly |
| | | | Metals (See Table 2) and Microconstituents | Annually |
| | | Groundwater | Nutrients, physical parameters and bacteria (See Table 1 for complete list) | Quarterly |
| | | | Metals (See Table 2) | Annually |
| BC03 | Located approximately 1.25 miles southeast of the northeastern corner of the SDWWTP, along the intertidal zone of Biscayne Bay | Surface water | Nutrients, physical parameters and bacteria (See Table 1 for complete list) | Monthly |
| | | | Metals (See Table 2) | Annually |

Sediment analysis will include the following parameters: TP, Total Inorganic P (1 M HCl extraction), TN (TKN, NH₄, and NO_x), TOC, S, Al, Fe, bulk density and microconstituents. The sediments will also undergo an initial and final toxicity characteristic leaching procedure (TCLP Analysis) including extractions and analysis for TCLP Volatiles, Semi Volatiles, Pesticides, Herbicides, and Metals. If micronutrients are detected in sediment samples obtained during the initial sediment sampling, then analysis for micronutrients in sediment samples will continue annually throughout the duration of the study. Otherwise, microconstituents will be dropped from the sediment sample analysis. See Table 5 for a summary of sediment monitoring.

Table 5. Sediment Monitoring Parameters and Frequencies

| Parameter | Method | Frequency | Locations |
|--|-----------------------------------|---|--|
| Sulfur | Soil cores, sampled in triplicate | Once at Start-Up and annually thereafter | Coastal Wetland Station BC01, BC02, and BC03 |
| Total Nitrogen (TKN, NH ₄ , NO _x) | | | |
| Total Phosphorus | | | |
| Aluminum | | | |
| Iron | | | |
| Total Inorganic Phosphorus (1M HCl Extraction) | | | |
| Bulk density | | | |
| Total Organic Carbon | | | |
| TCLP | | | |
| Microconstituents | | Once at Start-Up, annually thereafter upon if target compounds are detected | |

5.2.3 Baseline Vegetation Monitoring

Vegetation surveys of the surrounding area will be conducted at stations BC01, BC02, and BC03. A line intercept methodology will be applied to 100m long transects. These transects will be monitored semi-annually to identify changes in the natural vegetation independent of the effects of reuse water. Table 6 outlines the vegetative monitoring parameters and frequencies. Submergent and emergent vegetation will be sampled as part of the constructed ecological testing program (Category E).

6.0 Water Reclamation Demonstration Plant (WRDP) Monitoring (Category B)

The **WRDP Water Quality Monitoring** (Category B activities) will be conducted to demonstrate how close the WRDP's effluent can come to attaining the water quality levels outlined in Tables 1 and 2 on a consistent basis. The WRDP process entails the application of submerged aerated filters (for nitrification), denitrification filters, ballasted flocculation with FeCl₃, ultrafiltration membranes, and ultraviolet disinfection to SDWWTP secondary effluent prior to aquatic toxicity and ecological testing.

Table 6. Vegetation Monitoring Parameters and Frequencies

| Parameter | | Sample Type | Frequency | Locations |
|-------------------------|--|---|--|--|
| Species Frequency | | Line intercept | At Start-Up and Semi-annually thereafter | Coastal Wetland Stations BC01, BC02 and BC03 |
| Submergent Aquatic Veg. | Above/below ground biomass; mortality, percent cover, planning densities | Daoust and Childers (1998); Havens (2003) | | Three sampling points within each mesocosm |
| Emergent Aquatic Veg. | | | | |

The WRDP plant monitoring will entail the collection and analysis of influent and effluent water quality samples from the WRDP at stations designated as WWIN and WWOUT. Frequencies of the WRDP monitoring program will be finalized when the operational plan for the project is completed. The operational plan will look at the performance of the individual processes and technologies. This monitoring will be conducted throughout the life of the project

7.0 Aquatic Toxicity Testing Study (Category C)

The general procedures and objectives of the aquatic toxicity testing are outlined in Appendix C. Details of the testing protocols will be determined through a literature review and will be subjected to a peer review during the next project phase.

8.0 Sidestream Testing (Category D)

Once the WRDP is fully operational, four sidestream pilot technologies: reverse osmosis, ion exchange, granulated activated carbon, and advanced oxidation, will be implemented for testing. The tests will be conducted to determine the pilot technologies' operational capabilities in removing additional nutrients and microconstituents from WRDP effluent in addition to aquatic toxicity and ecological testing. Testing conditions, volumes of WRDP effluent used and time durations for each test are expected to vary for each technology and as refinements are made to individual testing objectives and procedures. Repeated trials and alterations to testing procedures are expected to occur until conclusions can be drawn and verified. Grab samples of the sidestream pilot effluent will be collected and analyzed on schedules that meet the demands of the individual technology and testing scenarios. Target analytes for individual sample analysis may also vary.

9.0 Ecological Testing (Category E)

Details of the testing protocols will be determined through a literature review and will be subjected to a peer review during the next project phase.

10.0 Photodocumentation

Digital images of the ecological testing areas will be captured quarterly and catalogued. Photo stations will be designated prior to the initial vegetation survey or upon completion of the mesocosms construction. For each point, specific camera angles will be designated to show temporal changes over set fields of vision. The collective set of photo stations will cover each mesocosm.

11.0 Microconstituents

In 2004 the U.S. Geological Survey, in cooperation with the Comprehensive Everglades Restoration Plan Wastewater Reuse Technology Pilot Project Delivery Team, initiated a study to assess the presence of microconstituent compounds in the South District Wastewater Treatment Plant influent and effluent (Lietz and Meyer, 2006). Discrete and 24-hour composite samples were collected from four locations along the Plant's treatment train to evaluate the fate of microconstituents along the treatment stages. Samples were collected on four separate events occurring in both the wet and dry seasons. The compounds detected in that study fall into the following categories:

1. Antibiotics
2. Hormones
3. Organic wastewater compounds
4. Pharmaceuticals

As many microconstituent compounds are currently unregulated, standard methods for analysis do not exist. Additionally, detection methods for these compounds continue to be refined by industry experts. The CWRDP monitoring plan calls for sample analysis for these microconstituents compounds using the methods presented in *Evaluation of Emerging Contaminants of Concern at the South District Wastewater Treatment Plant Based on Seasonal Sampling Events, Miami-Dade County, Florida, 2004* (Lietz and Meyer, U.S. Geological Survey, 2006) unless more up to date methods are identified as per the commencement of the project.

12.0 Analytical Methods

Standard methods for detection of nutrients, common ions and metals will be employed in the analysis of all samples from the surrounding area, the WRDP water quality monitoring, constructed wetland monitoring, and sidestream process testing unless indicated otherwise in preceding sections of this document. Microconstituents will be analyzed according to compound categories using USGS protocols as described in Section 10.0.

13.0 Quality Assurance Program

All samples will be presented and handled in accordance with:

- Florida Department of Environmental Protection standard operating procedures; and

- the South Florida Water Management District's Water Quality Field Sampling methods

An equipment blank will be collected at the beginning and end of each sampling day for surface water and groundwater. Two replicate samples will be collected per quarter. Two split samples will be collected per site, per quarter. Each of the two split sample sets will be sent to two different laboratories and results will be evaluated. Known and blind blanks, spikes, and duplicates will be sent to participating analytical laboratories as part of a pre-qualification trial to ensure quality lab performance. Each lab must meet appropriate accuracy, precision, and reliability data quality objectives for each analyte category in a pre-determined concentration range.

14.0 Data Display, Dissemination and Reporting

Project reports will include sections for executive summary, introduction, methods, and results. The project introduction section will include a description of the project background, the monitoring areas, the period covered by the report, and maps of the monitoring stations.

The methods section will include a QA/QC summary, discussion of problems encountered and statistical analysis of the data. The summary will include QA/QC data, calibration data, field notes, and descriptions of the quality control issues encountered and identification of the samples affected.

The results section will include the statistical analysis of the datasets and include maximum, minimum, mean, median, standard deviation as well as trend analysis. The results section will discuss water quality data as related to the Targets outlined in Tables 1 and 2. Further comparisons will be made to the surrounding are baseline data. Ultimately, conclusions will be drawn based on the project results and subsequent analysis and be presented for peer review.

15.0 Project Implementation Program

Project implementation will be a multi-agency effort involving the Miami Dade Water and Sewer Department (MDWSD), the Miami Dade Department of Environmental Resources Management (DERM), the South Florida Water Management District (SFWMD), Biscayne National Park (BNP), and Florida International University (FIU). The surrounding area baseline monitoring will be conducted jointly by the WASD, SFWMD and DERM. Many of the stations are overlapping and the sampling frequency and analysis are the same. The WRDP monitoring will be conducted by the WASD, as will the constructed wetlands monitoring and sidestream testing. FIU will conduct the Aquatic Toxicity Testing Study. A partnership with the United States Geological Survey or its equal will be sought to perform the analysis of micronutrient samples.