



PO Box 330316 • 3071 SW 38 Avenue Miami, Florida 33233-0316 T 305-665-7471

April 15, 2015

Electronic Correspondence SFWMD eCompliance CCN: 59304 File Nos. 8DC.19.17

Mr. Simon Sunderland Environmental Resource Regulation Division South Florida Water Management District P.O. Box 24680 West Palm Beach, FL 33416-4680

Subject:

Miami-Dade County Consolidated PWS, Water Use Permit No. 13-00017-W, 2014

Annual Report on Water Conservation Plan, Limiting Condition 17

Dear Mr. Sunderland:

In accordance with Limiting Condition 17 of Water Use Permit No. 13-00017-W, attached is 2014 Annual Report on Water Conservation Plan.

Should you have any questions regarding this submittal, please call me at (786) 552-8120.

Sincerely, a

Bertha M. Goldenberg, P.E.

Assistant Director,

Regulatory Compliance and Planning

BMG/ro

Attachment



Miami-Dade Water and Sewer Department

Miami-Dade Consolidated PWS Water Use Permit No. 13-00017-W

Water Conservation Plan 2014 Annual Report

January 1, 2014 Through December 31, 2014

Miami-Dade
Water and Sewer Department
P.O. Box 33-0316, Miami, FL 33233-0316

TABLE OF CONTENTS

INTRODUCTION	. 1
SUMMARY	. 2
SECTION I - PLAN IMPLEMENTATION	. 3
Figure 1	3
Table 1	. 4
APPENDIX A - BMP IMPI EMENTATION	Δ

INTRODUCTION

On November 15, 2007, the South Florida Water Management District (SFWMD) Governing Board approved the Miami-Dade Consolidated Water Use Permit (WUP). On November 1, 2010, the SFWMD Governing Board approved the reissuance of the permit extending the WUP for an additional three years. On December 16, 2012, the permit was reissued to increase the permitted allocation and to modify the water supply for the South Miami Heights Water Treatment Plant to include allocation from the Floridan aquifer. On February 9, 2015, the SFWMD issued a modification to the WUP, extending the expiration date to February 9, 2035.

To comply with the original Permit requirements, MDWASD developed a 20-year Water Use Efficiency (WUE) Plan using the Florida Department of Environmental Protection Conserve Florida Guide (Guide). The Guide is a web-based application for goal-based water conservation planning. MDWASD was the first utility in the State to use the Guide to develop, administer and report its water conservation program.

The implementation of the Conserve Florida Plan Best Management Practices (BMPs) guarantees that MDWASD will meet the projected 19.6 million gallons a day (MGD) water savings target by 2026, as required by the Permit. Current water savings from the BMPs are more than an estimated 12.3 MGD, exceeding the 2016 water savings goal.

MDWASD hereby submits the eighth Water Conservation Plan Annual Progress Report detailing the County's actions and efforts to comply with Limiting Condition 17 of the modified WUP.

SUMMARY

Miami-Dade County's Water Use Efficiency (WUE) Program was implemented utilizing the Florida Department of Environmental Protection (DEP) Conserve Florida Guide. The web-based guide for public water suppliers was used for developing, and implementing the water conservation measures and best management practices (BMPs) of Miami-Dade's WUE program. The use of quantifiable BMPs and measures has assisted in reviewing and evaluating planned and reported water savings on an annual basis to ensure the implementation of a cost-effective conservation program.

Other measures in addition to water conservation incentives have been enacted to ensure future water savings. Water use efficiency standards for new residential and commercial developments, enacted by the Miami-Dade Board of County Commissioners on January 1, 2009, are being implemented and enforced through local building codes. The standards included technical amendments to the Florida Building Code to require maximum water conservation flow rates for plumbing fixtures.

Additionally, the County continues to implement the Permanent Landscape Irrigation Restrictions Ordinance which limits landscape irrigation to two days a week. A written advisory notice is sent to follow up on formal complaints that are received through either the County's 3-1-1 system or via a web-based e-mail system.

The County has also enacted a tiered water rate structure which includes a surcharge for high water use to encourage water conservation.

Miami-Dade County is currently experiencing actual finished water demands 40 MGD lower than what they were prior to the implementation of the WUE Program, in 2006.

SECTION I - PLAN IMPLEMENTATION

The Conserve Florida BMPs that MDWASD has implemented as part of the Water Use Efficiency Plan are shown in this Report in Appendix A.

As a result of the implementation of the BMPs and the landscape irrigation restriction measures, Miami-Dade County has continued to see a lower than expected per capita water consumption. Figure 1 reflects the historical systemwide per capita, showing the effectiveness of all of MDWASD's water efficiency strategies. It should be noted that the historic per capita calculations have been revised based on the most current population data Miami-Dade County Planning Division of the Department of Regulatory and Economic Resources.




Table 1, shows both the estimated water savings achieved through implementation of the BMPs and the corresponding annual planned goal for water savings. Current estimated water savings from the BMPs are more than 12.3 MGD, exceeding the 2016 water savings goal of 11.7 MGD.

Table 1
Water Savings Report Summary

Year	Water Savings (MGD)			
	Planned	Reported		
2007	1.09	1.212308		
2008	2.24	3.476908		
2009	3.53	4.902751		
2010	4.82	6.541536		
2011	6.1	8.466445		
2012	7.22*	10.074656		
2013	8.42*	11.226418		
2014	9.54*	12.344215		
2016	11.7			
2021	15.67			
2026	19.62			

^{*}Estimated goal based on 5 year target

APPENDIX A - BMP IMPLEMENTATION THROUGH DECEMBER 31, 2014

BMP Implementation for: High Efficiency Toilet & Retrofit Kit

Category: Retrofit

Sector: Single Family –Senior and Low Income Retrofit Project

No Expenditures in 2014

Note Project ended October 2012

Year		Units	Savings/Account (Address) Gallons/account/day	Total Savings (gal/day)
	Planned	750	64	48,000
2007	Reported	890	64	56,960
	Difference	140		8,960
	Planned	1000	64	64,000
2008	Reported	1124	64	71,936
	Difference	124		7,936
	Planned	1000	64	64,000
2009	Reported	1000	64	64,000
	Difference	0		
	Planned	1000	64	64,000
2010	Reported	845*	64	54,080
	Difference	-155		-9,920
	Planned	750	64	48,000
2011	Reported	706	64	45,184
	Difference	44		-2,816
	Planned	750	64	48,000
2012	Reported	463	64	29,632
	Difference	-287		-18,368
	Planned	0	64	0
2013	Reported	0	64	0
	Difference			
	Planned	0	64	0
2014	Reported	0	64	0
	Difference			

Note: Reported Value is for each address where a retrofit occurred. A retrofit consists of up to 2 HETs, 2 showerheads, 2 bathroom faucet aerators and a kitchen aerator.

BMP Implementation for: High Efficiency Clothes Washer Rebates Category: Indoor Sector: Single Family Home Washers – Rebate No Expenditures in 2014

Year		Units	Savings/Measure gallon/measure/day	Total Savings (gal/day)
	Planned	0	16.3	0
2007	Reported	0	16.3	0
	Difference	0		
	Planned	150	16.3	2,445
2008	Reported	849	16.3	13,838.7
	Difference	699		11,393.7
	Planned	250	16.3	4,075
2009	Reported	937	16.3	15,273.1
	Difference	687		11,198.1
	Planned	0	16.3	0
2010	Reported	0	16.3	0
	Difference	0		
	Planned	0	16.3	0
2011	Reported	0	16.3	0
	Difference	0		
	Planned	0	16.3	0
2012	Reported	0	16.3	0
	Difference	0		
	Planned	0	16.3	0
2013	Reported	0	16.3	0
	Difference	0		
	Planned	0	16.3	0
2014	Reported	0	16.3	0
	Difference	0		

BMP Implementation for: Ultra Low Flush (ULF) Toilet Rebates Category: Rebate

Sector: Residential High Efficiency Toilet (HET) Rebate Project Cost per Rebate: \$50

Year		Units	Savings/Account gallons per account per day	Total Savings (gal/day)
	Planned	750	29	21,750
2007	Reported	971	29	28,159
	Difference	221		6,409
	Planned	750	29	21,750
2008	Reported	1253	29	36,337
	Difference	503		14,587
	Planned	1000	29	29,000
2009	Reported	3478	29	100,862
	Difference	2478		71,862
	Planned	2000	29	58,000
2010	Reported	2622	29	76,038
	Difference	622		18,038
	Planned	2000	29	58,000
2011	Reported	2566	29	74,414
	Difference	566		16,414
	Planned	1200	29	34,800
2012	Reported	1220	29	35,380
	Difference	20		580
	Planned	1500	29	43,500
2013	Reported	1547	29	44,863
	Difference	75		2,175
	Planned	1500	29	43,500
2014	Reported	1558	29	45,182
	Difference	58		1,682

BMP Implementation for: High Efficiency Toilet (HET) Category: Retrofit Sector: Multi-Family HET Retrofit Project No Expenditures in 2014

Year		Units	Savings/Unit Gallons per multi-family unit per day	Total Savings (gal/day)
	Planned	0	64	0
2007	Reported	0	64	0
	Difference	0		
	Planned	0	64	0
2008	Reported	0	64	0
	Difference	0		
	Planned	310	64	19,840
2009	Reported	315	64	20,160
	Difference	5		320
	Planned	0	64	0
2010	Reported	0	64	0
	Difference	0		
	Planned	0	64	0
2011	Reported	0	64	0
	Difference	0		
	Planned	0	64	0
2012	Reported	0	64	0
	Difference	0		
	Planned	0	64	0
2013	Reported	0	64	0
	Difference	0		
	Planned	0	64	0
2014	Reported	0	64	0
	Difference	0		

BMP Implementation for: High Efficiency Showerheads Category: Indoors Sector: Single Family - Showerhead Exchange Cost per Showerhead: \$3.00

Year		Units	Savings/Measure Gallons/measure/day	Total Savings (gal/day)
2007	Planned	1600	35	56,000
	Reported	4194	35	146,790
	Difference	2594		90,790
2008	Planned	1600	35	56,000
	Reported	2437	35	85,295
	Difference	837		29,295
2009	Planned	1480	35	51,800
	Reported	2163	35	75,705
	Difference	683		23,905
2010	Planned	1500	35	52,500
	Reported	1986	35	69,510
	Difference	486		17,010
2011	Planned	1500	35	52,500
	Reported	1936	35	67,760
	Difference	436		15,260
2012	Planned	1500	35	52,500
	Reported	3158	35	110,530
	Difference	1658		58,030
	Planned	1100	35	38,500
2013	Reported	1228	35	42,980
	Difference	128		4,480
	Planned	1500	35	52,500
2014	Reported	1991	35	69,685
	Difference	491		17,185

BMP Implementation for: High Efficiency Retrofit Kit

Category: Indoors

Sector: Single Family - Retrofit Kit (High Efficiency Bathroom & Kitchen Faucet Aerators and Dye Tablets) Note savings of 12 gallons per aerator. Currently 2 aerators per kit.

Cost per Retrofit Kit: \$2.83

Year		Units	Savings/Measure Gallons/measure/day	Total Savings (gal/day)
	Planned	1600	12	19,200
2007	Reported	4194	12	50,328
	Difference	2594		31,128
	Planned	1600	12	19,200
2008	Reported	2437	12	29,244
	Difference	837		10,044
	Planned	1480	12	17,760
2009	Reported	1498	12	17,976
	Difference	18		216
	Planned	1000	12	12,000
2010	Reported	1321	12	15,852
	Difference	321		3,852
	Planned	1000	12	12,000
2011	Reported	1417	12	17,004
	Difference	417		5,004
	Planned	1000	12	12,000
2012	Reported	2576	12	30,912
	Difference	1576		18,912
	Planned	800	24	9,600
2013	Reported	890	24	10,680
	Difference	90		1,080
	Planned	1000	24	24,000
2014	Reported	1893	24	45,432
	Difference	893		21,432

BMP Implementation for: High Efficiency Showerheads Category: Indoors
Sector: Multi-Family – Showerhead Exchange
Cost per Showerhead: \$3.00

Year		Units	Savings/Measure Gallons/Unit/Day	Total Savings Gallons Per Day (gal/day)
	Planned	1600	35	56,000
2007	Reported	4193	35	146,755
	Difference	2593		90,755
	Planned	1600	35	56,000
2008	Reported	4000	35	140,000
	Difference	2400	35	84,000
	Planned	2120	35	74,200
2009	Reported	2130	35	74,550
	Difference	10		350
	Planned	5000	35	175,000
2010	Reported	6519	35	228,165
	Difference	3485		53,165
	Planned	2500	35	87,500
2011	Reported	2857	35	99,995
	Difference	357		12,495
	Planned	2000	35	70,000
2012	Reported	2163	35	75,705
	Difference	163		5,705
	Planned	800	35	28,000
2013	Reported	814	35	28,490
	Difference	14		490
	Planned	1000	35	35,000
2014	Reported	1167	35	40,845
	Difference	67		5,845

BMP Implementation for: High Efficiency Retrofit Kit

Category: Indoors

Sector: Multi-Family – Retrofit Kit (High Efficiency Bathroom & Kitchen Faucet Aerators and Dye Tablets) Note savings of 12 gallons per aerator. Currently 2 aerators per kit.

Cost per Retrofit Kit: \$2.83

Year		Units	Savings/Measure Gallons/measure/day	Total Savings (gal/day)
	Planned	1600	12	19,200
2007	Reported	4193	12	50,316
	Difference	2593		31,116
	Planned	1600	12	19,200
2008	Reported	4000	12	48,000
	Difference	2400		28,800
	Planned	2120	12	25,440
2009	Reported	2130	12	25,560
	Difference	10		120
	Planned	2600	12	31,200
2010	Reported	5657	12	67,884
	Difference	3057		36,684
	Planned	2000	12	24,000
2011	Reported	2618	12	31,416
	Difference	618		7,416
	Planned	1500	12	18,000
2012	Reported	1567	12	18,804
	Difference	67		804
	Planned	500	24	12,000
2013	Reported	662	24	15,888
	Difference	162		3,888
	Planned	750	24	18,000
2014	Reported	576	24	13,824
	Difference	-174		-4,176

BMP Implementation for: High Efficiency Aerators Category: Indoors

Sector: Non-Residential Industrial, Commercial and Institutional (ICI) – Faucet Aerators Cost per Retrofit Kit: \$0.50

	Planned	0	12	0
2014	Reported	205	12	2,460
	Difference	205		2,460

BMP Implementation for: High Efficiency Showerheads Rebate Category: Indoors
Sector: Single Family - Showerhead Rebate
Cost per Rebate: \$10.00

Year		Units	Savings/Measure Gallons/Unit/Day	Total Savings Gallons Per Day (gal/day)
	Planned	0	35	0
2007	Reported	0	35	0
	Difference	0		0
	Planned	0	35	0
2008	Reported	0	35	0
	Difference	0	35	0
	Planned	0	35	0
2009	Reported	0	35	0
	Difference	0		0
	Planned	0	35	0
2010	Reported	0	35	0
	Difference	0		0
	Planned	0	35	0
2011	Reported	0	35	0
	Difference	0		0
	Planned	50	35	1750
2012	Reported	23	35	805
	Difference	-27		-945
	Planned	50	35	1750
2013	Reported	46	35	1610
	Difference	-4		-140
	Planned	0	35	0
2014	Reported	59	35	2,065
	Difference	59		2,065

BMP Implementation for: High Efficiency Faucet Rebate Category: Indoors
Sector: Single Family - Faucet Rebate
Cost per Rebate: \$10.00

Year		Units	Savings/Measure Gallons/Unit/Day	Total Savings Gallons Per Day (gal/day)
	Planned	0	12	0
2007	Reported	0	12	0
	Difference	0		0
	Planned	0	12	0
2008	Reported	0	12	0
	Difference	0		0
	Planned	0	12	0
2009	Reported	0	12	0
	Difference	0		0
	Planned	0	12	0
2010	Reported	0	12	0
	Difference	0		0
	Planned	0	12	0
2011	Reported	0	12	0
	Difference	0		0
	Planned	50	12	600
2012	Reported	107	12	1284
	Difference	57		684
	Planned	50	12	600
2013	Reported	120	12	1440
	Difference	70		840
	Planned	0	12	0
2014	Reported	151	12	1,812
	Difference	151		1,812

BMP Implementation for: Water-Efficient Landscape and Irrigation Evaluations and Rebates Category: Landscape and Irrigation Evaluations with Rebates

Sector: Large Property Landscape Evaluation With Smart Controller

Cost per Evaluation, Smart Controller and Rebate: \$3200

Year		Units	Savings/Account Gallons/account/day	Total Savings (gal/day)
	Planned	20	35,000	700,000
2007	Reported	20	35,000	700,000
	Difference	0		
	Planned	20	35,000	700,000
2008	Reported	50	35,000	1,750,000
	Difference	30		1,050,000
	Planned	20	35,000	700,000
2009	Reported	25	35,000	875,000
	Difference	5		175,000
	Planned	25	35,000	875,000
2010	Reported	26	35,000	910,000
	Difference	1		35,000
	Planned	35	35,000	1,225,000
2011	Reported	44	35,000	1,540,000
	Difference	9		315,000
	Planned	25	35,000	875,000
2012	Reported	36	35,000	1,260,000
	Difference	11		385,000
	Planned	26	35,000	910,000
2013	Reported	28	35,000	980,000
	Difference	2		70,000
	Planned	27	35,000	945,000
2014	Reported	25	35,000	875,000
	Difference	-2		-70,000

BMP Implementation for: Water-Efficient Landscape and Irrigation Evaluations and Rebates Category: Landscape and Irrigation Evaluations with Rebates

Sector: Single Family Homes (UCU) Landscape Evaluation and Rebate Cost per Evaluation and Rebate: \$600

Year		Units	Savings/Account Gallons/account/day	Total Savings (gal/day)
	Planned	0	233	0
2007	Reported	0	233	0
	Difference	0		
	Planned	0	233	0
2008	Reported	0	233	0
	Difference	0		
	Planned	200	233	46,600
2009	Reported	200	233	46,600
	Difference	0		
	Planned	120	233	27,960
2010	Reported	131	233	30523
	Difference	11		2563
	Planned	120	233	27,960
2011	Reported	145	233	33,785
	Difference	25		5,825
	Planned	100	233	23,300
2012	Reported	81	233	18,873
	Difference	-19		-4427
	Planned	75	233	17,475
2013	Reported	58	233	13,514
	Difference	17		-3961
	Planned	75	233	17,475
2014	Reported	75	233	17,475
	Difference	17		0

BMP Implementation for: Non-residential Water-Use Evaluations/Implementations Category: Evaluations Without Rebates

Sector: Non-Residential – County Owned Facilities Landscape Evaluation Cost per Evaluation - \$250

Year		Units	Savings/Measure Gallons/measure/day	Total Savings (gal/day)
	Planned	22	1,500	33,000
2007	Reported	22	1,500	33,000
	Difference	0		
	Planned	10	1,500	15,000
2008	Reported	38	1,500	57,000
	Difference	28		42,000
	Planned	0	1,500	0
2009	Reported	0	1,500	0
	Difference	0		
	Planned	0	1,500	0
2010	Reported	3	1,500	4500
	Difference	3		4500
	Planned	10	1,500	15000
2011	Reported	7	1,500	10,500
	Difference	3		-4,500
	Planned	0	1500	0
2012	Reported	16	1500	24,000
	Difference	16		24,000
	Planned	0	1500	0
2013	Reported	0	1500	0
	Difference			
	Planned	0	1500	0
2014	Reported	1	1500	1500
	Difference	1		1500

BMP Implementation for: Non-residential Water-Use Evaluations/Implementations Category: Evaluations Without Rebates
Sector: Non-Residential – Green Restaurant Program
Cost per Evaluation and Spray Nozzle: \$250

Year		Units	Savings/Measure Gallons/measure/day	Total Savings (gal/day)
	Planned	0	100	0
2007	Reported	0	100	0
	Difference	0		
	Planned	12	100	1,200
2008	Reported	14	100	1,400
	Difference	2		200
	Planned	12	100	1,200
2009	Reported	12	100	1,200
	Difference	0		
	Planned	12	100	1,200
2010	Reported	11	100	1,100
	Difference	-1		-100
	Planned	0	100	0
2011	Reported	0	100	0
	Difference	0		
	Planned	0	100	0
2012	Reported	0	100	0
	Difference	0		
	Planned	0	100	0
2013	Reported	0	100	0
	Difference	0		
	Planned	0	100	0
2014	Reported	9	100	900
	Difference	0		900

BMP Implementation for: Non-residential Water-Use Evaluations/Implementations Category: Evaluations Without Rebates Sector: Non-Residential – Green Lodging Project Cost per Evaluation: \$250

Year		Units	Savings/Measure gallons/measure/day	Total Savings (gal/day)
	Planned	0	1,617	0
2007	Reported	0	1,617	0
	Difference	0		
	Planned	12	1,617	19,404
2008	Reported	17	1,617	27,489
	Difference	5		8,085
	Planned	12	1,617	19,404
2009	Reported	21	1,617	33,957
	Difference	9		14,553
	Planned	0	1,617	0
2010	Reported	4	1,617	6,468
	Difference	4		6,468
	Planned	0	1,617	0
2011	Reported	3	1,617	4,851
	Difference	3		4,851
	Planned	0	1,617	0
2012	Reported	2	1,617	3234
	Difference	2		3234
	Planned	0	1,617	0
2013	Reported	1	1,617	1,617
	Difference	1		1,617
	Planned	0	1,617	0
2014	Reported	1	1,617	1,617
	Difference	1		1,617

BMP Implementation for: Non-residential Water-Use Evaluations/Implementations Category: Evaluations Without Rebates

Sector: Non-Residential Industrial, Commercial and Institutional (ICI) – Private Facilities

No Expenditures in 2014

Year		Units	Savings/Measure (gpmd)	Total Savings (gal/day)
	Planned	22	1,500	33,000
2007	Reported	22	1,500	33,000
	Difference	0		
	Planned	10	1,500	15,000
2008	Reported	38	1,500	57,000
	Difference	28		42,000
	Planned	0	1,500	0
2009	Reported	0	1,500	0
	Difference	0		
	Planned	0	1,500	0
2010	Reported	0	1,500	0
	Difference	0		
	Planned	0	1,500	0
2011	Reported	0	1,500	0
	Difference	0		
	Planned	0	1,500	0
2012	Reported	0	1,500	0
	Difference	0		
	Planned	0	1,500	0
2013	Reported	0	1,500	0
	Difference	0		
	Planned	0	1,500	0
2014	Reported	0	1,500	0
	Difference	0		