

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION MIAMI-DADE COUNTY PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

Sunesta Products 6500 Youngerman Circle Jacksonville, Florida 32244

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER- Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Sunesta Retractable Awning

APPROVAL DOCUMENT: Drawing No. SUN-01, titled "Sunesta Retractable Awning", prepared by Wolters Engineering, dated October 17, 2013, signed and sealed by Scott Wolters, P.E., on May 02, 2022, bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and the expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: None

LABELING: Each awning shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA #18-1004.07 and consists of this page 1, evidence submitted pages E-1 & E-2 as well as approval document mentioned above.

The submitted documentation was reviewed by Helmy A. Makar, P.E., M.S.

MIAMI-DADE COUNTY
APPROVED

Heg A. Mehr 07/14/2022

NOA No. 22-0613.07 Expiration Date: 06/12/2024 Approval Date: 07/14/2022 Page 1

Sunesta Products

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 13-1104.18

- A. DRAWINGS
 - 1. Drawing No. SUN-01, titled "Sunesta Retractable Awning", prepared by Wolters Engineering, dated 10/17/2013, signed and sealed by Scott Wolters, P.E., on 05/20/2014.
- B. TESTS
 - 1. Test Report # D0519.01-450-18, per Custom Dry Dynamic Wind Test, prepared by Architectural Testing, dated 10/24/13 revised on 03/19/14, signed and sealed by Vinu J. Abraham, P.E.
- C. CALCULATIONS
 - 1. Calculations titled "Sunesta Retractable Awnings", prepared by Wolters Engineering, 4 pages, dated October 22, 2013, signed and sealed by Scott Wolters, P.E., on 10/22/2013.
- D. QUALITY ASSURANCE
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - None.

2. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 15-0612.03

- A. DRAWINGS
 - 1. Drawing No. SUN-01, titled "Sunesta Retractable Awning", prepared by Wolters Engineering, dated October 17, 2013, signed and sealed by Scott Wolters, P.E., on June 12, 2015.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. **OUALITY ASSURANCE**
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- 3. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 18-1004.07
- A. DRAWINGS
 - 1. None.

Helmy A. Makar, P.E., M.S. Product Control Section Supervisor

NOA No. 22-0613.07

Expiration Date: 06/12/2024 Approval Date: 07/14/2022

Sunesta Products


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. **QUALITY ASSURANCE**
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- F. STATEMENTS
 - 1. FBC, 2017 Edition compliance letter, dated 02/12/2019 issued by Wolters Engineering, signed and sealed by Scott Wolters, P.E.
- 4. NEW EVIDENCE SUBMITTED
- A. DRAWINGS
 - 1. Drawing No. SUN-01, titled "Sunesta Retractable Awning", prepared by Wolters Engineering, dated October 17, 2013, signed and sealed by Scott Wolters, P.E., on May 02, 2022.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. OUALITY ASSURANCE
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- F. STATEMENTS
 - 1. FBC, 2020 Edition compliance letter, dated 05/02/2022 issued by Wolters Engineering, signed and sealed by Scott Wolters, P.E.

Helmy A. Makar, P.E., M.S. Product Control Section Supervisor

NOA No. 22-0613.07

Expiration Date: 06/12/2024 Approval Date: 07/14/2022



STANDARD ELEVATION

GENERAL NOTES:

1. THIS SYSTEM HAS BEEN DESIGNED TO MEET THE REQUIREMENTS OF THE 7TH EDITION (2020) FLORIDA BUILDING

SYSTEM IS NOT A PART OF THE BUILDING ENVELOPE, IMPACT RESISTANCE IS NOT REQUIRED.

- 2. THE AWNING MUST BE FULLY RETRACTED FOR ANY WIND EVENT WITH WINDSPEEDS EXCEEDING 45 MPH.
- 3. DESIGN LOADS MUST BE CALCULATED BY A PROFESSIONAL ENGINEER OR ARCHITECT FOR EACH PROJECT. THE PROJECT PRESSURE CANNOT EXCEED THE DESIGN PRESSURE LISTED ABOVE.
- 4. ALL ANCHORS SECURING THE SYSTEM TO PRESSURE TREATED WOOD SHALL BE CAPABLE OF RESISTING CORROSION CAUSED BY THE CHEMICALS IN THE WOOD.
- 5. MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE.
- 6. NO INCREASE IN ALLOWABLE STRESS HAS BEEN USED IN THE CERTIFICATION OF THIS PRODUCT. Cd=1.6 WAS USED FOR WOOD SCREWS ONLY.

MAXIMUM DESIGN PRESSURE

OPEN: 5.8 PSF (45 MPH WINDSPEED) CLOSED: 49.5 PSF (175 MPH WINDSPEED)

MAXIMUM AWNING HEIGHT = 25.0 FT ABOVE GRADE EXPOSURE D AND RISK CATEGORY II

AWNING MUST BE RETRACTED TO CLOSED POSITION FOR ANY WIND EVENT WITH WINDSPEEDS EXCEEDING 45 MPH.

AWNING FRAME SUPPORT REQUIREMENTS				
AWNING	RETRACTABLE SUPPORT	WALL MOUNTING BRACKETS		
WIDTH	ARMS REQUIRED	REQUIRED		
UPTO 9 FT	2	2		
UP TO 16 FT	2	3		
UP TO 18 FT	. 2	4		
UPTO 21 FT	2	5		
UP TO 26 FT	3	6		
UP TO 32 FT	4	8		
UP TO 40 FT	4	9		

PH: (904) 268-8000 FAX: (904) 260-4499 www.sunesta.com RETRACTABLE SUNESTA

JNESTA PRODUCTS, LLC. 320 DISTRIBUTION AVE EAST ACKSONVILLE, FL 32256


AWNING

PRODUCT REVISED


1911 July 1 1 24.8

"SUN-1

NOTE: ALL ELECTRICAL PARTS AND CONNECTIONS/INSTALLATIONS ARE NOT PART OF THIS N.O.A. AND THEY SHALL BE REVIEWED BY THE CORRESPONDING BUILDING DEPARTMENT FOR EACH JOB.



VERTICAL WALL ATTACHMENT (WITH OPTIONAL MOTOR AND HOOD)



WALL MOUNTING BRACKET

	FR	AME ANCHOR CHAR	T		
			SPACING	EMBEDMENT	EDGE DISTANCE
WALL MOUNTED BRACKET	SUBSTRATE	FASTENER TYPE	(MIN)	(MIN)	(MIN)
	WOOD	(2) 5/16" HH LAG SCREW	3"	3"	1 1/4*
	(S.G. = 0.5 MIN)	(SAEGR 2 MN)			
	CONCRETE	(2) 5/16" DIA. ELCO	5**	1 3/4*	2 1/4"
	(3000 PSI MN)	ULTRACON			
	GROUT FILLED CMU	(2) 5/16° DIA. ELCO	5"	2 1/4"	3 1/8"
	(ASTM C90 MIN)	ULTRACON			
	STEEL	(2) 5/16" DIA. DRL-FLEX OR F-TYPE	2"	FULL	3/4"
	(36 Ksł, 1/8" MIN)	SELF TAPPING SCREW			L

FASTENER NOTES:

- 1. ALL ANCHORS IN CONTACT WITH PRESSURE TREATED WOOD SHALL BE CAPABLE OF
- 1. ALL ANCHORS IN CONTACT WITH PRESSURE TREATED WOOD SHALL BE CAPABLE OF RESISTING CORROSION CAUSED BY THE CHEMICALS IN THE WOOD.

 2. MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE, SECTION 2003.8.4.

 3. NO INCREASE IN ALLOWABLE STRESS HAS BEEN USED IN THE CERTIFICATION OF THIS PRODUCT. Cd=1.6 WAS INSECTION OF THIS PRODUCT.
- USED FOR WOOD SCREWS ONLY.

BRACKET NOTES:

- 1. ALL BRACKETS ARE MADE FROM EXTRUDED ALUMINUM ALLOY 6063 T-6 WITH POWDER COAT FINISH.
 2. THE FASTENERS CONNECTING THE PITCHED ROOF BRACKET ARE 300 SERIES STAINLESS STEEL.
 3. ALL ANCHORS IN CONTACT WITH PRESSURE TREATED WOOD SHALL BE CAPABLE OF RESISTING CORROSION.
- 2. ALL ANCHORS IN CONTACT WITH PRESSURE TREATED WOOD SHALL BE CAPABLE OF RESISTING CORROSION

 CAUSED BY THE CHEMICALS IN THE WOOD.

 4. MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE, SECTION 2003. 8.4.

PRODUCT REVISED

PH: (904) 268-8000 FAX: (904) 260-4499 www.sunesta.com

SUNESTA PRODUCTS, LLC. 11320 DISTRIBUTION AVE EAST JACKSONVILLE, FL 32256


, EEB

AWNING

RETRACTABLE

SUNESTA

	PARTS LIST				
PART	PART DESCRIPTION				
AWNING	8.6 OZ 100% WOVEN ACRYLIC FABRIC.				
MOUNTING BRACKET	A356 EXTRUDED ALUMINUM ALLOY 6063-T6				
MOUNTING BAR	1 9/16" x 1 9/16" x 1/16" POWDER COATED STEEL SQUARE TUBE, 204" LONG, GRADE 33				
ROLLER TUBE	3 3/8" DIA 20 Ga. GALVANIZED STEEL ROUND TUBE, 204" LONG, GRADE 33 - ASTM A-653 G90				
ROLLER TUBÊ SUPPORT	HIGH STRENGTH TECHNICALLY IMPROVED PLASTIC WITH STEEL BEARING PINS				
SHOULDER	HIGH STRENGTH DROP-FORGED ALUMINUM ALLOY 6063-T6				
ARM	EXTRUDED ALUMINUM ALLOY 6063-T-6 WITH INTERNAL SPRINGS AND TENDONS IN BRONZE BUSHINGS, 174" MAX PROJECTION.				
FRONT BAR BRACKET	HIGH STRENGTH DROP-FORGED ALUMINUM ALLOY 6063-T6				
FRONT BAR	EXTRUDED ALUMINUM ALLOY 6063-T6, 204" WIDE				
SOCKET CAP BOLT	300 SERIES STAINLESS STEEL 2-1/2" X 1/4"-20 SOCKET CAP BOLT (ALLEN HEAD)				
SQUARE NUT	300 SERIES STAINLESS STEEL 1/4" X 1/4"-20 SQUARE NUT				
HEX BOLT	300 SERIES STAINLESS STEEL 1-3/4" X 3/8"-18 HEX BOLT				
HEXNUT	300 SERIES STAINLESS STEEL 3/8" X 3/8"-18 HEX NUT				
WASHER	300 SERIES STAINLESS STEEL FOR 1/4" AND 3/8" BOLTS; 1-1/4" OD				
SHEET METAL SCREW	300 SERIES STAINLESS STEEL 3/16" X 1" SHEET METAL, SELF-DRILLING SCREW				
SEALING WASHER	300 SERIES STAINLESS STEEL WASHER 3/16" ID - 5/8" OD BONDED TO NEOPRENE				



PRODUCT REVISED as complying with the Florida

SHEET: 3/3

AWNING

RETRACTABLE

FS, LLC. N AVE EAST 32256